






WORK SHEET - 07




Single Correct






Product (A) of above reaction is:







Q.2 Correct order of reactivity of following acid derivatives is












II is :



Product of this reaction and the mechanism is:







Q.7 Aq. Salt of which acid can produce cyclopropane after electrolysis.

(A) Maleic acid

(B) Succinic acid





(C) Glutaric acid

(D) Adipic acid






More than one may be correct


Q.9 Which of following reaction represent major product?



Q.10 Which of the following is false :

- (A)  $\xrightarrow{\text{NaOH}}$ Product of this reaction is a lactum.
- (B)  $\xrightarrow{\text{SOCl}_2}$ Major product of this reaction is chiral and having R configuration.
- (C)  gives two molecules of iodoform per molecule when treated with $\text{NaOH} + \text{I}_2$.
- (D) isopropanol gives yellow precipitate with I_2 in NH_4OH .

Q.11 Which will eliminate CO_2 only on heating


- (A) $\text{Me}-\text{C}(=\text{O})-\text{CH}_2-\text{COOH}$ (B) $\text{Ph}-\text{C}(=\text{O})-\text{CH}_2-\text{SO}_2\text{H}$
- (C)  (D) $\text{CH}_2=\text{CH}-\text{CH}_2-\text{COOH}$

Q.12 Methanoic acid and Ethanoic acid can be differentiated by:





- (A) Fehling test (B) Iodoform test (C) Schiff's test (D) NaHCO_3 test

Comprehension





Paragraph Question No. 13 to 15






Q.13 Dis:

- (A)  (B)  (C)  (D) 

Q.14 E is :



Q.15 Which part will form after reaction of B with NaCl.






(D) No reaction



Match the column

Q.16

Column I












Column II (Products)




(T) No reaction


Subjective

Q.17 Number of compounds, which can evolve CO_2 on heating, are.....







If your answer is X then fill 000X in OMR sheet.


Q.18 Number of compounds which are more acidic than 



Q.19 Consider following reactions.



Number of reactions which can produce propanoic acid as major product are_____.



ANSWER KEY

Q.1	C	Q.2	C	Q.3	D	Q.4	B	Q.5	C
Q.6	C	Q.7	C	Q.8	B	Q.9	AC	Q.10	BCD
Q.11	ACD	Q.12	AC	Q.13	C	Q.14	B	Q.15	D
Q.16	[(A) T (B) P (C) Q (D) T]	Q.17	[0006]	Q.18	[0005]	Q.19	[4]		
Q.20	[2]								