






SEQUENCE QUESTION OF SRG (ORGANIC CHEMISTRY)





Here (C) is :-





Functional group isomer of (C) is -




Here (A) & (C) are respectively.




Here (D) is :-




Here (B) & (C) are respectively




Paragraph for Q. 6 to 9




6. Structure of (A) is








7. Structure of (B) is :-














B & C are respectively :-




Here (B) is







Here F is







Paragraph for Q. 21 to 28





21. Compound (A) is :-



22. Compound (B) is :-



23. Compound (C) is :-



(3) 1 & 2 both

(4) None

24. Reagent (D) is :-

(1) Red P + HI

(2) NaBH_4

(3) H_2 -Ni

(4) Na / liq. NH_3 + ROH

25. Reagent (E) is :-




(1) LAH

(2) NaBH_4

(3) H_2 -Ni



(4) K liq NH_3 ROH

26. Compound (G) is :-



(4) 1 & 3 both

27. Compound (H) is :-



(3) 1 & 2 both


(4) None

Pre-Medical : Chemistry




ALLEN


28. Reagent (F) is :-

- (1) CH_3COOH (2) CH_3OH / dry HCl
 (3) $\text{Me}_2\text{SO}_4 + \text{OH}^-$ (4) CH_3I








Here (C) will be

- (1) CHCl_3
 (2) 
 (3) 
 (4) 




Here (B) is :-

- (1) 
 (2) 
 (3) 
 (4) 








Here (C) will be

- (1) Ph-NH_2
 (2) Ph-NHOH
 (3) Ph-NO
 (4) Ph-N=N-Ph







Here (D) is :-

- (1) 
 (2) 
 (3) 
 (4) 











Here (C) is :-


- (1) 
 (2) 
 (3) 
 (4) 



Here (A), (C) are respectively :-

- (1) 
 (2) 
 (3) 
 (4) 
 (5) 
 (6) 
 (7) 
 (8) 

Paragraph for Q. 35 to 37



35. Reagent A is :-


- (1) HBr (2) HBr + R-O-O-R
(3) HBr + H₂O₂ (4) NBS

36. Which of the following cannot be used as reagent (B)

- (1) CH₃-O[⊖] at high temp.
(2) $\text{>O}^{\ominus}$ at high temp.
(3) NaNH₂
(4) Alc KOH

37. Reagent C is :-

- (1) O₃, Ph₃P
(2) O₃, Zn/H₂O
(3) O₃, H₂O
(4) KMnO₄/OH⁻(cold)




Here A, B, C, D are respectively

- (1)

(2)

(3)

(4)




Here B & C are respectively

- (1)

(2)


(3)

(4)



Here (D) & (E) are :-

- (1) HOOC-CH₂-COOH, HOOC-CH₂-COOH
(2) CH₃COOH, CH₃COOH
(3) CH₃COOH, CH₃COOH
(4) HOOC-CH(COOH)-CH₂-COOH, HOOC-CH₂-COOH




Here B, C, D are respectively

- (1) C-C≡C-C















(2) C-C-C≡C


(3) C-C≡C-C

(4) C-C≡C-C







Here A, B, C, D are respectively :-


- (1) (A)  (B) 
 (C)  (D) 
 (2) (A)  (B) 
 (C)  (D) 
 (3) (A)  (B) 
 (C)  (D) 
 (4) (A)  (B) 
 (C)  (D) 



Here (C) is :-

- (1)  (2) 
 (3)  (4) 





Paragraph for Q. 44 - 46





44. Here (D) is :-


- (1) $\text{Me}-\text{CH}=\text{CH}-\text{CH}_2-\text{OH}$
 (2) $\text{Me}-\text{C}\equiv\text{C}-\text{CH}_2-\text{OH}$
 (3) $\text{Me}-\text{C}\equiv\text{C}-\text{CH}_3$
 (4) $\text{Me}-\text{CH}_2-\text{CH}_2-\text{CH}_2-\text{OH}$

45. Here (E) is :-




- (1)  (2) 
 (3)  (4) 


46. Here (F) is :-

- (1)  (2) 
 (3)  (4) 








Here (C) is :-

- (1)  (2) 
 (3)  (4) 








Here (C) is :-



- (1)  (2) 
 (3)  (4) 








Here (B) is :-







Here (B) is :-







Here (C) is :-




Here (B) is







Here B, C are respectively :-




Paragraph for Q. 54 to 56




54. Here (A) is :-





55. Here (B) is :-





56. Here C & D are respectively :-





Here (B) is :-





Here (B) is :-




Here (D) is :-




Here (D) is :-








Here (D) is :-










Here (B) is :-

- (1)  (2) 
 (3)  (4) 








Here (C) is :-

- (1)  (2) 
 (3)  (4) 








Here (D) is :-

- (1)  (2) 
 (3)  (4) 







(B) will be :-


- (1)  (2) 
 (3)  (4) 



Here (D) is :-

- (1)  (2) 
 (3)  (4) 

Paragraph for Q. 67 to 73







67. The relation between (B) & (E) :-

- (1) Chain isomer (2) Positional isomer
 (3) Homologous (4) Identical


68. The structure of (C) is :-

(By considering stable radical formation)

- (1)  (2) 
 (3)  (4) 

69. Which is chiral compound :-


- (1) (A) (2) (B)
 (3) (C) (4) 2 & 3 both




reagent(s) can be :-

- (1) $\text{O}_3, \text{H}_2\text{O}$ (2) $\text{KMnO}_4, \text{H}^+$
 (3) 1 & 2 both (4) None of these


71. Compound (B) $\xrightarrow[\text{ii) Cu}+300^\circ\text{C}]{\text{i) dil. H}_2\text{SO}_4}$ Product will be :-




72. Compound (B) $\xrightarrow[\text{Na}_2\text{SO}_3]{\text{OsO}_4}$ Product will be :-




73. Compound (C) $\xrightarrow[\Delta]{\text{Aq. KOH}}$ Product will be :-




74.  $\xrightarrow{\text{H}_2\text{O}}$ (A) $\xrightarrow{\text{conc. H}_2\text{SO}_4}$ (B) $\xrightarrow[\text{hv}]{\text{Cl}_2}$ (C)

(C) is not :




75. $\text{HC}\equiv\text{CH} \xrightarrow[\text{tube}]{\text{Red hot Cu}} \text{(A)} \xrightarrow[\text{H}_2\text{SO}_4]{\text{HNO}_3} \text{(B)} \xrightarrow{\text{I-Cl, AlCl}_3} \text{(C)}$
 $\text{(F)} \xleftarrow{\text{KI}} \text{(E)} \xleftarrow{\text{NaNO}_2} \text{(D)} \xleftarrow[2) \text{CINH}_2]{1) \text{Mg, Ether}}$

Here (F) is :-




76.  $\xrightarrow[\text{Dry Ether}]{\text{Mg}}$ (A) $\xrightarrow{\text{H-C-O-Me}} \text{(B)} \xrightarrow[\text{HOH}]{\text{PhMgBr}}$ (C)


Here (C) is :-





77.  $\xrightarrow[\text{FeBr}_3]{\text{Br}_2}$ (A) $\xrightarrow[\text{(ii) H}_3\text{O}^+]{\text{(i) O}_2/\text{catalyst}}$ (B) $\xrightarrow{\text{NaOH}}$ (C)
 $\text{(D)} \xleftarrow{\text{HCHO (2 mol)/H}^+}$

Here (D) is :-









Here (D) is :-




(D) will be :-




(A) & (B) are respectively :-




Here (D) & (E) will be respectively :-




Paragraph for Q. 82 to 88




82. Compound (A) on reaction with $\text{NH}_2\text{-NH}_2$ + OH^- gives -




83. Compound (B) is :-




84. Positional isomer of compound (C) :-




85. Compound (D) is :-





86. Compound (E) is :-





87. Compound (F) is :-





88. Compound (G) is :-




(G) will be :-




(E) will :-




(C) will be




Paragraph for Q. 92 to 96




92. Structure of (A) is :-



93. Structure of B :-





94. Structure of C :-





(4) Reaction (B) to (C) not possible


95. Structure of (D) :-




Product can be






Here (C) is :-







Hint : (A) has least diople in possible other product in 1st reaction



Here (C) is :-





(D) will be :-





Here (E) is :-





Here (C) & (D) are :-




Here (A) & (B) will be :-



Here (C) will be :-



Here (C) will be



ANSWER KEY															
Que.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Ans.	4	4	2	2	1	3	2	4	1	2	1	1	2	4	1
Que.	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Ans.	4	2	3	4	3	3	4	1	2	3	3	1	2	1	4
Que.	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
Ans.	2	2	3	3	1	2	3	4	2	4	4	2	1	2	1
Que.	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
Ans.	1	2	3	1	3	1	1	4	1	3	1	2	4	1	4
Que.	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
Ans.	3	4	1	4	2	1	2	2	4	3	4	3	2	2	4
Que.	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
Ans.	1	1	2	2	1	4	3	2	2	4	3	4	1	1	2
Que.	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105
Ans.	3	1	2	4	2	4	3	1	4	2	4	3	3	3	1