



**Fullerton, California USA.**

IFA KITS & EIA KITS			
Anaplasma	Babesia	Bartonella	Borrelia
Brucella	Coxiella	Ehrlichia	Francisella
HHV-6 and EBV	Leptospira	Orientia	Rickettsia
Trypanosoma			

Catalogue Number	Product Name	Species
<b>AF-12</b>	Rickettsia africae 12-well Substrate Slide	Human
<b>AP-12</b>	Anaplasma	Human
<b>BB-12</b>	Borrelia burgdorferi Substrate Slides (12-well)	Human/Canine/Equine
<b>BB-CC</b>	Borrelia burgdorferi IFA Control Set (Canine IgG)	Canine
<b>BBDG-120</b>	Canine Borreliosis IgG IFA Kit	Canine
<b>BBEG-120</b>	Equine Borrelia IgG Test Kit	Equine
<b>BBG-120</b>	Borrelia burgdorferi IgG IFA Kit	Human
<b>BB-EC</b>	Borrelia burgdorferi Control Set (Equine IgG)	Equine
<b>BB-GC</b>	Borrelia burgdorferi Control Set (human IgG)	Human
<b>BC-12</b>	Canine Brucella substrate slides (12 well)	Canine
<b>BC-CC</b>	Canine Pos/Neg Controls (0.5 mL each)	Canine
<b>BCG-120</b>	Canine Brucellosis IgG IFA Kit	Canine
<b>BE-12</b>	Babesia equi 12-well	Equine
<b>BE-EC</b>	Babesia equi IFA IgG Control Set	Equine
<b>BEG-120</b>	Babesia equi Equine IgG IFA kit	Equine
<b>BH-12</b>	Bartonella henselae 12-well Substrate Slide	Human/Canine/Equine
<b>BHD-120</b>	Canine Bartonella henselae IFA Kit	Canine
<b>BHF-120</b>	Feline Bartonella IFA Antibody Kit	Feline
<b>BHG-120</b>	Bartonella henselae 120-test IgG IFA kit	Human
<b>BHM-120</b>	Bartonella henselae 120-test IgM IFA kit	Human
<b>BI-12</b>	Babesia bigemina substrate slide (12-well)	Bovine
<b>BIG-120</b>	Babesia bigemina IgG IFA Test Kit	Bovine
<b>BK-12</b>	Babesia caballi 12-well	Equine
<b>BK-EC</b>	Babesia caballi IFA IgG Control Set	Equine
<b>BKG-120</b>	Babesia caballi Equine IgG IFA kit	Equine
<b>BM-12</b>	Babesia microti substrate slides (12-well)	Human
<b>BMG-120</b>	Babesia microti IgG IFA Kit	Human
<b>BM-GC</b>	Babesia microti Pos/Neg Control Sera (human IgG)	Human
<b>BMM-120</b>	Babesia microti IgM IFA Kit	Human
<b>BM-MC</b>	Babesia microti Pos/Neg Control Sera (human IgM)	Human
<b>BV-12</b>	Babesia bovis substrate slide (12-well)	Bovine
<b>BVG-120</b>	Babesia bovis IgG IFA Test Kit	Bovine
<b>CB-10</b>	Babesia canis 10-well IFA Slides	Canine
<b>CBG-100</b>	Babesia canis IFA IgG Test Kit	Canine
<b>CDG-120</b>	Canine Distemper IgG IFA Kit	Canine
<b>CDM-120</b>	Canine Distemper IgM IFA Kit	Canine
<b>CDV-12</b>	Canine Distemper Virus substrate slides (12 well)	Canine

<b>CDV-GC</b>	Canine Distemper IFA Control set	Canine
<b>CDV-MC</b>	Canine Distemper IFA IgM Control set	Canine
<b>CG+25</b>	Working anti-canine IgG (H+L)-FITC Conjugate (2.5mL)	Canine
<b>CG+100</b>	Working anti-canine IgG (H+L)-FITC Conjugate (10mL)	Canine
<b>CG-25</b>	Working Anti-Canine IgG (H)-FITC Conjugate (2.5 mL)	Canine
<b>CG-100</b>	Working Anti-Canine IgG (H)-FITC Conjugate (10 mL)	Canine
<b>CM-25</b>	Working anti-canine IgM (Fc)-FITC Conjugate (2.5mL)	Canine
<b>CM-100</b>	Working anti-canine IgM (Fc)-FITC Conjugate (10mL)	Canine
<b>CPV-12</b>	Canine Parvovirus substrate slides (12 well)	Canine
<b>CPV-120</b>	Canine Parvovirus IgG IFA kit	Canine
<b>CPV-CC</b>	Canine Parvovirus IFA IgG Control Set	Canine
<b>E2-12</b>	E. canis / A. phagocytophila 12-well MIF Slide	Canine
<b>E2D-120</b>	E. canis and Anaplasma phagocytophila Canine IgG Kit	Canine
<b>E21G-120</b>	Anaplasma/Ehrlichia IgG MIF Kit	Human
<b>E21M-120</b>	Anaplasma/Ehrlichia IgM MIF Kit	Human
<b>EA-12</b>	EBV Early Antigens 12-well	Human
<b>EAG-120</b>	EBV Early Antigens IgG IFA Kit	Human
<b>EC-12</b>	Ehrlichia canis substrate slides (12-well)	Canine
<b>EC-CC</b>	Ehrlichia canis Pos/Neg Canine IFA Controls	Canine
<b>ECH-12</b>	Ehrlichia chaffeensis 12-well Substrate Slide	Canine/Human
<b>ECHG-120</b>	Ehrlichia chaffeensis IgG 120-test IFA Kit	Canine/Human
<b>ECHM-120</b>	Ehrlichia chaffeensis IgM 120-test IFA Kit	Canine/Human
<b>ECG-120</b>	Ehrlichia Canis IgG IFA kit	Canine
<b>EE-12</b>	Anaplasma phagocytophila slides (12-well)	Human/Canine/Equine
<b>EE-CC</b>	Granulocytic Ehrlichia Canine IFA Control Set	Canine
<b>EED-120</b>	Anaplasma phagocytophila Canine IFA kit	Canine
<b>EEE-120</b>	Anaplasma phagocytophila Equine IFA kit	Equine
<b>EEF-120</b>	Feline Granulocytic Ehrlichia IgG IFA Kit	Feline
<b>EEG-120</b>	HGE IgG IFA kit	Human
<b>EE-GC</b>	HGE IgG Pos/Neg Control set	Human
<b>EEM-120</b>	HGE IgM IFA kit	Human
<b>EG+25</b>	Working anti-equine (H+L)-FITC Conjugate (2.5mL)	Equine
<b>EG+100</b>	Working anti-equine (H+L)-FITC Conjugate (10mL)	Equine
<b>EG-25</b>	Working anti-equine (Fc)-FITC Conjugate (2.5mL)	Equine
<b>EG-100</b>	Working anti-equine (Fc)-FITC Conjugate (10mL)	Equine
<b>ER-12</b>	Ehrlichia risticii substrate slides (12-well)	Canine/Equine
<b>ERD-120</b>	Ehrlichia risticii Canine IgG IFA kit	Canine
<b>ERE-120</b>	Neorickettsia risticii Equine IFA kit	Equine
<b>ER-EC</b>	Ehrlichia risticii Pos/Neg Canine IFA Controls	Canine
<b>FC-FC</b>	Feline Chlamydiosis IFA Pos/Neg Controls	Feline
<b>FCV-12</b>	Feline Calicivirus 12-well	Feline
<b>FCV-120</b>	Feline Calicivirus IgG 120-test IFA kit	Feline
<b>FCV-FC</b>	Feline Calicivirus IFA Pos/Neg Controls	Feline
<b>FG+25</b>	Working anti-feline IgG (H+L)-FITC Conjugate (2.5mL)	Feline
<b>FG+100</b>	Working anti-feline IgG (H+L)-FITC Conjugate (10mL)	Feline
<b>FG-25</b>	Working anti-feline IgG (Fc)-FITC Conjugate (2.5mL)	Feline
<b>FG-100</b>	Working anti-feline IgG (Fc)-FITC Conjugate (10mL)	Feline
<b>FH-12</b>	Feline Herpes 12-well	Feline
<b>FH-120</b>	Feline Herpes IgG 120-test IFA kit	Feline

<b>FIP-12</b>	Feline Infectious Peritonitis 12-well	Feline
<b>FIP-120</b>	Feline Infectious Peritonitis 120-test IFA kit	Feline
<b>FM-25</b>	Working anti-feline IgM (Fc)-FITC Conjugate (2.5mL)	Feline
<b>FM-100</b>	Working anti-feline IgM (Fc)-FITC Conjugate (10mL)	Feline
<b>FP-12</b>	Feline Chlamydia 12-well IFA Slide	Feline
<b>FPV-12</b>	Feline Panleukopenia 12-well IFA Slide	Feline
<b>FPV-120</b>	Feline Panleukopenia IFA IgG 120-test Kit	Feline
<b>FPV-FC</b>	Feline Panleukopenia IFA Pos/Neg Controls	Feline
<b>FT-12</b>	Francisella/Brucella MIF Substrate Slide	Human
<b>FTG-120</b>	Francisella tularensis IgG MIF Kit	Human
<b>FTM-120</b>	Francisella tularensis IgM MIF Kit	Human
<b>GAM-25</b>	Anti-mouse IFA Conjugate (2.5mL)	Human
<b>GAM-100</b>	Anti-mouse IFA Conjugate (10mL)	Human
<b>GB-12</b>	Babesia gibsoni 12-well IFA Substrate Slide	Canine
<b>GBP</b>	Babesia gibsoni Positive Control	Canine
<b>GPC-25</b>	Working anti-guinea pig C'3-FITC Conjugate (10mL)	Human
<b>GPC-100</b>	Working anti-guinea pig C'3-FITC Conjugate (2.5mL)	Human
<b>HCG-25</b>	IFA Conjugate Human/Canine IgG, 2.5 mL	Human/Canine
<b>HCM-25</b>	Human IgM Conjugate, 2.5 mL	Human/Canine
<b>H6G-12</b>	Human Herpesvirus-6 IgG IFA substrate slides	Human
<b>H6G-120</b>	Human Herpesvirus-6 IgG IFA Kit	Human
<b>LE-12</b>	Leptospira 12-well	Human/Canine
<b>LED-120</b>	Leptospirosis Canine IFA kit	Canine
<b>LEG-120</b>	Leptospirosis IgG IFA kit	Human
<b>LE-GC</b>	Leptospira IFA IgG Pos/Neg Human Controls	Human
<b>LEM-120</b>	Leptospirosis IgM IFA kit	Human
<b>LE-MC</b>	Leptospira IFA IgM Pos/Neg Human Controls	Human
<b>LP-12</b>	Leishmania (promastigote) 12-well	Canine
<b>LP-CC</b>	Leishmania IFA Canine Pos/Neg Controls	Canine
<b>LPD-120</b>	Canine Leishmaniasis IgG IFA Kit	Canine
<b>MD-4</b>	IgM Sample Diluent	Human
<b>MD-15</b>	IgM Sample Diluent, 15 mL	Human
<b>MSD-10</b>	MIF Serum Diluent, 10 mL	MIF
<b>NC-12</b>	Neospora caninum substrate slide 12-well	Canine/Equine
<b>NCD-120</b>	Neospora caninum IgG IFA kit	Canine
<b>NCE-120</b>	Equine Neospora IgG IFA Kit	Equine
<b>PGC-25</b>	Working anti-human IgG (Fc)-FITC Conjugate (2.5mL)	Human
<b>PGC-100</b>	Working anti-human IgG (Fc)-FITC Conjugate (10mL)	Human
<b>PMC-25</b>	Working anti-human IgM (Fc)-FITC Conjugate (2.5mL)	Human
<b>PMC-100</b>	Working anti-human IgM (Fc)-FITC Conjugate (10mL)	Human
<b>OT4-10</b>	Orientia tsutsugamushi 10-well Slide	Human
<b>OTG-100</b>	Orientia MIF IgG Kit	Human
<b>OTM-100</b>	Orientia MIF IgM Kit	Human
<b>Q-12</b>	Coxiella burnetii 12-well	Human
<b>QDG-120</b>	Canine Q Fever IFA IgG Antibody Kit	Human/Canine
<b>QDM-120</b>	Canine Q Fever IFA IgM Antibody Kit	Canine
<b>QG-120</b>	Q-Fever (phases 1-2) IgG IFA kit	Human
<b>Q-GC</b>	Coxiella burnetii IFA Human IgG Pos/Neg Controls	Human
<b>QM-120</b>	Q-Fever (phases 1-2) IgM IFA kit	Human

<b>Q-MC</b>	Coxiella burneti IFA Human IgM Pos/Neg Controls	Human
<b>R2-12</b>	Rickettsia 2-spot 12-well MIF Substrate Slide	Human
<b>R20G-120</b>	Rickettsia (RMSF/typhus) IgG MIF Kit	Human
<b>R20M-120</b>	Rickettsia (RMSF/typhus) IgM MIF Kit	Human
<b>R21G-120</b>	Rickettsia (conorii/typhi) IgG MIF Kit	Human
<b>R21M-120</b>	Rickettsia (conorii/typhi) IgM MIF Kit	Human
<b>R3-12</b>	Rickettsia 3-spot 12-well MIF Substrate Slide	Human
<b>RC-12</b>	Rickettsia conori 12-well	Human/Canine
<b>RCD-120</b>	Canine Rickettsia conorii IgG IFA Kit	Canine
<b>RCG-120</b>	Rickettsia conorii IgG IFA Kit	Human
<b>RGC-25</b>	Rickettsia IgG IFA Conjugate, 2.5 mL	Human
<b>RMC-25</b>	Rickettsia IgM IFA Conjugate, 2.5 mL	Human
<b>RR-12</b>	Rickettsia rickettsii 12-well	Human/Canine
<b>RR-CC</b>	Rickettsia rickettsii IFA Canine Pos/Neg Controls	Canine
<b>RRD-120</b>	Canine Rickettsia rickettsii IgG IFA Kit	Canine
<b>RRG-120</b>	Rickettsia rickettsii IgG IFA Kit	Human
<b>RR-GC</b>	Rickettsia rickettsii IFA Human IgG Pos/Neg Controls	Human
<b>RRM-96K</b>	Rickettsia rickettsii IgM ELISA Kit	Human
<b>RT-12</b>	Rickettsia typhi 12-well	Human
<b>RTG-120</b>	Rickettsia typhi IgG IFA Kit	Human
<b>RTG-96K</b>	Rickettsia typhi IgG ELISA Kit	Human
<b>RT-GC</b>	Rickettsia typhi IFA IgG Human Pos/Neg Controls	Human
<b>RTM-96K</b>	Rickettsia typhi IgM ELISA Kit	Human
<b>SFD-96K</b>	Spotted Fever Rickettsia Canine ELISA Kit	Canine
<b>SFG-96K</b>	Spotted Fever Rickettsia IgG ELISA Kit	Human
<b>TC-12</b>	Trypanosoma cruzi IFA Substrate Slide	Human/Canine
<b>TCX-120</b>	Trypanosoma cruzi IFA IgG Kit	Human/Canine
<b>TX-12</b>	Toxoplasma gondii 12-well Substrate Slide	Feline
<b>TXG-120</b>	Feline Toxoplasmosis IFA 120-test	Feline
<b>VCG-12</b>	VCA substrate slides (12-well IgG)	Human
<b>VCG-120</b>	EBV Viral Capsid IgG IFA Kit	Human
<b>VCM-12</b>	VCA substrate slides (12-well IgM)	Human
<b>VCM-120</b>	EBV Viral Capsid IgM IFA Kit	Human