

MATHS MASTER SHEET

Speed & Memory Reference — SSC | Bank | Railway

× Multiplication Tables 2–30

Σ Squares 1–100, Cubes 1–25 & Doubles 1–100

√ Square Roots & Cube Roots + Units-Digit Maps

★ Percentage – Fraction Conversions

▲ Compound Interest Ready Tables

△ Pythagorean Triplets, Chaurahas & Magic Patterns

✂ Prime Numbers, Number Sums & Powers of 2/3/5/7

ExamFusionPrep · Quant Cheat Sheet

Multiplication Tables (2-30)

· 1× to 10×

Table of 2		
2 × 1	=	2
2 × 2	=	4
2 × 3	=	6
2 × 4	=	8
2 × 5	=	10
2 × 6	=	12
2 × 7	=	14
2 × 8	=	16
2 × 9	=	18
2 × 10	=	20

Table of 3		
3 × 1	=	3
3 × 2	=	6
3 × 3	=	9
3 × 4	=	12
3 × 5	=	15
3 × 6	=	18
3 × 7	=	21
3 × 8	=	24
3 × 9	=	27
3 × 10	=	30

Table of 4		
4 × 1	=	4
4 × 2	=	8
4 × 3	=	12
4 × 4	=	16
4 × 5	=	20
4 × 6	=	24
4 × 7	=	28
4 × 8	=	32
4 × 9	=	36
4 × 10	=	40

Table of 5		
5 × 1	=	5
5 × 2	=	10
5 × 3	=	15
5 × 4	=	20
5 × 5	=	25
5 × 6	=	30
5 × 7	=	35
5 × 8	=	40
5 × 9	=	45
5 × 10	=	50

Table of 6		
6 × 1	=	6
6 × 2	=	12
6 × 3	=	18
6 × 4	=	24
6 × 5	=	30
6 × 6	=	36
6 × 7	=	42
6 × 8	=	48
6 × 9	=	54
6 × 10	=	60

Table of 7		
7 × 1	=	7
7 × 2	=	14
7 × 3	=	21
7 × 4	=	28
7 × 5	=	35
7 × 6	=	42
7 × 7	=	49
7 × 8	=	56
7 × 9	=	63
7 × 10	=	70

Table of 8		
8 × 1	=	8
8 × 2	=	16
8 × 3	=	24
8 × 4	=	32
8 × 5	=	40
8 × 6	=	48
8 × 7	=	56
8 × 8	=	64
8 × 9	=	72
8 × 10	=	80

Table of 9		
9 × 1	=	9
9 × 2	=	18
9 × 3	=	27
9 × 4	=	36
9 × 5	=	45
9 × 6	=	54
9 × 7	=	63
9 × 8	=	72
9 × 9	=	81
9 × 10	=	90

Table of 10		
10 × 1	=	10
10 × 2	=	20
10 × 3	=	30
10 × 4	=	40
10 × 5	=	50
10 × 6	=	60
10 × 7	=	70
10 × 8	=	80
10 × 9	=	90
10 × 10	=	100

Table of 11		
11 × 1	=	11
11 × 2	=	22
11 × 3	=	33
11 × 4	=	44
11 × 5	=	55
11 × 6	=	66
11 × 7	=	77
11 × 8	=	88
11 × 9	=	99
11 × 10	=	110

Table of 12		
12 × 1	=	12
12 × 2	=	24
12 × 3	=	36
12 × 4	=	48
12 × 5	=	60
12 × 6	=	72
12 × 7	=	84
12 × 8	=	96
12 × 9	=	108
12 × 10	=	120

Table of 13		
13 × 1	=	13
13 × 2	=	26
13 × 3	=	39
13 × 4	=	52
13 × 5	=	65
13 × 6	=	78
13 × 7	=	91
13 × 8	=	104
13 × 9	=	117
13 × 10	=	130

Table of 14		
14 × 1	=	14
14 × 2	=	28
14 × 3	=	42
14 × 4	=	56
14 × 5	=	70
14 × 6	=	84
14 × 7	=	98
14 × 8	=	112
14 × 9	=	126
14 × 10	=	140

Table of 15		
15 × 1	=	15
15 × 2	=	30
15 × 3	=	45
15 × 4	=	60
15 × 5	=	75
15 × 6	=	90
15 × 7	=	105
15 × 8	=	120
15 × 9	=	135
15 × 10	=	150

Table of 16		
16 × 1	=	16
16 × 2	=	32
16 × 3	=	48
16 × 4	=	64
16 × 5	=	80
16 × 6	=	96
16 × 7	=	112
16 × 8	=	128
16 × 9	=	144
16 × 10	=	160

Table of 17		
17 × 1	=	17
17 × 2	=	34
17 × 3	=	51
17 × 4	=	68
17 × 5	=	85
17 × 6	=	102
17 × 7	=	119
17 × 8	=	136
17 × 9	=	153
17 × 10	=	170

Table of 18		
18 × 1	=	18
18 × 2	=	36
18 × 3	=	54
18 × 4	=	72
18 × 5	=	90
18 × 6	=	108
18 × 7	=	126
18 × 8	=	144
18 × 9	=	162
18 × 10	=	180

Table of 19		
19 × 1	=	19
19 × 2	=	38
19 × 3	=	57
19 × 4	=	76
19 × 5	=	95
19 × 6	=	114
19 × 7	=	133
19 × 8	=	152
19 × 9	=	171
19 × 10	=	190

Table of 20		
20 × 1	=	20
20 × 2	=	40
20 × 3	=	60
20 × 4	=	80
20 × 5	=	100
20 × 6	=	120
20 × 7	=	140
20 × 8	=	160
20 × 9	=	180
20 × 10	=	200

Table of 21		
21 × 1	=	21
21 × 2	=	42
21 × 3	=	63
21 × 4	=	84
21 × 5	=	105
21 × 6	=	126
21 × 7	=	147
21 × 8	=	168
21 × 9	=	189
21 × 10	=	210

Table of 22		
22 × 1	=	22
22 × 2	=	44
22 × 3	=	66
22 × 4	=	88
22 × 5	=	110
22 × 6	=	132
22 × 7	=	154
22 × 8	=	176
22 × 9	=	198
22 × 10	=	220

Table of 23		
23 × 1	=	23
23 × 2	=	46
23 × 3	=	69
23 × 4	=	92
23 × 5	=	115
23 × 6	=	138
23 × 7	=	161
23 × 8	=	184
23 × 9	=	207
23 × 10	=	230

Table of 24		
24 × 1	=	24
24 × 2	=	48
24 × 3	=	72
24 × 4	=	96
24 × 5	=	120
24 × 6	=	144
24 × 7	=	168
24 × 8	=	192
24 × 9	=	216
24 × 10	=	240

Table of 25		
25 × 1	=	25
25 × 2	=	50
25 × 3	=	75
25 × 4	=	100
25 × 5	=	125
25 × 6	=	150
25 × 7	=	175
25 × 8	=	200
25 × 9	=	225
25 × 10	=	250

Table of 26		
26 × 1	=	26
26 × 2	=	52
26 × 3	=	78
26 × 4	=	104
26 × 5	=	130
26 × 6	=	156
26 × 7	=	182
26 × 8	=	208
26 × 9	=	234
26 × 10	=	260

Table of 27		
27 × 1	=	27
27 × 2	=	54
27 × 3	=	81
27 × 4	=	108
27 × 5	=	135
27 × 6	=	162
27 × 7	=	189
27 × 8	=	216
27 × 9	=	243
27 × 10	=	270

Table of 28		
28 × 1	=	28
28 × 2	=	56
28 × 3	=	84
28 × 4	=	112
28 × 5	=	140
28 × 6	=	168
28 × 7	=	196
28 × 8	=	224
28 × 9	=	252
28 × 10	=	280

Table of 29		
29 × 1	=	29
29 × 2	=	58
29 × 3	=	87
29 × 4	=	116
29 × 5	=	145
29 × 6	=	174
29 × 7	=	203
29 × 8	=	232
29 × 9	=	261
29 × 10	=	290

Table of 30		
30 × 1	=	30
30 × 2	=	60
30 × 3	=	90
30 × 4	=	120
30 × 5	=	150
30 × 6	=	180
30 × 7	=	210
30 × 8	=	240
30 × 9	=	270
30 × 10	=	300

Squares (1-100) · n²

1² = 1	11² = 121	21² = 441	31² = 961	41² = 1681	51² = 2601	61² = 3721	71² = 5041	81² = 6561	91² = 8281
2² = 4	12² = 144	22² = 484	32² = 1024	42² = 1764	52² = 2704	62² = 3844	72² = 5184	82² = 6724	92² = 8464
3² = 9	13² = 169	23² = 529	33² = 1089	43² = 1849	53² = 2809	63² = 3969	73² = 5329	83² = 6889	93² = 8649
4² = 16	14² = 196	24² = 576	34² = 1156	44² = 1936	54² = 2916	64² = 4096	74² = 5476	84² = 7056	94² = 8836
5² = 25	15² = 225	25² = 625	35² = 1225	45² = 2025	55² = 3025	65² = 4225	75² = 5625	85² = 7225	95² = 9025
6² = 36	16² = 256	26² = 676	36² = 1296	46² = 2116	56² = 3136	66² = 4356	76² = 5776	86² = 7396	96² = 9216
7² = 49	17² = 289	27² = 729	37² = 1369	47² = 2209	57² = 3249	67² = 4489	77² = 5929	87² = 7569	97² = 9409
8² = 64	18² = 324	28² = 784	38² = 1444	48² = 2304	58² = 3364	68² = 4624	78² = 6084	88² = 7744	98² = 9604
9² = 81	19² = 361	29² = 841	39² = 1521	49² = 2401	59² = 3481	69² = 4761	79² = 6241	89² = 7921	99² = 9801
10² = 100	20² = 400	30² = 900	40² = 1600	50² = 2500	60² = 3600	70² = 4900	80² = 6400	90² = 8100	100² = 10000

Cubes (1-25) · n³

1³ = 1	6³ = 216	11³ = 1331	16³ = 4096	21³ = 9261
2³ = 8	7³ = 343	12³ = 1728	17³ = 4913	22³ = 10648
3³ = 27	8³ = 512	13³ = 2197	18³ = 5832	23³ = 12167
4³ = 64	9³ = 729	14³ = 2744	19³ = 6859	24³ = 13824
5³ = 125	10³ = 1000	15³ = 3375	20³ = 8000	25³ = 15625

Cube ending-digit shortcut (frequently asked in Railway): the last digit of n³ is fully determined by the last digit of n — 1→1, 2→8, 3→7, 4→4, 5→5, 6→6, 7→3, 8→2, 9→9, 0→0. Only 2↔8 and 3↔7 flip; the rest stay the same. Full reverse mapping (for cube roots) is on the next page.

Doubles (1-100) · 2n lookup

1 × 2 = 2	11 × 2 = 22	21 × 2 = 42	31 × 2 = 62	41 × 2 = 82	51 × 2 = 102	61 × 2 = 122	71 × 2 = 142	81 × 2 = 162	91 × 2 = 182
2 × 2 = 4	12 × 2 = 24	22 × 2 = 44	32 × 2 = 64	42 × 2 = 84	52 × 2 = 104	62 × 2 = 124	72 × 2 = 144	82 × 2 = 164	92 × 2 = 184
3 × 2 = 6	13 × 2 = 26	23 × 2 = 46	33 × 2 = 66	43 × 2 = 86	53 × 2 = 106	63 × 2 = 126	73 × 2 = 146	83 × 2 = 166	93 × 2 = 186
4 × 2 = 8	14 × 2 = 28	24 × 2 = 48	34 × 2 = 68	44 × 2 = 88	54 × 2 = 108	64 × 2 = 128	74 × 2 = 148	84 × 2 = 168	94 × 2 = 188
5 × 2 = 10	15 × 2 = 30	25 × 2 = 50	35 × 2 = 70	45 × 2 = 90	55 × 2 = 110	65 × 2 = 130	75 × 2 = 150	85 × 2 = 170	95 × 2 = 190
6 × 2 = 12	16 × 2 = 32	26 × 2 = 52	36 × 2 = 72	46 × 2 = 92	56 × 2 = 112	66 × 2 = 132	76 × 2 = 152	86 × 2 = 172	96 × 2 = 192
7 × 2 = 14	17 × 2 = 34	27 × 2 = 54	37 × 2 = 74	47 × 2 = 94	57 × 2 = 114	67 × 2 = 134	77 × 2 = 154	87 × 2 = 174	97 × 2 = 194
8 × 2 = 16	18 × 2 = 36	28 × 2 = 56	38 × 2 = 76	48 × 2 = 96	58 × 2 = 116	68 × 2 = 136	78 × 2 = 156	88 × 2 = 176	98 × 2 = 196
9 × 2 = 18	19 × 2 = 38	29 × 2 = 58	39 × 2 = 78	49 × 2 = 98	59 × 2 = 118	69 × 2 = 138	79 × 2 = 158	89 × 2 = 178	99 × 2 = 198
10 × 2 = 20	20 × 2 = 40	30 × 2 = 60	40 × 2 = 80	50 × 2 = 100	60 × 2 = 120	70 × 2 = 140	80 × 2 = 160	90 × 2 = 180	100 × 2 = 200

Square Root & Cube Root — Units-Digit Maps · instant recognition

Square ends in	Root ends in
0	0
1	1 or 9
4	2 or 8
5	5
6	4 or 6
9	3 or 7

Cube ends in	Root ends in
0	0
1	1
2	8
3	7
4	4
5	5
6	6
7	3
8	2
9	9

Perfect squares NEVER end in 2, 3, 7, or 8 — instant elimination check. Square-root mapping and cube-root mapping are different (1↔9, 4↔8 for squares; 2↔8, 3↔7 for cubes only) — don't mix them.

Square Roots & Cube Roots · $\sqrt{1-10}$, $\sqrt[3]{1-5}$

$\sqrt{1}$	= 1.0000
$\sqrt{2}$	= 1.4142
$\sqrt{3}$	= 1.7321
$\sqrt{4}$	= 2.0000
$\sqrt{5}$	= 2.2361

$\sqrt{6}$	= 2.4495
$\sqrt{7}$	= 2.6458
$\sqrt{8}$	= 2.8284
$\sqrt{9}$	= 3.0000
$\sqrt{10}$	= 3.1623

$\sqrt[3]{1}$	= 1.0000
$\sqrt[3]{2}$	= 1.2599
$\sqrt[3]{3}$	= 1.4422
$\sqrt[3]{4}$	= 1.5874
$\sqrt[3]{5}$	= 1.7100

Percentage ↔ Fraction Master Table · full families 2-12, unit values 13-20

Denominator 2		
Frac	%	% (fraction)
1/2	50%	50%

Denominator 3		
Frac	%	% (fraction)
1/3	33.33%	33 $\frac{1}{3}$ %
2/3	66.66%	66 $\frac{2}{3}$ %

Denominator 4		
Frac	%	% (fraction)
1/4	25%	25%
3/4	75%	75%

Denominator 5		
Frac	%	% (fraction)
1/5	20%	20%
2/5	40%	40%
3/5	60%	60%
4/5	80%	80%

Denominator 6		
Frac	%	% (fraction)
1/6	16.66%	16 $\frac{2}{3}$ %
5/6	83.33%	83 $\frac{1}{3}$ %

Denominator 7		
Frac	%	% (fraction)
1/7	14.28%	14 $\frac{2}{7}$ %
2/7	28.57%	28 $\frac{4}{7}$ %
3/7	42.85%	42 $\frac{6}{7}$ %
4/7	57.14%	57 $\frac{1}{7}$ %
5/7	71.42%	71 $\frac{3}{7}$ %
6/7	85.71%	85 $\frac{5}{7}$ %

Denominator 8		
Frac	%	% (fraction)
1/8	12.5%	12 $\frac{1}{2}$ %
3/8	37.5%	37 $\frac{1}{2}$ %
5/8	62.5%	62 $\frac{1}{2}$ %
7/8	87.5%	87 $\frac{1}{2}$ %

Denominator 9		
Frac	%	% (fraction)
1/9	11.11%	11 $\frac{1}{9}$ %
2/9	22.22%	22 $\frac{2}{9}$ %
4/9	44.44%	44 $\frac{4}{9}$ %
5/9	55.55%	55 $\frac{5}{9}$ %
7/9	77.77%	77 $\frac{7}{9}$ %
8/9	88.88%	88 $\frac{8}{9}$ %

Denominator 10		
Frac	%	% (fraction)
1/10	10%	10%
3/10	30%	30%
7/10	70%	70%
9/10	90%	90%

Denominator 11		
Frac	%	% (fraction)
1/11	9.09%	9 $\frac{1}{11}$ %
2/11	18.18%	18 $\frac{2}{11}$ %
3/11	27.27%	27 $\frac{3}{11}$ %
4/11	36.36%	36 $\frac{4}{11}$ %
5/11	45.45%	45 $\frac{5}{11}$ %
6/11	54.54%	54 $\frac{6}{11}$ %
7/11	63.63%	63 $\frac{7}{11}$ %
8/11	72.72%	72 $\frac{8}{11}$ %
9/11	81.81%	81 $\frac{9}{11}$ %
10/11	90.9%	90 $\frac{10}{11}$ %

Denominator 12		
Frac	%	% (fraction)
1/12	8.33%	8 $\frac{1}{3}$ %
5/12	41.66%	41 $\frac{2}{3}$ %
7/12	58.33%	58 $\frac{1}{3}$ %
11/12	91.66%	91 $\frac{2}{3}$ %

1/13 to 1/20 (learn these only)		
Frac	%	% (fraction)
1/13	7.69%	7 $\frac{9}{13}$ %
1/14	7.14%	7 $\frac{1}{7}$ %
1/15	6.66%	6 $\frac{2}{3}$ %
1/16	6.25%	6 $\frac{1}{4}$ %
1/17	5.88%	5 $\frac{15}{17}$ %
1/18	5.55%	5 $\frac{5}{9}$ %
1/19	5.26%	5 $\frac{5}{19}$ %
1/20	5%	5%
Trick: n/d = n × (1/d). e.g. 5/17 = 5 × 5 $\frac{15}{17}$ % = 29 $\frac{7}{17}$ %		

Small Values (Bank Approx.)		
Frac	%	% (fraction)
1/21	4.76%	4 $\frac{16}{21}$ %
1/22	4.54%	4 $\frac{6}{11}$ %
1/23	4.34%	4 $\frac{8}{23}$ %
1/24	4.16%	4 $\frac{1}{6}$ %
1/25	4%	4%
1/30	3.33%	3 $\frac{1}{3}$ %
1/40	2.5%	2 $\frac{1}{2}$ %
1/50	2%	2%
1/60	1.66%	1 $\frac{2}{3}$ %
1/75	1.33%	1 $\frac{1}{3}$ %
1/80	1.25%	1 $\frac{1}{4}$ %
1/100	1%	1%

Above 100% (DI / P&L)		
Frac	%	% (fraction)
9/8	112.5%	112 $\frac{1}{2}$ %
7/6	116.66%	116 $\frac{2}{3}$ %
6/5	120%	120%
5/4	125%	125%
4/3	133.33%	133 $\frac{1}{3}$ %
7/5	140%	140%
3/2	150%	150%
8/5	160%	160%
5/3	166.66%	166 $\frac{2}{3}$ %
7/4	175%	175%
9/5	180%	180%
2/1	200%	200%
9/4	225%	225%
7/3	233.33%	233 $\frac{1}{3}$ %
5/2	250%	250%
8/3	266.66%	266 $\frac{2}{3}$ %
3/1	300%	300%
10/3	333.33%	333 $\frac{1}{3}$ %
7/2	350%	350%
4/1	400%	400%

Percentage Breakdown Tricks

· split into known fractions

Trick: break an odd percentage into two familiar percentages (50%, 33⅓%, 25%, 20%, 12.5% etc.) whose fraction equivalents you already know, then add.

Percentage	Split as	Fraction Sum	Result
18.75%	12.5% + 6.25%	1/8 + 1/16	3/16
32.5%	20% + 12.5%	1/5 + 1/8	13/40
83⅓%	50% + 33⅓%	1/2 + 1/3	5/6
366⅔%	300% + 66⅔%	3 + 2/3	11/3
133⅓%	100% + 33⅓%	1 + 1/3	4/3
457 1/7%	400% + 57 1/7%	4 + 4/7	32/7
42.5%	30% + 12.5%	3/10 + 1/8	17/40
67 1/7%	60% + 7 1/7%	3/5 + 1/14	47/70

Compound Interest - Ready Reckoner

- CI% table + must-know formulas

Use directly: Amount = Principal $\times$ (1 + Effective CI%). Saves calculating $(1+R)^n$ manually in the exam.

CI for 2 Years (all rates)	
Rate	Effective CI%
2%	4.04%
4%	8.16%
5%	10.25%
6%	12.36%
8%	16.64%
10%	21%
12%	25.44%
15%	32.25%
20%	44%

CI for 3 Years	
Rate	Effective CI%
5%	15.7625%
10%	33.1%
12%	40.4928%
15%	52.0875%
20%	72.8%

CI for 4 Years	
Rate	Effective CI%
10%	46.41%

Must-Know CI Formulas (guaranteed questions)	
CI – SI (2 years)	$= P(R/100)^2$
CI – SI (3 years)	$= P(R/100)^2 \times (3 + R/100)$
Successive increase a% then increase b%	Net = a + b + ab/100
Successive increase a% then decrease b%	Net = a – b – ab/100
Half-yearly compounding	Rate $\div$ 2, Time $\times$ 2
Quarterly compounding	Rate $\div$ 4, Time $\times$ 4
Amount	$A = P(1 + R/100)^T$

Important Pythagorean Triplets

$a^2 + b^2 = c^2$

Memorize these — they appear directly in Geometry, Trigonometry & Mensuration questions.

(3, 4, 5)	(5, 12, 13)	(8, 15, 17)	(7, 24, 25)
(20, 21, 29)	(12, 35, 37)	(9, 40, 41)	(28, 45, 53)
(11, 60, 61)	(16, 63, 65)	(33, 56, 65)	(48, 55, 73)
(13, 84, 85)	(36, 77, 85)	(39, 80, 89)	(65, 72, 97)

Chaurahas — Equal-Product Sets

· swap factor pairs mid-calculation

Product	Equal Factor Pairs
108	12×9 = 27×4 = 36×3
180	45×4 = 20×9 = 36×5
144	24×6 = 36×4 = 18×8 = 16×9
216	24×9 = 36×6 = 12×18
192	24×8 = 96×2 = 12×16

"Chauraha" = crossroads. Different multiplication pairs landing on the same product — swap one pair for another mid-calculation to simplify big multiplications/divisions.

Magic Number Patterns

· 37-series, repunits, palindromes, 3/9-series

Consecutive Number Products	
12×13	156
13×14	182
14×15	210
15×16	240
16×17	272
17×18	306
18×19	342
12×25	300
24×25	600

37-Series (37×3k = repdigit kkk)	
37×3	111
37×6	222
37×9	333
37×12	444
37×15	555
37×18	666
37×21	777
37×24	888
37×27	999

16-Series (×4) & 19-Series (×5) — Trailing Digit Patterns	
16×4	64
166×4	664
1666×4	6664
19×5	95
199×5	995
1999×5	9995

Repunit Squares (all 1's)	
11×11	121
111×111	12321
1111×1111	1234321
11111×11111	123454321

Palindromic-Zero Squares	
101×101	10201
1001×1001	1002001
10001×10001	100020001
10101×10101	102030201

3-Series & 9-Series Squares	
33²	1089
333²	110889
3333²	11108889
99²	9801
999²	998001
9999²	99980001

Patterns hold reliably up to ~5-6 repeated digits; beyond that, digit-carry can break the pattern — verify in exam if numbers get very large.

Prime Numbers & Number Sums

primes 1-100, series formulas, LCM-HCF

Total prime numbers between 1 and 100: 25

2	3	5	7	11
13	17	19	23	29
31	37	41	43	47
53	59	61	67	71
73	79	83	89	97

Number Series Sums (direct questions)	
1 + 2 + 3 + ... + n	= $\frac{n(n+1)}{2}$
1 ² + 2 ² + ... + n ²	= $\frac{n(n+1)(2n+1)}{6}$
1 ³ + 2 ³ + ... + n ³	= $[\frac{n(n+1)}{2}]^2$
First n odd numbers (1+3+5+...)	= n ²
First n even numbers (2+4+6+...)	= $\frac{n(n+1)}{2}$
Sum of A.P.	= $\frac{n}{2} \times (\text{first} + \text{last term})$

LCM & HCF Rules	
LCM × HCF	= Product of the two numbers
LCM of fractions	= $\frac{\text{LCM of numerators}}{\text{HCF of denominators}}$
HCF of fractions	= $\frac{\text{HCF of numerators}}{\text{LCM of denominators}}$

Powers of 2, 3, 5, 7 · for Surds & Indices questions

Powers of 2	
2^1	2
2^2	4
2^3	8
2^4	16
2^5	32
2^6	64
2^7	128
2^8	256
2^9	512
2^{10}	1024
2^{11}	2048
2^{12}	4096

Powers of 3	
3^1	3
3^2	9
3^3	27
3^4	81
3^5	243
3^6	729
3^7	2187
3^8	6561

Powers of 5	
5^1	5
5^2	25
5^3	125
5^4	625
5^5	3125
5^6	15625

Powers of 7	
7^1	7
7^2	49
7^3	343
7^4	2401
7^5	16807

Directly asked in Surds & Indices: "If $2^x = 64$, find x" — instant answer if these are memorized. SSC CGL Tier-1 has 2–3 such questions.