

FOREST AND THEIR TYPES - FULL MIND MAP

Topic-wise | Hinglish | SSC / BPSC / BSSC / Railway

Topics in this chapter:

1. Evergreen / Equatorial Forests - Features, Diversity & Biomass
2. Teak-Dominant Forests in India
3. Mangrove Forests - Distribution & Important Regions
4. Major Tropical Forest Belts
5. Red Sanders - South Indian Species
6. Forest Types & Eco-region Matching
7. Mangroves - Coastal Protection, MISHTI & Bhitarkanika
8. Himalayan Species - Taxus, Oak & Rhododendron

1. Evergreen / Equatorial Forests - Features, Diversity & Biomass

- Western Ghat - tropical sadabahar forest un areas mein paye jate hain jahan 200 semi se zyada rainfall hoti hai aur temperature 15 se 30 digri selsiyas ke beech rehta hai. ye Earth ke site hissa ke lagbhag sat percent area par phaile hain aur world ke adhe se zyada plants aur janavaron ko ashray dete hain. ye mainly bhumadhy rekha ke paas paye jate hain. [Q1]
- vishuvatiy forest aise tropical areas mein paye jate hain jahan 200 semi se zyada rainfall hoti hai. unche, saghan roop se located trees dwara chhatr banana in forests ki feature hai. [Q2]
- tropical humid sadabahar forest bahut zyada rainfall, unche temperature aur zyada ardrata wale areas mein paye jate hain. India mein ye western Ghat ke kuchh bhagon aur jawab-purv mein, visheshakar Arunachal Pradesh aur Mizoram mein paye jate hain. [Q3]
- Tropical evergreen forests - sabse zyada plants diversity tropical sadabahar forests mein payi jati hai. tropical sadabahar forest aam taur par un areas mein paye jate hain jahan 200 semi se zyada rainfall hoti hai aur temperature 15 se 30 digri selsiyas ke beech rehta hai. [Q4]
- Tropical moist forests - plants aur janavaron ki sabse zyada diversity tropical humid forests mein payi jati hai. [Q5]
- vishuvatiy forest bayom sabse ghana aur sabse zyada biomass wala bayom hai. vishuvatiy forest bayom aam taur par bhumadhy rekha ke paas paya jata hai aur pure year prachur dhup aur uchch temperature iski feature hai. garam aur humid climate ke reason yeh area biodiversity ki large shrinkhala ko sahara deta hai. [Q6]
- Tropical rain forest - tropical varshavan mein sabse zyada plants biomass paya jata hai. [Q7]

2. Teak-Dominant Forests in India

- Tropical moist deciduous forest - tropical humid parnapati forest un areas mein paye jate hain jahan per year 100 se 200 semi medium rainfall hoti hai. in forests ke tree vasant aur praranbhik grishm mein lagbhag 6-8 saptah ke liye apni pattiyan gira dete hain, jab pattiyon ke liye paryapt nami available nahi hoti. [Q8]

- Madhya Pradesh mein country ka sabse zyada forest cover hai, iske baad Arunachal Pradesh, Chhattisgarh, Odisha aur Maharashtra ate hain. total geographical area ke percent ke roop mein forest cover ki drishti se shirsh panch state Mizoram (85.34%), Arunachal Pradesh (78.67%), Meghalaya (75.65%), Manipur (74.29%) aur nagalaind (73.72%) hain. [Q9]

3. Mangrove Forests - Distribution & Important Regions

- Sundarbans - mangrove aam taur par do bhinn arthon mein used hota hai: tropical delta, muhanon, laigun ya dvipon mein paya jane wala jvari daladali Ecology system aur is Ecology system mein payi jane wali specific tree prajatiyan. mangrove trees ne coastal environment ki kathor paristhitiyon ke friendly advitiy anukulan developed kiye hain. [Q10]
- Sunderbans - mangrove aam taur par do bhinn arthon mein used hota hai: tropical delta, muhanon, laigun ya dvipon mein paya jane wala jvari daladali Ecology system aur is Ecology system mein payi jane wali specific tree prajatiyan. mangrove trees ne coastal environment ki kathor paristhitiyon ke friendly advitiy anukulan developed kiye hain. [Q11]
- Sunderbans - sawal ke uddharan mein varnit place Sundarbans ke paas pratit hota hai. Sundarbans mein mangrove conservation ke prayas kiye ja rahe hain. [Q12]
- Coringa - koringa India ke sabse bade mangrove vistaron mein se ek hai aur alag-alag mangrove trees aur bird species ka ghar place hai. India ke mangrove site (agast, 2023) mangrove site - state/centre shasit Pradesh Sundarbans - West Bengal bhitarkanika - Odisha mahanadi - Odisha suvarnarekha - Odisha devi-kadua - Odisha dhamara - Odisha mangrove jenetik risorsej sentar - Odisha chilka - Odisha koringa - andhr Pradesh eastern godavari - andhr Pradesh krishna - andhr Pradesh jawab Andaman aur Nicobar - Andaman aur Nicobar pichavaram - Tamil Nadu muthupet - Tamil Nadu ramanad - Tamil Nadu pulikat - Tamil Nadu kajunaveli - Tamil Nadu vembanad - Kerala kannur (jawab Kerala) - Kerala kundapur - Karnataka south kannad/honnavar - Karnataka karavar - Karnataka mangalor forest prabhag - Karnataka gova - gova Kachchh ki Gulf - Gujarat khanbhat ki Gulf - Gujarat dumas-ubharat - Gujarat achara-ratnagiri - Maharashtra devagadh-vijayadurg - Maharashtra veladur - Maharashtra kundalika-revadanda - Maharashtra munbra-diva - Maharashtra vikroli - Maharashtra shrivardhan - Maharashtra vaitarana - Maharashtra vasai-manori - Maharashtra malavan - Maharashtra [Q13]
- Goa - gova ka chora dvip ek protected mangrove area hai. [Q14]
- Andaman and Nicobar Island - mangrove forest, sadabahar forest aur parnapati forest - tinon Andaman aur Nicobar dvipasamuh mein paye jate hain. ISFR, 2023 ke ke mutabik Andaman aur Nicobar mein lagbhag 608.29 square km mangrove forest hai. [Q15]

4. Major Tropical Forest Belts

- Amazon rain forest - amezan varshavan ko uske large expansion aur global carbon, water aur climate chakron mein important bhumika ke reason aam taur par "Earth ke phephade" kaha jata hai. is upanam ka meaning yeh nahi hai ki paripakv amezan forest aaj ke atmosphere ko bahut badi shuddh oxygen amount deta hai; light-synthesis se bani zyadatar oxygen shvasan aur decomposition mein phir use ho jati hai. [Q16]
- Asia - tropical parnapati forest ya tropical chaudhi patti wale forest aise trees se prabhutvashali hote hain jo har ek year apni pattiyan girate hain. ye garam, humid grishm aur halki sardiyan wale areas mein paye jate hain. [Q17]

5. Red Sanders - South Indian Species

- Pterocarpus santalinus, jiska common naam red saindars hai, Pterocarpus ki ek sthanik species hai jo south India ki dakshini eastern Ghat parvatamala mein payi jati hai. is tree ki lakadi ke gahare lal rang ke reason iska value hai. isliye statement 1 sahi hai. red saindars south India ki palakonda aur sheshachalam parvatamalaon mein ugate hain. [Q18]

6. Forest Types & Eco-region Matching

- Galat kathan: Tarai Duar - Broadleaf forests; global 200 dhanche mein south-western Ghat humid forest aur eastern dakkan pathar humid forest many ecological area hain. Kachchh ka ran badh-prabhavit ghasabhumi ecosystems ke liye jana jata hai. [Q19]
- a-4, b-2, c-1, d-3 - tropical sadabahar forest ka main udaharan sailent Valley hai. himachal Pradesh ke unche Himalayan areas mein shankudhari forest widespread roop se paye jate hain. Sundarbans ek main mangrove ecosystem hai. Rajasthan mein tropical kantedar aur dry parnapati forest-roop paye jate hain; is sawal ke kut mein parnapati forest ko Rajasthan se joda gaya hai. [Q20]

7. Mangroves - Coastal Protection, MISHTI & Bhitarkanika

- mangrove coastal apadaon ke viruddh vishvasaniy protection kavach ka work kar sakte hain. unaki vistrit jadon ke reason mangrove tree tuphanon aur jvar-bhate se ukhadate nahi hain. isliye (d) sahi jawab hai. [Q21]
- MISHTI (mangrove initiative ke liye tatarekha habitat aur murt ay) ki announcement central bajat 2023-24 mein ki gayi thi aur ise aupacharik roop se 5 June 2023 ko shuru kiya gaya. isliye ise 2019 mein shuru nahi kiya gaya tha. MISHTI ka mukhya purpose India ki tatarekhaon ke saath mangrove forests ka punarsthapan/vanikaran karna hai, taaki coastal Ecology ki protection ho aur disaster-sanbandhi katav kam kiya ja sake. isliye statement 1 galat hai jabki statement 2 sahi hai. [Q22]
- coastal Odisha Bengal ki Gulf mein banane wale tropical chakravaton ke marg mein located hone ke reason India ke sabse zyada chakravat-prabhavit areas mein se ek hai, isliye abhikathan (A) saty hai. mangrove forest coastal apadaon ke viruddh ek natural protection kavach ka work karte hain, aur mahanadi delta area mein maingrovon ki bade paimane par cutting ne chakravat sanbandhi damage ke per area ki sanvedanashilata ko badhaya hai, isliye reason (R) bhi saty hai. chunki is natural protection kavach ki damage seedhe yeh clear karti hai ki coastal area mein chakravat sanbandhi jokhim aur effect kyon badha hai, isliye is pariksha ki svikrit jawab-kunji mein reason (R) ko abhikathan (A) ki sahi vyakhya mana gaya hai. [Q23]
- Neither 1 nor 2 is correct. - bhitarkanika mangrove Odisha ke kendrapada district mein brahmani aur baitarani nadiyon ke delta par located hain. yeh mangrove forests ke liye prasiddh hai. [Q24]

8. Himalayan Species - Taxus, Oak & Rhododendron

- yu (Taxus) ki species Himalayan area mein natural roop se payi jati hain aur Himalayan yu ek endangered aushadhiy tree hai. yu (Taxus) ki species conservation aur red-list akalanon mein listed rahi hain. paiklitaiksel (Paclitaxel), jise basic roop se taiksol (Taxol) kaha gaya, ek kainsar-rodhi aushadhi hai aur iska use stan, andashay aur phephadon sahit different kainsaron ke upachar mein hota hai. yeh parkinsan rog ki standard aushadhi nahi hai; isliye statement 3 galat hai. [Q25]
- mangrove kuchh marine taton se lage tropical aur uposhnakatibandhiy areas ke bahut specific forest Ecology system hain. mangrove tatarekha ko stable karte hain aur sea ke atikraman ke viruddh prachir ka kam karte hain, jo unhe specific forest Ecology system banata hai. isi reason government Sundarbans mangrove ki protection kar rahi hai. isliye abhikathan aur reason dono sahi hain aur reason, abhikathan ki sahi vyakhya hai. [Q26]

- uposhnakatibandhiy forest jawab-pashchim (kashmir ko chhodakar), khasi pahadiyon, nagalaind aur Manipur mein paye jate hain. in forests mein pain mukhya tree hai, lekin zyada humid areas mein chaudi pattiyon wale ok jaise tree aasani se dekhe ja sakte hain. [Q27]