

Sample Questions
COGJET

1. Using the distribution in the figure given below state whether the following values of z (on a normal distribution) are significant (Y) or not (N) at p < .05 for one-tailed tests: z = 1.32, 1.75, –1.9, –0.78



   a. Y, Y, N, N
   b. N, Y, N, N
   c. Y, Y, Y, N
   d. Y, Y, Y, Y


2. The box-and-whisker plot given below shows weights for 60 kids in a kindergarten school. How many kids weight between 18 kilograms and 23 kilograms, inclusive, if the 23 kilograms represents the 90th percentile value on the plot?



   a. 3
   b. 6
   c. **9**
   d. 12

3. Given that xy>0, if M=x^2 y^4 and N = x^3 y^6, which relationship between M and N is correct?
   a. M > N
   b. N > M
   c. M = N
   d. Cannot be determined


4. Suppose that the length of an object at a distance D from the observer's eye is S. The visual angle subtended by the object on the eye is A.




If a soccer ball occupies 60 degree visual angle, the ratio of its diameter to distance is _____.

a. 2÷√3
b. √3÷2
c. √3
d. 1÷√3

Identify the areas marked A/B/C and encircled on the coronal section of brain.






5. Marked **A**
   a. Insula
   b. Thalamus
   c. Basal Ganglia
   d. Corpus collosum
6. Marked **B**
   a. Insula
   b. Cerebellum
   c. Basal Ganglia
   d. Corpus collosum
7. Marked **C**
   a. Hypothalamus
   b. Superior colliculus
   c. Basal Ganglia
   d. Cerebellum

Identify the primary motor disease/disorder inflicted by damage/lesion in these areas

8. Marked **A**
   a. Ataxia
   b. Apraxia
   c. Paralysis
   d. Resting tremor
9. Marked **B**
   a. Ataxia
   b. Apraxia
   c. Paralysis
   d. Resting tremor

10. Estimate the approximate time remaining in millisecond to act on an oncoming ball given that the speed of the ball is 150 km/hour and distance between the bowler and the batsman is 18 meter.





   a. 130
   b. 230
   c. 330
   d. 430