Ques2:

<u>Triples and Inferred triples</u>:

```
1: [https://iiitd.ac.in/course/sweb/student/professor3,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Resource]
2: [https://iiitd.ac.in/course/sweb/student/memberOf,
http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
https://iiitd.ac.in/course/sweb/student/memberOfl
3: [https://iiitd.ac.in/course/sweb/student/student2,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Resource]
4: [http://www.w3.org/2000/01/rdf-schema#domain,
http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
http://www.w3.org/2000/01/rdf-schema#domain]
5: [http://www.w3.org/2000/01/rdf-schema#domain,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/1999/02/22-rdf-syntax-ns#Property]
6: [https://iiitd.ac.in/course/sweb/student/course1,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Resource]
7: [https://iiitd.ac.in/course/sweb/student/researchgrp,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Resource]
8: [https://iiitd.ac.in/course/sweb/student/professor1,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Resource]
9: [https://iiitd.ac.in/course/sweb/student/takes,
http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
https://iiitd.ac.in/course/sweb/student/takes]
```

```
10: [https://iiitd.ac.in/course/sweb/student/Professor,
http://www.w3.org/2000/01/rdf-schema#subClassOf,
http://www.w3.org/2000/01/rdf-schema#Resource]
11: [https://iiitd.ac.in/course/sweb/student/advisor,
http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
https://iiitd.ac.in/course/sweb/student/advisor]
12: [https://iiitd.ac.in/course/sweb/student/University,
http://www.w3.org/2000/01/rdf-schema#subClassOf,
http://www.w3.org/2000/01/rdf-schema#Resource]
13: [https://iiitd.ac.in/course/sweb/student/name,
http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
https://iiitd.ac.in/course/sweb/student/name]
14: [https://iiitd.ac.in/course/sweb/student/name,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/1999/02/22-rdf-syntax-ns#Property]
15: [https://iiitd.ac.in/course/sweb/student/department,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Resource]
16: [https://iiitd.ac.in/course/sweb/student/professor4,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Resource]
17: [https://iiitd.ac.in/course/sweb/student/professor4,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
https://iiitd.ac.in/course/sweb/student/Professor]
18: [https://iiitd.ac.in/course/sweb/student/student3,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Resource]
19: [https://iiitd.ac.in/course/sweb/student/ResearchGrp,
http://www.w3.org/2000/01/rdf-schema#subClassOf,
http://www.w3.org/2000/01/rdf-schema#Resource]
```

```
20: [https://iiitd.ac.in/course/sweb/student/Course,
http://www.w3.org/2000/01/rdf-schema#subClassOf,
http://www.w3.org/2000/01/rdf-schema#Resource]
21: [https://iiitd.ac.in/course/sweb/student/course2,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Resource]
22: [https://iiitd.ac.in/course/sweb/student/subOrgOf,
http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
https://iiitd.ac.in/course/sweb/student/subOrgOf]
23: [https://iiitd.ac.in/course/sweb/student/worksFor,
http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
https://iiitd.ac.in/course/sweb/student/worksFor]
24: [http://www.w3.org/2000/01/rdf-schema#range,
http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
http://www.w3.org/2000/01/rdf-schema#range]
25: [http://www.w3.org/2000/01/rdf-schema#range,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/1999/02/22-rdf-syntax-ns#Property]
26: [http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
http://www.w3.org/2000/01/rdf-schema#subPropertyOfl
27: [http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/1999/02/22-rdf-syntax-ns#Property]
28: [https://iiitd.ac.in/course/sweb/student/professor2,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Resource]
29: [https://iiitd.ac.in/course/sweb/student/student1,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Resource]
```

```
30: [xxx, http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
ZZZ
31: [https://iiitd.ac.in/course/sweb/student/Student,
http://www.w3.org/2000/01/rdf-schema#subClassOf,
http://www.w3.org/2000/01/rdf-schema#Resource]
32: [https://iiitd.ac.in/course/sweb/student/Department,
http://www.w3.org/2000/01/rdf-schema#subClassOf,
http://www.w3.org/2000/01/rdf-schema#Resource]
33: [http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type]
34: [http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/1999/02/22-rdf-syntax-ns#Property]
35: [https://iiitd.ac.in/course/sweb/student/student4,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Resource]
36: [https://iiitd.ac.in/course/sweb/student/teaches,
http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
https://iiitd.ac.in/course/sweb/student/teaches]
37: [http://www.w3.org/2000/01/rdf-schema#subClassOf,
http://www.w3.org/2000/01/rdf-schema#subPropertyOf,
http://www.w3.org/2000/01/rdf-schema#subClassOf]
38: [http://www.w3.org/2000/01/rdf-schema#subClassOf,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/1999/02/22-rdf-syntax-ns#Property]
39: [https://iiitd.ac.in/course/sweb/student/professor3,
https://iiitd.ac.in/course/sweb/student/teaches,
https://iiitd.ac.in/course/sweb/student/course2]
```

```
40: [https://iiitd.ac.in/course/sweb/student/professor3,
https://iiitd.ac.in/course/sweb/student/name, Tim]
41: [https://iiitd.ac.in/course/sweb/student/professor3,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
https://iiitd.ac.in/course/sweb/student/Professor]
42: [https://iiitd.ac.in/course/sweb/student/memberOf,
http://www.w3.org/2000/01/rdf-schema#range,
https://iiitd.ac.in/course/sweb/student/Department]
43: [https://iiitd.ac.in/course/sweb/student/memberOf,
http://www.w3.org/2000/01/rdf-schema#domain,
https://iiitd.ac.in/course/sweb/student/Student]
44: [https://iiitd.ac.in/course/sweb/student/memberOf,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/1999/02/22-rdf-syntax-ns#Property]
45: [https://iiitd.ac.in/course/sweb/student/student2,
https://iiitd.ac.in/course/sweb/student/takes,
https://iiitd.ac.in/course/sweb/student/course2]
46: [https://iiitd.ac.in/course/sweb/student/student2,
https://iiitd.ac.in/course/sweb/student/name, John]
47: [https://iiitd.ac.in/course/sweb/student/student2,
https://iiitd.ac.in/course/sweb/student/advisor,
https://iiitd.ac.in/course/sweb/student/professor1]
48: [https://iiitd.ac.in/course/sweb/student/student2,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
https://iiitd.ac.in/course/sweb/student/Student]
49: [https://iiitd.ac.in/course/sweb/student/course1,
https://iiitd.ac.in/course/sweb/student/name, Databases]
50: [https://iiitd.ac.in/course/sweb/student/course1,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
https://iiitd.ac.in/course/sweb/student/Course]
```

```
51: [https://iiitd.ac.in/course/sweb/student/researchgrp,
https://iiitd.ac.in/course/sweb/student/name, InfoLab]
52: [https://iiitd.ac.in/course/sweb/student/researchgrp,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
https://iiitd.ac.in/course/sweb/student/ResearchGrp]
53: [https://iiitd.ac.in/course/sweb/student/professor1,
https://iiitd.ac.in/course/sweb/student/worksFor,
https://iiitd.ac.in/course/sweb/student/department]
54: [https://iiitd.ac.in/course/sweb/student/professor1,
https://iiitd.ac.in/course/sweb/student/teaches,
https://iiitd.ac.in/course/sweb/student/course2]
55: [https://iiitd.ac.in/course/sweb/student/professor1,
https://iiitd.ac.in/course/sweb/student/name, Fred]
56: [https://iiitd.ac.in/course/sweb/student/professor1,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
https://iiitd.ac.in/course/sweb/student/Professor]
57: [https://iiitd.ac.in/course/sweb/student/takes,
http://www.w3.org/2000/01/rdf-schema#range,
https://iiitd.ac.in/course/sweb/student/Course]
58: [https://iiitd.ac.in/course/sweb/student/takes,
http://www.w3.org/2000/01/rdf-schema#domain,
https://iiitd.ac.in/course/sweb/student/Student]
59: [https://iiitd.ac.in/course/sweb/student/takes,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/1999/02/22-rdf-syntax-ns#Property]
60: [https://iiitd.ac.in/course/sweb/student/advisor,
http://www.w3.org/2000/01/rdf-schema#range,
https://iiitd.ac.in/course/sweb/student/Professor]
```

```
61: [https://iiitd.ac.in/course/sweb/student/advisor,
http://www.w3.org/2000/01/rdf-schema#domain,
https://iiitd.ac.in/course/sweb/student/Student]
62: [https://iiitd.ac.in/course/sweb/student/advisor,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/1999/02/22-rdf-syntax-ns#Property]
63: [https://iiitd.ac.in/course/sweb/student/Professor,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Class]
64: [https://iiitd.ac.in/course/sweb/student/University,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Class]
65: [https://iiitd.ac.in/course/sweb/student/department1,
https://iiitd.ac.in/course/sweb/student/name, CS]
66: [https://iiitd.ac.in/course/sweb/student/department,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
https://iiitd.ac.in/course/sweb/student/Department]
67: [https://iiitd.ac.in/course/sweb/student/professor4,
https://iiitd.ac.in/course/sweb/student/name, Lisa]
68: [https://iiitd.ac.in/course/sweb/student/student3,
https://iiitd.ac.in/course/sweb/student/takes,
https://iiitd.ac.in/course/sweb/student/course1]
69: [https://iiitd.ac.in/course/sweb/student/student3,
https://iiitd.ac.in/course/sweb/student/name, Lee]
70: [https://iiitd.ac.in/course/sweb/student/student3,
https://iiitd.ac.in/course/sweb/student/advisor,
https://iiitd.ac.in/course/sweb/student/professor2]
71: [https://iiitd.ac.in/course/sweb/student/student3,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
https://iiitd.ac.in/course/sweb/student/Student]
```

```
72: [https://iiitd.ac.in/course/sweb/student/ResearchGrp,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Class]
73: [https://iiitd.ac.in/course/sweb/student/Course,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Class]
74: [https://iiitd.ac.in/course/sweb/student/course2,
https://iiitd.ac.in/course/sweb/student/name, Algorithms]
75: [https://iiitd.ac.in/course/sweb/student/course2,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
https://iiitd.ac.in/course/sweb/student/Course]
76: [https://iiitd.ac.in/course/sweb/student/subOrgOf,
http://www.w3.org/2000/01/rdf-schema#range,
https://iiitd.ac.in/course/sweb/student/ResearchGrp1
77: [https://iiitd.ac.in/course/sweb/student/subOrgOf,
http://www.w3.org/2000/01/rdf-schema#domain,
https://iiitd.ac.in/course/sweb/student/Department]
78: [https://iiitd.ac.in/course/sweb/student/subOrgOf,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/1999/02/22-rdf-syntax-ns#Property]
79: [https://iiitd.ac.in/course/sweb/student/worksFor,
http://www.w3.org/2000/01/rdf-schema#range,
https://iiitd.ac.in/course/sweb/student/Department]
80: [https://iiitd.ac.in/course/sweb/student/worksFor,
http://www.w3.org/2000/01/rdf-schema#domain,
https://iiitd.ac.in/course/sweb/student/Professor]
81: [https://iiitd.ac.in/course/sweb/student/worksFor,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/1999/02/22-rdf-syntax-ns#Property]
```

```
82: [https://iiitd.ac.in/course/sweb/student/professor2,
https://iiitd.ac.in/course/sweb/student/worksFor,
https://iiitd.ac.in/course/sweb/student/department]
83: [https://iiitd.ac.in/course/sweb/student/professor2,
https://iiitd.ac.in/course/sweb/student/teaches,
https://iiitd.ac.in/course/sweb/student/course1]
84: [https://iiitd.ac.in/course/sweb/student/professor2,
https://iiitd.ac.in/course/sweb/student/name, James]
85: [https://iiitd.ac.in/course/sweb/student/professor2,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
https://iiitd.ac.in/course/sweb/student/Professor]
86: [https://iiitd.ac.in/course/sweb/student/student1,
https://iiitd.ac.in/course/sweb/student/takes,
https://iiitd.ac.in/course/sweb/student/course2]
87: [https://iiitd.ac.in/course/sweb/student/student1,
https://iiitd.ac.in/course/sweb/student/name, Ben]
88: [https://iiitd.ac.in/course/sweb/student/student1,
https://iiitd.ac.in/course/sweb/student/advisor,
https://iiitd.ac.in/course/sweb/student/professor4]
89: [https://iiitd.ac.in/course/sweb/student/student1,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
https://iiitd.ac.in/course/sweb/student/Student]
90: [https://iiitd.ac.in/course/sweb/student/Student,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Class]
91: [https://iiitd.ac.in/course/sweb/student/Department,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/2000/01/rdf-schema#Class]
```

```
92: [https://iiitd.ac.in/course/sweb/student/student4,
https://iiitd.ac.in/course/sweb/student/takes,
https://iiitd.ac.in/course/sweb/student/course1]
93: [https://iiitd.ac.in/course/sweb/student/student4,
https://iiitd.ac.in/course/sweb/student/name, Peter]
94: [https://iiitd.ac.in/course/sweb/student/student4,
https://iiitd.ac.in/course/sweb/student/advisor,
https://iiitd.ac.in/course/sweb/student/professor2]
95: [https://iiitd.ac.in/course/sweb/student/student4,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
https://iiitd.ac.in/course/sweb/student/Student]
96: [https://iiitd.ac.in/course/sweb/student/teaches,
http://www.w3.org/2000/01/rdf-schema#range,
https://iiitd.ac.in/course/sweb/student/Course1
97: [https://iiitd.ac.in/course/sweb/student/teaches,
http://www.w3.org/2000/01/rdf-schema#domain,
https://iiitd.ac.in/course/sweb/student/Professor]
98: [https://iiitd.ac.in/course/sweb/student/teaches,
http://www.w3.org/1999/02/22-rdf-syntax-ns#type,
http://www.w3.org/1999/02/22-rdf-syntax-ns#Property]
```

Ques3:

Reification By Named graph (technique 1):

```
//Here's is the model for <u>reification</u> task

String ng = "http://example.org/reification"; //ng->
named_graph

Model reifiedModel = ModelFactory.createDefaultModel();
```

```
reifiedModel.setNsPrefix("reification", ng);
    //traverse over all triples of the .ttl file
    StmtIterator itr = model.listStatements(); //iterator
    while (itr.hasNext()) {
      Statement stmt = itr.nextStatement(); //statement
      Resource subj = stmt.getSubject(); //subject
      Property pred = stmt.getPredicate(); //predicate
      RDFNode obj = stmt.getObject(); //object
      //Create blank node for reification
      Resource blankNode = reifiedModel.createResource();
      // Adding reified statements
      reifiedModel.add(blankNode, RDF.type, RDF.Statement);
      reifiedModel.add(blankNode, RDF.subject, subj);
      reifiedModel.add(blankNode, RDF.predicate, pred);
      reifiedModel.add(blankNode, RDF.object, obj);
      Resource namedSubj =
reifiedModel.createResource(subj.getURI());
      namedSubj.addProperty(reifiedModel.createProperty(ng,
'statement"), blankNode);
```

Reification By Singleton Property (technique 2):

```
//Creating a model for <u>reification</u>

String singleton = "http://example.org/reification";

Model reified_Model = ModelFactory.createDefaultModel();

reified_Model.setNsPrefix("reification", singleton);

//instantiate the object of singleton property
```

```
Property sp = reified Model.createProperty(singleton,
"hasStatement");
   //traversing over all triples
    StmtIterator iter = model.listStatements();
   while (iter.hasNext()) {
      Statement stmt = iter.nextStatement();
      Resource subj = stmt.getSubject(); //subject
      Property pred = stmt.getPredicate(); //predicate
      RDFNode obj = stmt.getObject(); //object
      //Adding reified statements
      Resource reified Stmt = reified Model.createResource()
           .addProperty(RDF.type, RDF.Statement)
           .addProperty(RDF.subject, subj)
           .addProperty(RDF.predicate, pred)
           .addProperty(RDF.object, obj);
      Resource namedSubj =
reified_Model.createResource(subj.getURI());
      namedSubj.addProperty(sp, reified Stmt);
```