

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	17-08-2026 20:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	17-08-2026 20:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Uttar Pradesh
विभाग का नाम/Department Name	Home Department Uttar Pradesh
संगठन का नाम/Organisation Name	Uttar Pradesh Police
कार्यालय का नाम/Office Name	Ats
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adglo.up@nic.in Buyer Email id: stfasp4.lu-up@gov.in
कुल मात्रा/Total Quantity	2
वस्तु श्रेणी /Item Category	Servers (V2) (Q2)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	120 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	480 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 30 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
-----------------------------	---------------------

ईएमडी राशि/EMD Amount	240000
-----------------------	--------

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	38

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c). ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

SSP STF
STF HQ, TC-33 V-2 VIBHUTI KHAND GOMTI NAGAR LUCKNOW 226010
(Ssp Stf)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for

Relaxation.

4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Servers (V2) (2 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Chassis	Description of Stores	Server with standard 1 year warranty
	Form Factor	Rack
	Size (RU)	2
Processor and Motherboard	Processor Number	AMD EPYC 4124P, AMD EPYC 4244P, AMD EPYC 7251, AMD EPYC 7261, AMD EPYC 7232P, AMD EPYC 7252, AMD EPYC 7262, AMD EPYC 7F32, AMD EPYC 7203P, AMD EPYC 7203, AMD EPYC 72F3, AMD EPYC 4344P,

विवरण/Specification	विशिष्ट का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मान्य /Bid Requirement (Allowed Values)
		AMD EPYC 4364P, AMD EPYC 8024P, AMD EPYC 8024PN, AMD EPYC 9015, AMD EPYC 7272, AMD EPYC 4464P, AMD EPYC 4484P, AMD EPYC 7281, AMD EPYC 7351P, AMD EPYC 7301, AMD EPYC 7351, AMD EPYC 7371, AMD EPYC 7282, AMD EPYC 7302P, AMD EPYC 7302, AMD EPYC 7303P, AMD EPYC 7303, AMD EPYC 73F3, AMD EPYC 7373X, AMD EPYC 734332, AMD EPYC 7313P, AMD EPYC 7313, AMD EPYC 4584PX, AMD EPYC 9115, AMD EPYC 9135, AMD EPYC 9175F, AMD EPYC 8124P, AMD EPYC 8124PN, AMD EPYC 9124, AMD EPYC 9174F, AMD EPYC 9184X, AMD EPYC 7F52, AMD EPYC 7401P, AMD EPYC 7401, AMD EPYC 7451, AMD EPYC 7352, AMD EPYC 7402P, AMD EPYC 7402, AMD EPYC 7F72, AMD EPYC 74F3, AMD EPYC 7473X, AMD EPYC 7443P, AMD EPYC 7443, AMD EPYC 7413, AMD EPYC 8224P, AMD EPYC 8224PN, AMD EPYC 9224, AMD EPYC 9254, AMD EPYC 9274F, AMD EPYC 9255, AMD EPYC 9275F, AMD EPYC 7453, AMD EPYC 7551P, AMD EPYC 7551, AMD EPYC 7501, AMD EPYC 7601, AMD EPYC 7452, AMD EPYC 7502P, AMD EPYC 7532, AMD EPYC 7502, AMD EPYC 7542, AMD EPYC 75F3, AMD EPYC 7573X, AMD EPYC 7543P, AMD EPYC 7543, AMD EPYC 7513, AMD EPYC 8324P, AMD EPYC 8324PN, AMD EPYC 9354P, AMD EPYC 9334, AMD EPYC 9354, AMD EPYC 9374F, AMD EPYC 9384X, AMD EPYC 9335, AMD EPYC 9355P, AMD EPYC 9355, AMD EPYC 9375F, AMD EPYC 9365, AMD EPYC 7552, AMD EPYC 7642, AMD EPYC 7643P, AMD EPYC 7643, AMD EPYC 8434P, AMD EPYC 8434PN, AMD EPYC 9454P, AMD EPYC 9454, AMD EPYC 9474F, AMD EPYC 9455P, AMD EPYC 9455, AMD EPYC 9475F, AMD EPYC 7663, AMD EPYC 7663P, AMD EPYC 7702P, AMD EPYC 7662, AMD EPYC 7702, AMD EPYC 7742, AMD EPYC 7H12, AMD EPYC 7773X, AMD EPYC 7763, AMD EPYC 7713P, AMD EPYC 7713, AMD EPYC 8534P, AMD EPYC 8534PN, AMD EPYC 9554P, AMD EPYC 9534, AMD EPYC 9554, AMD EPYC 9535, AMD EPYC 9555P, AMD EPYC 9555, AMD EPYC 9575F, AMD EPYC 9565, AMD EPYC 9634, AMD EPYC 9654P, AMD EPYC 9654, AMD EPYC 9684X, AMD EPYC 9655P, AMD EPYC 9645, AMD EPYC 9655, AMD EPYC 9734, AMD EPYC 9754S, AMD EPYC 9754, AMD EPYC 9745, AMD EPYC 9755, AMD EPYC 9825, AMD EPYC 9845, AMD EPYC 9965, Intel Xeon Silver 4310, Intel Xeon Gold 6312U, Intel Xeon Gold 6314U, Intel Xeon Platinum 8351N, Intel Xeon E-2314, Intel Xeon E-2324G, Intel Xeon E-2334, Intel Xeon E-2374G, Intel Xeon E-2336, Intel Xeon Gold 6238T, Intel Xeon E-2356G, Intel Xeon E-2434, Intel Xeon E-2386G, Intel Xeon E-2378, Intel Xeon E-2378G, Intel Xeon E-2388G, Intel Xeon Gold 6226, Intel Xeon E-2436, Intel Xeon E-2456, Intel Xeon E-2486, Intel Xeon E-2468, Intel Xeon E-2478, Intel Xeon E-2488, Intel Xeon E-2414, Intel Xeon Gold 6334, Intel Xeon Silver 4309Y, Intel Xeon Gold 5315Y, Intel Xeon Silver 4310T, Intel Xeon Silver 4509Y, Intel Xeon Gold 5415+, Intel Xeon Silver 4216, Intel Xeon Gold 6434, Intel Xeon Gold 5218N, Intel Xeon Gold 5218T, Intel Xeon Gold 5515+, Intel Xeon Gold 5515+, Intel Xeon Gold 6534, Intel Xeon Gold 5317, Intel Xeon Gold 6230N, Intel Xeon Gold 6230, Intel Xeon Gold 6434H, Intel Xeon Silver 4410T, Intel Xeon Silver 4209T, Intel Xeon Gold 6252N, Intel Xeon Silver 4510T, Intel Xeon Silver 4510, Intel Xeon Gold 6230T, Intel Xeon Gold 5512U, Intel Xeon Gold 5220T, Intel Xeon Silver 4410Y, Intel Xeon Silver 4314, Intel Xeon Gold 6326

विवरण/Specification	विशिष्ट का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मान / Bid Requirement (Allowed Values)
		Intel Xeon Silver 4214, Intel Xeon Silver 4514Y, Intel Xeon Silver 4210, Intel Xeon Silver 4316, Intel Xeon Gold 5320T, Intel Xeon Gold 6238R, Intel Xeon Gold 6346, Intel Xeon Gold 5416S, Intel Xeon Gold 5318N, Intel Xeon Gold 6354, Intel Xeon Gold 5318Y, Intel Xeon Gold 6248, Intel Xeon Gold 6330N, Intel Xeon Gold 5320, Intel Xeon Gold 6330, Intel Xeon Platinum 8356H, Intel Xeon Gold 6426Y, Intel Xeon Gold 5215, Intel Xeon Platinum 8444H, Intel Xeon Gold 6416H, Intel Xeon Silver 4416+, Intel Xeon Gold 6526Y, Intel Xeon Gold 6342, Intel Xeon Gold 5418N, Intel Xeon Gold 6544Y, Intel Xeon Gold 6444Y, Intel Xeon Gold 6338N, Intel Xeon Gold 6338, Intel Xeon Gold 6348, Intel Xeon Gold 5418Y, Intel Xeon Platinum 8352S, Intel Xeon Silver 4516Y+, Intel Xeon Platinum 8352V, Intel Xeon Platinum 8352M, Intel Xeon Platinum 8352Y, Intel Xeon Gold 5318H, Intel Xeon Platinum 8353H, Intel Xeon Gold 6328H, Intel Xeon Gold 6328HL, Intel Xeon Platinum 8358P, Intel Xeon Platinum 8358, Intel Xeon Gold 6418H, Intel Xeon Gold 6530, Intel Xeon Gold 5420+, Intel Xeon Gold 5320H, Intel Xeon Gold 6554S, Intel Xeon Platinum 8450H, Intel Xeon Gold 6428N, Intel Xeon Platinum 8360Y, Intel Xeon Platinum 8362, Intel Xeon Silver 4215, Intel Xeon Gold 5520+, Intel Xeon Gold 6442Y, Intel Xeon Gold 6542Y, Intel Xeon Gold 6430, Intel Xeon Gold 6330H, Intel Xeon Platinum 8368, Intel Xeon Gold 6438N, Intel Xeon Gold 6438M, Intel Xeon Gold 6438Y+, Intel Xeon Platinum 8454H, Intel Xeon Gold 6538N, Intel Xeon Silver 4210T, Intel Xeon Silver 4215R, Intel Xeon Silver 4210R, Intel Xeon Gold 6454S, Intel Xeon Gold 6348H, Intel Xeon Platinum 8380, Intel Xeon Platinum 8368Q, Intel Xeon Platinum 8354H, Intel Xeon Gold 6448Y, Intel Xeon Gold 6538Y+, Intel Xeon Platinum 8558, Intel Xeon Gold 6548N, Intel Xeon Platinum 8558P, Intel Xeon Gold 6548Y+, Intel Xeon Platinum 8360H, Intel Xeon Platinum 8360HL, Intel Xeon Platinum 8376H, Intel Xeon Platinum 8452Y, Intel Xeon Gold 6448H, Intel Xeon Platinum 8376HL, Intel Xeon 6710E, Intel Xeon Silver 4214R, Intel Xeon CPU Max 9462, Intel Xeon 6730P, Intel Xeon Platinum 8562Y+, Intel Xeon Platinum 8462Y+, Intel Xeon CPU Max 9460, Intel Xeon Gold 6458Q, Intel Xeon Gold 6558Q, Intel Xeon Platinum 8460Y+, Intel Xeon Platinum 8380H, Intel Xeon CPU Max 9468, Intel Xeon Gold 6226R, Intel Xeon Platinum 8460H, Intel Xeon CPU Max 9470, Intel Xeon CPU Max 9480, Intel Xeon Platinum 8458P, Intel Xeon Gold 6230R, Intel Xeon Platinum 8468V, Intel Xeon Platinum 8470N, Intel Xeon Platinum 8468H, Intel Xeon Platinum 8468, Intel Xeon Platinum 8470, Intel Xeon 6740P, Intel Xeon Platinum 8568Y+, Intel Xeon 6741P, Intel Xeon Platinum 8570, Intel Xeon Platinum 8470Q, Intel Xeon 6746E, Intel Xeon Platinum 8592V, Intel Xeon Platinum 8480+, Intel Xeon 6740E, Intel Xeon Platinum 8490H, Intel Xeon 6747P, Intel Xeon Platinum 8580, Intel Xeon 6756E, Intel Xeon Platinum 8593Q, Intel Xeon Platinum 8592+, Intel Xeon 6766E, Intel Xeon 6760P, Intel Xeon 6761P, Intel Xeon 6767P, Intel Xeon 6780E, Intel Xeon 6781P, Intel Xeon 6787P Or higher
Graphic Processing Unit (GPU)	Graphic Card Availability	Yes Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Graphics Processing Unit (GPU) Number	NVIDIA A100 Tensor Core - 80 GB, NVIDIA H100 - 80 GB, NVIDIA H200 Tensor Core - 141 GB, NVIDIA RTX PRO 6000 Blackwell Server Edition - 96 GB, NVIDIA H100 SXM - 80 GB, NVIDIA H100 NVL - 94 GB, NVIDIA HGX H200 - 141 GB, NVIDIA HGX B200 - 180 GB Or higher
Memory	Type of RAM	DDR5 with ECC Or higher
	Total Memory (RAM) Size Installed (in GB)	512, 1024, 2048, 4096 Or higher
SSD Storage	Type of Interface for SSD	SATA-SSD, M.2/NVMe-SSD
HDD Storage	Type of Interface for Hard Disk Drive (HDD)	SATA-HDD, SAS-HDD, NL SAS-HDD, Not Applicable
Software	Certifications Compliance (Operating System)	Windows, Linux

Additional Specification Parameters - Servers (V2) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Technical specifications of High End server	Attached with ATC document (The product to be supplied shall strictly conform to the specifications and requirements specified in the document attached with the ATC)

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lal Pratap Singh	226010,STF HQ TC-33, V-2 VIBHUTIKHAND GOMTINAGAR LUCKNOW	2	45

Special terms and conditions-Version:1 effective from 11-07-2025 for category Servers (V2)

1.

For Buyer		
1	Warranty	The buyer may add warranty requirement while creating the bid

2	Storage Capacity	1. Buyer may add their requirement of retention of securely store all Hard Disk Drives (HDDs) or Solid-State Drives (SSDs) used in the Server under ATC clause. 2. The total installed capacity can be calculated by multiplying the number of populated slots for each type of drive by the capacity of each drive. However, if the buyer requires multiple SSDs or HDDs of different capacities, the buyer should mention a detailed breakdown of the requirement in the 'Additional Parameters' section of the bid.
3	Applications Compatible with the Server	Buyer may include the names of applications or programs under the buyer added ATCs for which the Server's configuration is required to support such applications or programs
For Seller		
4	Compliance of extended producer's responsibility	With effect from 1.4.23, as per the E-waste rules 2022, EPR registration is mandatory for manufacturing entities. Therefore, all OEMs shall hold valid EPR registration, and the registration number should be reflected in the catalog parameter. OEMs shall ensure compliance with all responsibilities as per EPR registration applicable from time to time.
5	Operating System	It shall be the responsibility of OEMs to ensure that supplies are made with genuine operating systems.
6	Applications Compatibility with the Server	The seller shall ensure that the Server is compatible with the applications specified by the buyer. Requisite documents confirming compatibility from the application provider must be furnished upon request by the buyer.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. Generic

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

4. Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

5. Generic

Non return of Hard Disk: As per Buyer organization's Security Policy, Faulty Hard Disk of Servers/Desktop Computers/ Laptops etc. will not be returned back to the OEM/supplier against warranty replacement.

6. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

7. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

SSP STF

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

8. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

SSP STF

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

9. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Technical Specification High-End Server

S.No	Component s	Server Specifications
1	Form Factor	Maximum 2U Rack mount server
2	CPU	Server should have 2 processor socket supporting atleast 6Gen Intel; should be populated with 2 x 32C processors with minimum 2.3GHz base frequency or more
3	RAM	Server should be populated with atleast 512GB DDR5 6400 MT /s RDIMM and scalable upto 8TB or higher
4	Network ports	2 x 1Gig Base-T ports and 2 x dual 10G fiber/copper ports
5	PCIe slots	Server should be offered with 4 x PCIe Gen5 slots or more ; including atleast 2 dedicated slot for double wide GPUs
6	GPU	NVIDIA RTX PRO 6000 Blackwell Server Edition 96GB

7	Internal Storage	Server should have 2 x 960GB M.2 SSD for OS & 2 x 3.84TB Data Center NVMe for Data
8	RAID Controller	Integrated/PCI based 24Gbps HW RAID controller with minimum 8GB cache supporting RAID 0,1,10,5,6
9	Power Supply	Offered server must have $\leq$ 3200w N+N redundant power Supply of Platinum/ Titanium grade
10	System Security	Server should have below security essentials and certificates: 1. shall include FIPS 140-2, TPM 2.0 v5 & UEFI with secure boot. 2. cryptographically verified trusted booting standards meeting basis NIST SP 800-147B, BIOS Integrity measurement proposed guidelines basis NIST SP 800-155, protection standards meeting NIST SP 800-193 and standards & secure media sanitization standards meeting NIST SP 800-88. 3. real time firmware security scanning to protect against firmware which executes before the OS boots. 4. maintain repository for firmware and should be able to rollback, if required. 5. configuration upgrades should be only with cryptographically signed firmware and software from the server OEM. 6. End-to-end supply chain controls to ensure component integrity, security, and vendor responsibility.
11	Security Bezel	Security bezel with locking function
12	Intrusion alert	Intrusion alert in case chassis cover being opened
13	Management integration	Support for integration with Microsoft System Center, VMware vCenter, BMC Software
14	Power & temperature	Real-time power meter, graphing, thresholds, alerts & capping with historical power counters. Temperature monitoring & graphing
15	Pre-failure alert	Should provide predictive failure monitoring & proactive alerts of actual or impending component failure for fan, power supply, memory, CPU, RAID, NIC, HDD
16	Management port	Dedicated 1Gig Base-T management port, management software should be from same hardware OEM and should have below mentioned management platform and security features
17	Server management	Embedded controller on latest-generation servers must provide very high-density, real-time telemetry (including detailed power, thermal, component and rack-level metrics) suitable for direct export into AIOps and observability platforms.
18		Central management console must support export of inventory, health, alerts and telemetry to Kafka or equivalent streaming platforms for integration with tools like Prometheus/Grafana or SIEM/observability stacks.
19		The platform must offer an integrated AIOps/observability plug-in that uses streamed telemetry to deliver AI-driven health, cybersecurity and sustainability insights, forecasts and recommendations.
20		Rack-level management must include native support for an integrated rack controller, with policies that automatically initiate coordinated server shutdown on critical rack events such as liquid-leak or power faults.

21		Power and thermals management must be built into the console (not as a separate product) and must support automatic grouping of power shelves, power-shelf telemetry and visualization of key energy KPIs for capacity and ESG reporting.
22		Firmware lifecycle management must extend beyond servers to include power shelves, coolant distribution units (CDUs) and integrated rack components, managed from the same console.
23		The management console must scale to at least 5,000 devices for full lifecycle control and 10,000 devices for monitoring from a single instance, including latest-generation servers plus prior generations.
24		The platform must provide officially supported automation integrations for both Ansible and Terraform, enabling full provisioning, configuration and update workflows to be driven via code.
25		The solution must offer a cloud-hosted infrastructure AIOps service at no additional software charge, when covered by the appropriate support entitlement, to consume server telemetry and provide proactive/predictive insights.
26		Advanced automation and integration features must be enabled via a per-device, perpetual license option, allowing customers to selectively activate these capabilities only on chosen servers while managing licenses centrally from the same console.
27	Security Requirements for Management Platform	Embedded management controller must support hardware-rooted secure boot and signed firmware, ensuring only vendor-signed images can run on the controller and server platform.
28		The management stack must enforce strong, centrally managed authentication policies, including directory integration (for example, LDAP/AD), multifactor authentication options and granular, role-based access control down to specific tasks and device groups.
29		All management traffic (web, APIs, CLI, telemetry, backup/restore and logging) must use modern TLS with configurable cipher suites, and the console must reject SHA-1 and similarly deprecated certificate algorithms.
30		The solution must continuously monitor server and controller configuration against secure baselines, flag drift that could introduce security risk, and support automated remediation of non-compliant settings based on policy.
31		Alerts, audit logs and configuration-change records must be exportable in real time to external SIEM/Syslog platforms over TLS, supporting server-only, client-only and mutual certificate authentication modes.
32		The management appliance must support secure, encrypted backup and restore using modern protocols (for example SFTP, HTTPS, CIFS/NFS with encryption), with strict role-based controls over who can initiate backup/restore and rotate encryption credentials.
33	Rack kits	Rack mounting with sliding rails
34	Certification	OEM need to submit latest and valid FCC Class A, Energy Star, CE Certification & BIS Certificate
35	Server Hardware Warranty	3 Years On-site comprehensive warranty with 24x7x365 remote hardware support.
36	Drive media retention	Faulty drives will not be returned during the warranty period

10. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working

Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---