

Week1: Build a Responsive Web Application for Registration Form, which contains User Name, Password, Date of Birth, Gender, Mail-id, Contact Number, Address and Submit Button.

PROGRAM:

STATIC REGISTRATION FORM -HTML

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Registration Form</title>

</head>

<body>

  <h2>Registration Form</h2>

  <form>

    <p>

      <label for="username">User Name:</label><br>

      <input type="text" id="username" name="username" required>

    </p>

    <p>

      <label for="password">Password:</label><br>

      <input type="password" id="password" name="password" required>

    </p>

    <p>

      <label for="dob">Date of Birth:</label><br>
```


```
<input type="date" id="dob" name="dob" required>
</p>
<p>
  <label>Gender:</label><br>
  <input type="radio" name="gender" value="male" required> Male
  <input type="radio" name="gender" value="female" required> Female
  <input type="radio" name="gender" value="other" required> Other
</p>
<p>
  <label for="email">Mail-id:</label><br>
  <input type="email" id="email" name="email" required>
</p>
<p>
  <label for="contact">Contact Number:</label><br>
  <input type="tel" id="contact" name="contact" pattern="[0-9]{10}"
placeholder="10-digit number" required>
</p>
<p>
  <label for="address">Address:</label><br>
  <textarea id="address" name="address" rows="3" required></textarea>
</p>
<p>
  <button type="submit">Submit</button>
</p>
```

</form>

</body>

</html>

OUTPUT:



The screenshot shows a web browser window with the title "Registration Form". The address bar displays the file path: file:///C:/Users/lab/Desktop/reg1.html. The form itself is titled "Registration Form" and contains the following fields and controls:

- User Name:** A text input field.
- Password:** A text input field.
- Date of Birth:** A date picker control showing the format "dd-mm-yyyy".
- Gender:** Three radio button options: "Male", "Female", and "Other".
- Mail-id:** A text input field.
- Contact Number:** A text input field with a placeholder "10-digit number".
- Address:** A text area for a multi-line address.
- Submit:** A button to submit the form.

PROGRAM:

Responsive Web Application using CSS,JAVASCRIPT

<!--WEEK1:Build a Responsive Web Application for Registration Form, which contains User Name, Password, Date of Birth, Gender, Mail-id, Contact Number, Address and Submit Button--!>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Registration Form</title>

<style>

```
body {  
    font-family: Arial, sans-serif;  
    background: #f4f7f8;  
    display: flex;  
    justify-content: center;  
    align-items: center;  
    min-height: 100vh;  
    margin: 0;  
}
```

```
.container {  
    background: #fff;  
    padding: 20px 30px;  
    border-radius: 8px;  
    box-shadow: 0 4px 8px rgba(0,0,0,0.1);  
    max-width: 500px;  
    width: 100%;
```

```
}
```

```
h2 {  
  text-align: center;  
  margin-bottom: 20px;  
  color: #333;  
}
```

```
.form-group {  
  margin-bottom: 15px;  
}
```

```
label {  
  display: block;  
  margin-bottom: 5px;  
  font-weight: bold;  
  color: #555;  
}
```

```
input, select, textarea {  
  width: 100%;  
  padding: 10px;  
  border: 1px solid #ccc;  
  border-radius: 5px;  
  font-size: 14px;  
}
```

```
textarea {  
  resize: vertical;  
}
```

```
.radio-inline {  
  display: flex;  
  gap: 20px; /* spacing between options */  
  margin-top: 8px;  
}
```

```
.radio-inline label {  
  display: flex;  
  align-items: center;  
  font-size: 14px;  
  cursor: pointer;  
}
```

```
.radio-inline input[type="radio"] {  
  margin-right: 6px;  
}
```

```
button {  
  width: 100%;  
  padding: 12px;  
  background: #007BFF;  
  color: #fff;  
  border: none;  
  border-radius: 5px;  
  font-size: 16px;  
  cursor: pointer;  
}
```

```
button:hover {
  background: #0056b3;
}

/* Responsive Design */
@media (max-width: 600px) {
  .container {
    padding: 15px;
  }
  h2 {
    font-size: 20px;
  }
}
</style>
</head>
<body>
  <div class="container">
    <h2>Registration Form</h2>
    <form id="registrationForm">
      <div class="form-group">
        <label for="username">User Name</label>
        <input type="text" id="username" name="username" required>
      </div>

      <div class="form-group">
        <label for="password">Password</label>
        <input type="password" id="password" name="password" required>
      </div>
    </form>
  </div>
</body>
</html>
```

```
<div class="form-group">
  <label for="dob">Date of Birth</label>
  <input type="date" id="dob" name="dob" required>
</div>


<div class="form-group">
<div class="radio-inline">
  <label>Gender:</label>
  <input type="radio" name="gender" value="male" required>Male
  <input type="radio" name="gender" value="female" required>Female
  <input type="radio" name="gender" value="other" required>Other
</div> </div>
  <div class="form-group">
    <label for="email">Mail-id</label>
    <input type="email" id="email" name="email" required>
  </div>

  <div class="form-group">
    <label for="contact">Contact Number</label>
    <input type="tel" id="contact" name="contact" pattern="[0-9]{10}"
placeholder="10-digit number" required>
  </div>

  <div class="form-group">
    <label for="address">Address</label>
    <textarea id="address" name="address" rows="3" required></textarea>
  </div>

  <button type="submit">Submit</button>
</form>
```

```
</div>
<script>
    document.getElementById("registrationForm").addEventListener("submit",
function(event) {
    event.preventDefault(); // Prevent form submission for demo
    alert("Form submitted successfully!");
});
</script>
</body>
</html>
```



The screenshot shows a web browser window with the title "Registration Form". The address bar displays "file:///C:/Users/l...". The form is titled "Registration Form" and contains the following fields and controls:

- User Name**: A text input field.
- Password**: A text input field.
- Date of Birth**: A date input field with a placeholder "dd-mm-yyyy" and a calendar icon.
- Gender**: Three radio buttons labeled "Male", "Female", and "Other".
- Mail-id**: A text input field.
- Contact Number**: A text input field with a placeholder "10-digit number".
- Address**: A text input field.
- Submit**: A blue button at the bottom of the form.

Week2 : Implement a JavaScript Program to Validate Registration Page using Regular Expression.

PROGRAM:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Registration Form with Validation</title>
</head>
<body>
  <h2>Registration Form</h2>
  <form id="registrationForm">
    <p>
      <label for="username">User Name:</label><br>
      <input type="text" id="username" name="username"
placeholder="Username" >
    </p>

    <p>
      <label for="password">Password:</label><br>
      <input type="password" id="password" name="password"
placeholder="Password">
    </p>

    <p>
      <label for="dob">Date of Birth:</label><br>
      <input type="date" id="dob" name="dob">
    </p>

    <p>
      <label>Gender:</label><br>
      <input type="radio" name="gender" value="male"> Male
      <input type="radio" name="gender" value="female" > Female
      <input type="radio" name="gender" value="other" > Other
    </p>

    <p>
```

```

    <label for="email">Mail-id:</label><br>
    <input type="email" id="email" name="email" placeholder="Email id">
  </p>

  <p>
    <label for="contact">Contact Number:</label><br>
    <input type="tel" id="contact" name="contact" placeholder="10-digit
number">
  </p>

  <p>
    <label for="address">Address:</label><br>
    <textarea          id="address"          name="address"          rows="3"
placeholder="address"></textarea>
  </p>

  <p>
    <button type="submit">Submit</button>
  </p>
</form>

<script>
document.getElementById("registrationForm").addEventListener("submit",
function(event) {
    event.preventDefault(); // Prevent default submission

    // Collect values
    const username = document.getElementById("username").value.trim();
    const password = document.getElementById("password").value.trim();
    const dob = document.getElementById("dob").value;
    const gender =
document.querySelector('input[name="gender"]:checked');
    const email = document.getElementById("email").value.trim();
    const contact = document.getElementById("contact").value.trim();
    const address = document.getElementById("address").value.trim();

    // Regex patterns

```

```
const usernameRegex = /^[A-Za-z0-9_]{3,15}$/; // 3-15 chars,
letters, numbers, underscore
const passwordRegex = /^(?=.*[A-Za-z])(?=.*\d)[A-Za-z\d]{6,}$/; //
min 6 chars, at least 1 letter & 1 number
const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/; // basic email
format
const contactRegex = /^[0-9]{10}$/; // exactly 10 digits

// Validation checks
if (!usernameRegex.test(username)) {
  alert("Invalid Username: Use 3-15 letters, numbers, or underscores.");
  return;
}

if (!passwordRegex.test(password)) {
  alert("Invalid Password: Must be at least 6 characters with letters
and numbers.");
  return;
}

if (!dob) {
  alert("Please enter your Date of Birth.");
  return;
}

if (!gender) {
  alert("Please select your Gender.");
  return;
}

if (!emailRegex.test(email)) {
  alert("Invalid Email format.");
  return;
}

if (!contactRegex.test(contact)) {
  alert("Invalid Contact Number: Must be exactly 10 digits.");
  return;
}
```

```

    }

    if (address.length < 5) {
        alert("Address must be at least 5 characters long.");
        return;
    }

    // If all validations pass
    alert("Form submitted successfully!");
});
</script>
</body>
</html>

```

OUTPUT:

The image displays two side-by-side browser windows showing a "Registration Form with Validation".

Left Screenshot (Form State):

- Title:** Registration Form
- User Name:** Input field with placeholder "Username".
- Password:** Input field with placeholder "Password".
- Date of Birth:** Input field with placeholder "dd-mm-yyyy" and a calendar icon.
- Gender:** Radio buttons for "Male", "Female", and "Other".
- Mail-id:** Input field with placeholder "Email id".
- Contact Number:** Input field with placeholder "10-digit number".
- Address:** Input field with placeholder "address".
- Submit:** A button at the bottom.

Right Screenshot (Validation Error State):

- Title:** Registration Form
- Alert Message:** A modal dialog box titled "This page says" with the text "Invalid Username: Use 3-15 letters, numbers, or underscores." and an "OK" button.
- User Name:** Input field with placeholder "Username".
- Password:** Input field with placeholder "Password".
- Date of Birth:** Input field with placeholder "dd-mm-yyyy" and a calendar icon.
- Gender:** Radio buttons for "Male", "Female", and "Other".
- Mail-id:** Input field with placeholder "Email id".
- Contact Number:** Input field with placeholder "10-digit number".
- Address:** Input field with placeholder "address".
- Submit:** A button at the bottom.

WEEK3: Build a Responsive Web Application for Shopping Cart with Registration, Login, Catalog and Cart Pages using CSS3 features, Flex and Grid

PROGRAM:

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <title>Shopping Cart</title>
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.cs
s"crossorigin="anonymous">
  <link rel="stylesheet" href="assets/css/style.css">
  <link rel="icon" type="image/png" href="images/cart-icon.png">

</head>

<body>
  <header class="bg-dark text-white text-center py-3">
    <h1>Shopping Cart</h1>
  </header>
  <!-- Navbar -->
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
    <a class="navbar-brand" href="#">Home</a>
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav">
      <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="navbarNav">
      <ul class="navbar-nav ml-auto">
        <!-- Catalog -->
        <li class="nav-item">
          <a class="nav-link" href="#catalog">Catalog</a>
        </li>
        <!-- Login -->
        <li class="nav-item">
          <a class="nav-link" href="login.html">Login</a>
        </li>
        <!-- Registration -->
        <li class="nav-item">
```

```

    <a class="nav-link" href="registration.html">Register</a>
  </li>
  <!-- Cart -->
  <li class="nav-item">
    <a class="nav-link" href="#" data-toggle="modal" data-target="#cartModal">
       Cart
    </a>
  </li>
</ul>
</div>
</nav>

```

```

<!-- Main -->
<div class="container">

  <br>

  <h3 class="text-center">Shopping Cart</h3>
  <hr>

  <div class="row">
    <div class="col-sm-12 col-md-6 col-xl-4">
      <figure class="card card-product zoom">
        <div class="img-wrap"></div>
        <figcaption class="info-wrap">
          <h4 class="title">Beautiful dress</h4>
          <p class="desc">"Adorn yourself in the allure of timeless
beauty with our collection, where
            each dress is a masterpiece of grace and charm."</p>
          <div class="rating-wrap">
            <<div class="label-rating">132 reviews</div>
            <div class="label-rating">154 orders </div>
            <br />
            <small class="text-muted">&#9733; &#9733;
              &#9733; &#9733; &#9734;</small>
          </div> <!-- rating-wrap.// -->
        </figcaption>
        <div class=" bottom-wrap">
          <button class="btn btn-primary add-to-cart" data-
name="Beautiful Dress" data-price="220">Add to Cart</button>

          <div class="price-wrap h5">

```

```

        <span class="price-new">$220</span> <del class="price-
old">$180</del>
        <div>
        </div>
        <!--price-wrap/-->
    </div>
    <!--bottom-wrap/-->
</figure>
</div>
<!--col/-->

<div class="col-sm-12 col-md-6 col-xl-4">
    <figure class="card card-product zoom">
        <div class="img-wrap">
        </div>

        <figcaption class="info-wrap">
            <h4 class="title">Elegant style</h4>
            <p class="desc">"Elevate your wardrobe with an essence
through our collection, where
            elegance becomes a signature style."</p>
            <div class="rating-wrap">
                <div class="label-rating">122 reviews</div>
                <div class="label-rating">120 orders </div>
                <br />
                <small class="text-muted">&#9733; &#9733;
                &#9733; &#9733; &#9734;</small>
            </div>

            <!-- rating-wrap/-->
        </figcaption>
        <div class="bottom-wrap">
            <button class="btn btn-primary add-to-cart" data-
name="Elegant Style" data-price="115">Add to Cart</button>

            <div class="price-wrap h5">
                <span class="price-new">$115</span> <del class="price-
old">$180</del>
                <div>

                    <!--price-wrap/-->
                </div>

```

```

        <!--bottom-wrap/-->
    </figure>
</div>
<!--col/-->
<div class="col-sm-12 col-md-6 col-xl-4">

    <figure class="card card-product zoom">
        <div class="img-wrap"></div>

        <figcaption class="info-wrap">
            <h4 class="title">Modern fashion</h4>
            <p class="desc">"Discover the epitome of modern fashion,
where style meets innovation in
            every stitch and silhouette."</p>
            <div class="rating-wrap">
                <div class="label-rating">138 reviews</div>
                <div class="label-rating">159 orders</div>
                <br />

                <small class="text-muted">&#9733;
&#9733;&#9733;&#9733;&#9734</small>
            </div>
            <!-- rating-wrap/-->
        </figcaption>

        <div class="bottom-wrap">
            <button class="btn btn-primary add-to-cart" data-
name="Modern Fashion" data-price="680">Add to Cart</button>

            <div class="price-wrap h5">
                <span class="price-new">$680</span> <del class="price-
old">$980</del>
            </div> <!-- price-wrap/-->
        </div> <!-- bottom-wrap/-->
    </figure>
</div> <!-- col /-->
</div> <!-- row /-->

<!-- Cart Modal -->
<div class="modal fade" id="cartModal" tabindex="-1" role="dialog">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">

```

```

        <h5 class="modal-title">Your Cart</h5>
        <button type="button" class="close" data-
dismiss="modal">&times;</button>
    </div>
    <div class="modal-body">
        <ul id="cartItems" class="list-group"></ul>
        <p class="mt-3 font-weight-bold">Total: $<span
id="cartTotal">0</span></p>
    </div>
    <div class="modal-footer">
        <button class="btn btn-secondary" data-dismiss="modal">Close</button>
        <button class="btn btn-success">Checkout</button>
    </div>
</div>
</div>
</div>

```

```

<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"><
/script>

```

```

<script>
let cart = [];
document.querySelectorAll('.add-to-cart').forEach(btn => {
    btn.addEventListener('click', () => {
        const name = btn.dataset.name;
        const price = parseFloat(btn.dataset.price);
        cart.push({name, price});
        updateCart();
        $('#cartModal').modal('show');
    });
});

function updateCart() {
    const cartItems = document.getElementById('cartItems');
    cartItems.innerHTML = '';
    let total = 0;
    cart.forEach(item => {
        const li = document.createElement('li');
        li.className = 'list-group-item';
        li.textContent = `${item.name} - $${item.price}`;
        cartItems.appendChild(li);
        total += item.price;
    });
}

```

```

    });
    document.getElementById('cartTotal').textContent = total.toFixed(2);
  }
  // Checkout function
  document.querySelector('.btn-success').addEventListener('click', () => {
    if (cart.length === 0) {
      alert("Your cart is empty!");
      return;
    }

    let summary = "Order Summary:\n";
    cart.forEach(item => {
      summary += `${item.name} - ${item.price}\n`;
    });
    summary += `\nTotal: ${document.getElementById('cartTotal').textContent}`;

    alert(summary); // Show order summary
    cart = []; // Clear cart after checkout
    updateCart(); // Refresh cart display
    $('#cartModal').modal('hide'); // Close modal
  });

```

</script>

</body>

</html>.

Style.css

```

body {
  padding-top: 80px;
}

/* product cart design */

.show-cart li {
  display: flex;

```

```
}
```

```
.cart-container {  
    position: relative;  
    display: inline-block;  
}
```

```
.cart-icon {  
    width: 30px; /* Adjust the width and height according to your icon size */  
    height: 30px;  
    cursor: pointer;  
}
```

```
/* Add a hover effect if desired */
```

```
.cart-container:hover .cart-icon {  
    filter: brightness(1.2); /* Adjust the brightness for the hover effect */  
}
```

```
.card {  
    margin-bottom: 20px;  
}
```

```
.card-img-top {  
    width: 200px;  
    height: 200px;  
    align-self: center;  
}
```

```
.card-product .img-wrap {  
border-radius: 3px 3px 0 0;  
overflow: hidden;  
position: relative;  
height: 220px;  
text-align: center;  
}  
.card-product .img-wrap img {  
max-height: 100%;  
max-width: 100%;  
object-fit: cover;  
}  
.card-product .info-wrap {  
overflow: hidden;  
padding: 15px;  
border-top: 1px solid #eee;  
}  
.card-product .bottom-wrap {  
padding: 15px;  
border-top: 1px solid #eee;  
}  
.label-rating { margin-right: 10px;  
color: #333;
```

```
display: inline-block;
vertical-align: middle;
}
```

```
.card-product .price-old {
color: #999;

}
```

```
/* shopping cart counter */
.header{background:rgb(0, 178, 255);color:#fff;}
#lblCartCount {
    font-size: 12px;
    background: #ff0000;
    color: #fff;
    padding: 0 5px;
    vertical-align: top;
    margin-left: -10px; }
.badge {
    padding-right: 9px;
    -webkit-border-radius: 9px;
    -moz-border-radius: 9px;
    border-radius: 9px; }
.label-warning[href],
```

```
.badge-warning[href] {  
    background-color: #c67605; }
```

```
/* shopping cart counter style */
```

```
i.fa-shopping-cart {  
    width:2.2em;  
    text-align:center;  
    vertical-align:middle;  
}
```

```
.fa-shopping-cart {  
    margin-top: 0.2em;  
    position: relative;  
}
```

```
.badge {  
    font-size: .25em;  
    display: block;  
    position: absolute;  
    top: -.70em;  
    right: -.70em;  
    width: 2.5em;  
    height: 2.4em;  
    line-height: 2em;  
    border-radius: 50%;
```

```
    text-align: center;

    color: #fff;

    background: rgba(207, 0, 15, 1);

}

/* product zoom on hover */

.zoom, .zoom-sm {

transition: transform .2s;

}

.zoom:hover {

transform: scale(1.05);}

.zoom-sm:hover {

transform: scale(1.03);

}

/* shopping cart toast */

#product-toast {

visibility: hidden;

max-width: 50px;

height: 50px;

margin: auto;

background-color: #333;

color:#fff;

text-align:center;

border-radius:2px;

position:fixed;
```

```
z-index:1;

left:0;right:0;

bottom:30px;

font-size:17px;

white-space:nowrap;

}

#product-toast #img{

width: 70px;

height:50px;

float:left;

padding-top:16px;

padding-bottom:16px;

box-sizing: border-box;

background-color:#111;

color:#fff;

padding:16px;

overflow:hidden;

white-space:nowrap;

}

#product-toast.show{

visibility:visible;

-webkit-animation:fadein 0.5s,expand 0.5s 0.5s,stay 3s 1s,shrink 0.5s

2s,fadeout 0.5s 2.5s;

animation:fadein 0.5s,expand 0.5s 0.5s,stay 3s 1s,shrink 0.5s 4s,fadeout

0.5s 4.5s;
```

```
}  
  
@keyframes fadein {  
  from {bottom: 0; opacity: 0;}  
  to {bottom: 30px; opacity: 1;}  
}  
  
@-webkit-keyframes expand {  
  from {min-width: 50px}  
  to {min-width: 350px}  
}  
  
@keyframes expand {  
  from {min-width: 50px}  
  to {min-width: 350px}  
}  
  
@-webkit-keyframes stay {  
  from {min-width: 350px}  
  to {min-width: 350px}  
}  
  
@keyframes stay {  
  from {min-width: 350px}  
  to {min-width: 350px}  
}  
  
@-webkit-keyframes shrink {  
  from {min-width: 350px;}  
  to {min-width: 50px;}  
}
```

```

}

@keyframes shrink {
  from {min-width: 350px;}
  to {min-width: 50px;}
}

@-webkit-keyframes fadeout {
  from {bottom: 30px; opacity: 1;}
  to {bottom: 60px; opacity: 0;}
}

@keyframes fadeout {
  from {bottom: 30px; opacity: 1;}
  to {bottom: 60px; opacity: 0;}
}

```

