

Originally generated use cases

UC1: Customer Registration and Account Management

Actor: Customer

Preconditions:

- Customer has access to the WolfCafe app or website
- Valid email address and phone number available

Main Flow:

1. Customer selects "Create Account" option
2. System displays registration form
3. Customer enters personal information (name, email, phone, address)
4. Customer creates secure password
5. System sends verification email/SMS
6. Customer verifies account through provided link/code
7. System activates account and displays welcome message
8. Customer can update profile information and preferences

Alternative Flows:

- [E1] If email already exists, system prompts to login or reset password
- [E2] If verification fails, system resends verification code
- [E3] If required fields missing, system highlights incomplete information

UC2: Browse Menu and View Item Details

Actor: Customer

Preconditions:

- Menu items are available and properly configured
- Customer has access to the app

Main Flow:

1. Customer opens WolfCafe menu section
2. System displays categorized menu items with images and prices
3. Customer can filter items by category, dietary restrictions, or price range
4. Customer selects specific item for detailed view

5. System displays comprehensive item information (ingredients, nutrition, allergens)
6. Customer can view customer reviews and ratings
7. Customer can customize item options if available

Alternative Flows:

- [E1] If items are temporarily unavailable, system shows "out of stock" status
- [E2] If menu is being updated, system displays loading state

UC3: Add Items to Cart and Manage Orders

Actor: Customer

Preconditions:

- Customer is logged into their account
- Menu items are available for ordering

Main Flow:

1. Customer selects desired menu item
2. Customer chooses quantity and customization options
3. Customer adds item to cart
4. System updates cart total and item count
5. Customer can modify quantities or remove items from cart
6. Customer can add special instructions for preparation
7. System displays running total with taxes and fees
8. Customer can save cart for later or proceed to checkout

Alternative Flows:

- [E1] If item becomes unavailable after adding to cart, system notifies and offers alternatives
- [E2] If cart exceeds maximum order value, system displays warning

UC4: Process Payment and Complete Order

Actor: Customer

Preconditions:

- Customer has items in cart
- Payment method is available
- Restaurant is accepting orders

Main Flow:

1. Customer reviews order summary and pricing breakdown
2. Customer selects pickup time or delivery option
3. Customer chooses payment method (card, digital wallet, etc.)
4. Customer applies any available coupons or loyalty discounts
5. Customer selects tip amount (15%, 20%, 25%, or custom)
6. System processes payment securely
7. System generates order confirmation number
8. Customer receives confirmation via email/SMS with pickup details
9. System notifies restaurant of new order

Alternative Flows:

- [E1] If payment fails, system retries and offers alternative payment methods
- [E2] If restaurant is closed/busy, system suggests alternative pickup times

UC5: Track Order Status and Receive Notifications

Actor: Customer

Preconditions:

- Customer has placed a confirmed order
- Order is in restaurant's preparation queue

Main Flow:

1. System displays order status dashboard to customer
2. Customer can view estimated preparation time
3. System sends status updates as order progresses (received, preparing, ready)
4. Customer receives push notification when order is ready
5. System provides pickup instructions and location details
6. Customer can contact restaurant directly if needed

Alternative Flows:

- [E1] If order is delayed, system updates estimated time and notifies customer
- [E2] If order cannot be fulfilled, system processes refund and notifies customer

UC6: Manage Menu Items and Inventory

Actor: Restaurant Staff

Preconditions:

- Staff member is authenticated with appropriate permissions
- Restaurant management system is accessible

Main Flow:

1. Staff accesses menu management dashboard
2. Staff can create new menu items with descriptions, prices, and images
3. Staff sets ingredient requirements and preparation instructions
4. Staff updates inventory levels for ingredients and tracks usage
5. Staff can mark items as available, unavailable, or seasonal
6. Staff sets daily specials and promotional pricing
7. System updates customer-facing menu in real-time

Alternative Flows:

- [E1] If ingredient inventory is low, system suggests marking related items unavailable
- [E2] If item changes affect pending orders, system alerts staff to potential issues

UC7: View and Process Customer Orders

Actor: Restaurant Staff

Preconditions:

- Customer orders exist in the system
- Staff has order management access

Main Flow:

1. Staff views incoming orders dashboard sorted by order time
2. Staff can see order details, special instructions, and customer preferences
3. Staff confirms order and begins food preparation
4. Staff updates order status as preparation progresses
5. Staff marks order as "Ready for Pickup" when completed
6. System automatically notifies customer of order completion
7. Staff can add preparation notes or communicate delays

Alternative Flows:

- [E1] If ingredients are insufficient, staff can contact customer for substitutions
- [E2] If preparation time exceeds estimate, staff updates customer with new timeline

UC8: Handle Customer Pickup and Order Completion

Actor: Restaurant Staff and Customer

Preconditions:

- Order has been prepared and marked ready
- Customer arrives within pickup window

Main Flow:

1. Customer arrives at restaurant pickup area
2. Customer provides order number or name for verification
3. Staff locates and verifies order details against customer information
4. Staff hands over completed order to customer
5. Customer confirms order completeness and accuracy
6. Staff marks order as "Picked Up" in system
7. System completes transaction and may prompt customer for feedback

Alternative Flows:

- [E1] If customer doesn't arrive within window, staff follows late pickup policy
- [E2] If order is incorrect, staff prepares replacement or processes partial refund

UC9: Generate Reports and Analytics

Actor: Restaurant Management

Preconditions:

- Management has administrative access
- Historical order and sales data exists

Main Flow:

1. Management accesses reporting dashboard
2. Management selects date ranges and report types
3. System generates sales reports, popular items analysis, and customer trends
4. Management can view peak hours, revenue patterns, and inventory usage
5. System provides insights on customer behavior and order patterns
6. Management can export data for external analysis
7. Management uses insights for menu optimization and staffing decisions

Alternative Flows:

- [E1] If insufficient data exists for selected period, system suggests alternative ranges
- [E2] If report generation fails, system queues request and notifies when complete

UC10: Manage Customer Support and Issue Resolution

Actor: Restaurant Management/Staff

Preconditions:

- Customer has submitted feedback or complaint
- Staff has access to customer service tools

Main Flow:

1. Staff receives customer issue notification through system
2. Staff reviews order history and customer complaint details
3. Staff investigates issue and determines appropriate resolution
4. Staff communicates with customer via app messaging or phone
5. Staff processes refund, replacement order, or other compensation
6. Staff documents resolution in customer service system
7. System tracks issue resolution for quality improvement
8. Staff follows up to ensure customer satisfaction

Alternative Flows:

- [E1] If issue requires management approval, system escalates automatically
- [E2] If customer is unsatisfied with resolution, system provides additional escalation options

UC11: Student Meal Plan Integration

Actor: Student

Preconditions:

- Student is enrolled with active meal plan
- Student has available meal plan credits/swipes
- Meal plan system integration is active

Main Flow:

1. Student logs in using university credentials
2. System displays current meal plan balance and available swipes
3. Student browses menu with items marked as "meal plan eligible"

4. Student adds items to cart and sees real-time meal plan deduction preview
5. Student confirms order using meal plan credits
6. System automatically deducts from university meal plan account
7. Student receives confirmation showing remaining balance

Alternative Flows:

- [E1] If insufficient meal plan balance, system offers partial payment options
- [E2] If meal plan system offline, system queues transaction for later processing
- [E3] If item not eligible for meal plan, system suggests alternatives

UC12: Flexible Student Payment Options

Actor: Student

Preconditions:

- Student has multiple payment sources available
- Each payment method has sufficient balance for partial payment

Main Flow:

1. Student adds items to cart and proceeds to payment
2. System displays all available payment options with current balances
3. Student allocates payment across methods (50% meal plan, 30% student account, 20% card)
4. System validates each payment source has sufficient funds for allocated amount
5. Student confirms split payment allocation
6. System processes payments sequentially and provides combined receipt
7. Student can save payment preferences for future orders

Alternative Flows:

- [E1] If one payment method fails, system redistributes to remaining methods
- [E2] If total exceeds all available balances, system suggests removing items
- [E3] If preferred allocation invalid, system suggests optimal distribution

Additional use cases generated after providing context

UC13: Ordering from a Favorite Local Restaurant

Actor: Customer

Preconditions:

- The customer is logged into their account.
- The local restaurant is available on the platform and accepting orders.
- The customer has a saved favorite restaurant.

Main Flow:

1. The customer opens the app.
2. The customer navigates to their "Favorites" list.
3. The customer selects their favorite restaurant from the list.
4. The system displays the restaurant's menu.
5. The customer adds desired items to their cart.
6. The customer proceeds to checkout and completes the order.

Alternative Flows:

- [E1] If the favorite restaurant is temporarily closed, the system displays a "closed" status and suggests similar nearby restaurants.
- [E2] If the favorite restaurant is busy, the system provides a warning about potential delays.

UC14: Ordering from a Chain Restaurant Not Near the User's Location

Actor: Customer

Preconditions:

- The customer is logged into their account.
- The desired chain restaurant has a location that delivers to the customer's specified address.

Main Flow:

1. The customer opens the app and uses the search function to find the chain restaurant.
2. The system displays all available locations of the chain restaurant.
3. The customer selects the location that is closest to their delivery address or is available for delivery.
4. The customer browses the menu and adds items to their cart.
5. The customer proceeds to checkout and completes the order.

Alternative Flows:

- [E1] If no locations of the chain restaurant deliver to the customer's address, the system informs the customer and suggests other restaurants.
- [E2] If a specific location is closed or not accepting orders, the system displays this status and offers to notify the customer when it reopens.

UC15: Ordering a Specific Dish from a Restaurant Menu

Actor: Customer

Preconditions:

- The customer is logged into their account.
- The desired dish is available on a restaurant's menu.

Main Flow:

1. The customer uses the search bar to look for a specific dish.
2. The system displays a list of restaurants that offer the dish.
3. The customer selects a restaurant from the list.
4. The system navigates the customer directly to the dish on the restaurant's menu page.
5. The customer adds the dish to their cart and proceeds to checkout.

Alternative Flows:

- [E1] If the dish is not found, the system displays a "no results" message and suggests similar dishes or restaurants.
- [E2] If the dish is temporarily unavailable, the system displays an "out of stock" status and suggests other popular items.

UC16: Ordering Multiple Items from the Same Restaurant

Actor: Customer

Preconditions:

- The customer is logged into their account.
- The chosen restaurant has multiple items available for order.

Main Flow:

1. The customer selects a restaurant and browses the menu.
2. The customer adds a first item to their cart.
3. The system updates the cart with the item and its price.
4. The customer continues to browse the menu and adds a second, third, or more items.
5. The system continuously updates the cart total with each item added.
6. The customer proceeds to checkout when they have finished adding all desired items.

Alternative Flows:

- [E1] If an item becomes unavailable after being added to the cart, the system notifies the customer before checkout and removes the item from the cart.
- [E2] If the customer attempts to add an item that exceeds the maximum order value, the system displays a warning.

UC17: Ordering Food for Multiple People

Actor: Customer

Preconditions:

- The customer is logged into their account.
- All desired items are available from the selected restaurant.

Main Flow:

1. The customer browses a restaurant's menu.
2. The customer adds multiple items and quantities to their cart to accommodate each person.

3. The customer can add special instructions for each dish as needed (e.g., "no pickles" for a specific burger).
4. The customer proceeds to checkout, pays, and completes the order.

Alternative Flows:

- [E1] If a selected item has a quantity limit, the system notifies the customer and prevents them from adding more than the allowed amount.
- [E2] If the order total is very large, the system may require additional verification or may suggest a catering order.

UC18: Ordering Food for Delivery to a Different Address

Actor: Customer

Preconditions:

- The customer is logged into their account.
- The new delivery address is within the restaurant's delivery zone.

Main Flow:

1. The customer begins a new order.
2. The customer updates their delivery address to the new location (e.g., a work address).
3. The system confirms the new address and updates the available restaurants and estimated delivery times based on the new location.
4. The customer selects a restaurant, adds items to their cart, and proceeds to checkout.
5. The customer confirms the correct delivery address before completing the payment.

Alternative Flows:

- [E1] If the new address is outside the delivery zone of the selected restaurant, the system informs the customer and prompts them to select a new restaurant or update the address.
- [E2] If the customer forgets to change the address, the system prompts them to confirm the delivery address before finalizing the order.

UC19: Ordering Food for a Specific Time in the Future

Actor: Customer

Preconditions:

- The restaurant offers scheduled ordering.
- The customer is logged into their account.

Main Flow:

1. The customer browses a restaurant's menu and adds items to their cart.
2. At checkout, the customer selects the "Schedule Order" option.
3. The customer chooses a specific date and time for pickup or delivery from the available slots.
4. The system confirms the scheduled time and finalizes the order.
5. The customer receives a confirmation with the scheduled time, and the system sends a reminder notification closer to the delivery time.

Alternative Flows:

- [E1] If the requested time slot is not available or is outside the restaurant's operating hours, the system suggests the next available time.
- [E2] If the scheduled time is too far in the future, the system may have a limit and not allow the order.

UC20: Ordering Food for a Special Occasion

Actor: Customer

Preconditions:

- The restaurant can handle large or special orders.
- The customer is logged into their account.

Main Flow:

1. The customer browses the menu for a restaurant that can accommodate a large order.
2. The customer adds a large quantity of items to their cart.
3. The customer can add a note in the "special instructions" section about the special occasion and any specific timing needs.

4. The customer proceeds to checkout, and the system may offer a catering or large order option.
5. The customer completes the order and receives a confirmation.

Alternative Flows:

- [E1] If the order is too large for the standard ordering process, the system prompts the customer to contact the restaurant directly or use a dedicated catering feature if available.
- [E2] If the customer attempts to order a large quantity of an item marked as limited in stock, the system will notify them and ask them to reduce the quantity.

UC21: Using a Promo Code to Reduce the Cost of the Order

Actor: Customer

Preconditions:

- The customer has a valid promo code.
- The promo code is applicable to the current order (e.g., meets minimum order value, is for the selected restaurant).

Main Flow:

1. The customer adds items to their cart and proceeds to checkout.
2. On the checkout screen, the customer locates the "Promo Code" or "Add Coupon" field.
3. The customer enters the valid promo code.
4. The system validates the code and applies the discount to the order total.
5. The customer sees the updated total and completes the payment.

Alternative Flows:

- [E1] If the promo code is invalid, expired, or not applicable, the system displays an error message.
- [E2] If the promo code requires a minimum order amount that has not been met, the system informs the customer of the requirement.

UC22: Ordering Food with Dietary Restrictions

Actor: Customer

Preconditions:

- The customer is logged into their account.
- The restaurant offers menu items with dietary options.

Main Flow:

1. The customer uses search filters to find restaurants that offer options for their dietary restrictions (e.g., vegetarian, vegan, gluten-free).
2. The customer browses the filtered menu and selects an item.
3. The system displays a detailed item description, including ingredients, allergens, and dietary information.
4. The customer adds the item to their cart and proceeds to checkout.
5. The customer can add a specific note in the special instructions, like "no cheese" or "gluten-free bun."

Alternative Flows:

- [E1] If a specific item cannot be modified to meet the customer's restriction, the system notifies the customer.
- [E2] If a restaurant cannot guarantee a dish is free of allergens due to cross-contamination, the system will provide a disclaimer.

UC23: Ordering Food with Specific Allergy Information

Actor: Customer

Preconditions:

- The customer has a severe food allergy.
- The restaurant has specified allergy information in their menu.

Main Flow:

1. The customer browses restaurants and looks for detailed item descriptions.
2. The customer adds a note in the "special instructions" field to explicitly mention their allergy (e.g., "Severe peanut allergy, please use clean utensils").

3. The system relays this information to the restaurant staff as part of the order details.
4. The restaurant staff confirms they have received the allergy information and can prepare the food safely.
5. The order is prepared and delivered with special care.

Alternative Flows:

- [E1] If a restaurant cannot guarantee that a dish will be free of an allergen, the system or the restaurant staff can contact the customer to inform them.
- [E2] If the customer places an order from a restaurant that does not list allergy information, the system may provide a warning that they should contact the restaurant directly.

UC24: Using DoorDash's Search Function to Find a Restaurant

Actor: Customer

Preconditions:

- The customer has access to the app.

Main Flow:

1. The customer opens the app and navigates to the search bar.
2. The customer types in a search query, such as a restaurant name, cuisine type, or dish.
3. The system processes the query and displays a list of relevant restaurants, dishes, or categories.
4. The customer selects an option from the search results to view more details.

Alternative Flows:

- [E1] If no results match the search query, the system displays a "no results found" message and provides suggestions for alternative searches.
- [E2] If the search results are too broad, the system may prompt the customer to use filters to refine their search.

UC25: Using DoorDash's Filters to Find Restaurants

Actor: Customer

Preconditions:

- The customer has access to the app and is browsing the main menu or a search results page.

Main Flow:

1. The customer navigates to the filter options (e.g., cuisine type, price range, delivery time).
2. The customer selects their desired filters.
3. The system dynamically updates the list of restaurants to show only those that match the selected criteria.
4. The customer browses the filtered list and selects a restaurant.

Alternative Flows:

- [E1] If no restaurants match the combination of filters, the system suggests removing one or more filters.
- [E2] If a filter setting (e.g., a very specific cuisine type) returns few results, the system can recommend broadening the search.

UC26: Browsing Restaurants by Location

Actor: Customer

Preconditions:

- The customer has enabled location services or has a saved address.

Main Flow:

1. The customer opens the app and the system automatically detects their current location.
2. The system displays a list of restaurants that deliver to the customer's current location.
3. The customer can browse this list or change their location to a different address.
4. The system updates the list of available restaurants based on the new location.

Alternative Flows:

- [E1] If the customer's location services are off, the system prompts them to enter an address manually.
- [E2] If there are few or no restaurants available for a specific, remote location, the system provides a list of nearby cities or a warning.

UC27: Ordering from a Restaurant for the First Time

Actor: Customer

Preconditions:

- The customer is logged into their account.
- The customer has not ordered from the selected restaurant before.

Main Flow:

1. The customer discovers a new restaurant via browsing, search, or a recommendation.
2. The customer views the menu, reviews, and ratings to decide if they want to order.
3. The customer adds items to their cart and proceeds to checkout.
4. The system may offer a first-time customer discount or special offer for that restaurant.
5. The customer completes the order and can save the restaurant as a favorite for future orders.

Alternative Flows:

- [E1] If the restaurant has a poor rating, the system may display a warning or a disclaimer.

UC28: Re-ordering a Previous Order

Actor: Customer

Preconditions:

- The customer is logged into their account.
- The customer has a history of previous orders.

Main Flow:

1. The customer navigates to their "Order History" or "Past Orders" section.
2. The customer selects a previous order they wish to repeat.

3. The system displays the items from the past order and confirms their availability.
4. The customer can choose to re-order the entire list of items or modify the quantities.
5. The customer proceeds to checkout and completes the new order.

Alternative Flows:

- [E1] If one or more items from the previous order are no longer available, the system notifies the customer and suggests a similar alternative.
- [E2] If the price of an item has changed, the system displays the new pricing and updates the order total accordingly.

UC29: Modifying a Previous Order

Actor: Customer

Preconditions:

- The customer is logged into their account.
- The order has not yet been accepted by the restaurant.

Main Flow:

1. The customer views an order that has not been accepted by the restaurant.
2. The customer selects the "Modify Order" option.
3. The system allows the customer to add, remove, or change items, or edit special instructions.
4. The system recalculates the new order total.
5. The customer confirms the modifications, and the system sends the updated order to the restaurant.

Alternative Flows:

- [E1] If the order has already been accepted by the restaurant, the system displays a "Cannot Modify" message and prompts the customer to contact customer support to make changes.
- [E2] If a modified item is no longer available, the system informs the customer and requires them to select an alternative.

UC30: Adding Special Instructions to the Order

Actor: Customer

Preconditions:

- The customer is building an order.

Main Flow:

1. The customer selects an item and sees an option to "Add Special Instructions."
2. The customer types their request (e.g., "no onions," "extra sauce").
3. The system saves the instructions with the item in the cart.
4. At checkout, the special instructions are included in the order details sent to the restaurant.

Alternative Flows:

- [E1] If the special instructions are too long or contain inappropriate language, the system may flag the text and ask the customer to revise it.
- [E2] If the instructions are impossible for the restaurant to fulfill, the restaurant may call the customer to offer a different option.

UC31: Contacting Restaurant Support via the App

Actor: Customer, Restaurant Staff

Preconditions:

- The customer has an active or recent order.
- The restaurant has enabled customer communication through the app.

Main Flow:

1. The customer navigates to their active order screen.
2. The customer selects the "Contact Restaurant" or "Call Restaurant" option.
3. The system initiates a call or a chat function, connecting the customer with the restaurant.
4. The customer communicates their question or concern to the restaurant staff.
5. The conversation is logged in the system for future reference.

Alternative Flows:

- [E1] If the restaurant does not use the in-app messaging feature, the system provides the restaurant's phone number instead.
- [E2] If the restaurant is not responding, the system prompts the customer to contact DoorDash customer support.

UC32: Checking Order Status

Actor: Customer

Preconditions:

- The customer has placed a confirmed order.

Main Flow:

1. The customer navigates to their order status dashboard.
2. The system displays real-time updates on the order's progress, such as "Received," "Preparing," and "Ready for Pickup."
3. The customer can view the estimated time for completion.

Alternative Flows:

- [E1] If there is a delay in the order, the system updates the estimated time and notifies the customer.
- [E2] If the order is canceled or cannot be fulfilled, the system processes a refund and notifies the customer.

UC33: Tracking the Delivery Driver's Location

Actor: Customer, Delivery Driver

Preconditions:

- An order has been placed and a delivery driver has been assigned.
- The driver's location is being tracked via GPS.

Main Flow:

1. The customer views their order status dashboard.
2. The system displays a map showing the delivery driver's current location in real-time.
3. The customer can see the estimated time of arrival.

4. The customer receives a notification when the driver is near their location.

Alternative Flows:

- [E1] If the driver's GPS is temporarily unavailable, the system displays a message indicating the location is not available and provides an updated ETA.
- [E2] If the driver's route is delayed due to traffic or other issues, the system updates the estimated delivery time.

UC34: Rating the Restaurant and Delivery Driver

Actor: Customer

Preconditions:

- The order has been completed.
- The customer has not yet provided a rating.

Main Flow:

1. After the order is marked as "Picked Up," the system prompts the customer for feedback.
2. The customer is presented with an option to rate the restaurant and the delivery driver on a scale (e.g., 1-5 stars).
3. The customer can provide additional comments or written feedback for each rating.
4. The system saves the ratings and comments for the restaurant and driver profiles.

Alternative Flows:

- [E1] If the customer closes the app before providing a rating, the system sends a push notification or email reminder later to request feedback.
- [E2] If the customer provides a low rating, the system may ask for additional details to understand the issue.

UC35: Leaving a Tip for the Delivery Driver

Actor: Customer

Preconditions:

- The customer has items in their cart and is proceeding to checkout.
- The platform allows for tipping.

Main Flow:

1. At the checkout screen, the system displays tipping options.
2. The customer selects a suggested tip amount (e.g., 15%, 20%, 25%) or enters a custom amount.
3. The tip amount is added to the order total.
4. The customer completes the payment, and the tip is processed securely along with the order.

Alternative Flows:

- [E1] If the customer chooses not to leave a tip, the system proceeds with the order without the tip.
- [E2] If the customer attempts to enter an invalid tip amount (e.g., a negative number), the system prompts them to enter a valid amount.

UC36: Using Multiple Payment Methods

Actor: Customer

Preconditions:

- The customer has multiple payment sources saved or available.
- The system supports split payments.

Main Flow:

1. The customer adds items to their cart and proceeds to payment.
2. The system displays all available payment options, along with their current balances.
3. The customer selects a "Split Payment" option.
4. The customer allocates a portion of the payment to each method.
5. The system validates that each source has sufficient funds.
6. The customer confirms the split payment, and the system processes the payments sequentially.

Alternative Flows:

- [E1] If one of the payment methods fails, the system notifies the customer and may offer to re-allocate the remaining balance to the other methods.

- [E2] If the total order exceeds the combined balance of all selected payment methods, the system suggests removing items from the cart.

UC37: Utilizing DoorDash's Customer Service for Order Issues

Actor: Customer, Customer Support Team

Preconditions:

- The customer has an issue with a recent order (e.g., missing item, incorrect order).
- The customer is logged into their account.

Main Flow:

1. The customer navigates to their order history and selects the order with the issue.
2. The customer selects "Get Help with This Order."
3. The system presents common issues and a form for the customer to describe their problem.
4. The customer submits the issue, and the system creates a support ticket.
5. A customer support agent reviews the issue and contacts the customer via in-app message, email, or phone.
6. The agent provides a solution, such as a refund or a credit.

Alternative Flows:

- [E1] If the issue is simple and common, the system may provide an automated resolution without involving a human agent (e.g., a credit for a missing drink).
- [E2] If the customer is not satisfied with the resolution, the system offers additional escalation options, such as speaking with a supervisor.

UC38: Creating a DoorDash Account

Actor: Customer

Preconditions:

- The customer has access to the app or website.
- The customer has a valid email address and phone number.

Main Flow:

1. The customer selects the "Create Account" option.
2. The system displays a registration form.
3. The customer enters their name, email, phone number, and a secure password.
4. The system sends a verification email or SMS.
5. The customer verifies their account using the link or code.
6. The system activates the account.

Alternative Flows:

- [E1] If the email address already exists, the system prompts the customer to log in or reset their password.
- [E2] If the verification fails, the system offers to resend the code.
- [E3] If required fields are left blank, the system highlights the incomplete information.

UC39: Updating Account Information

Actor: Customer

Preconditions:

- The customer is logged into their account.
- The customer wants to change their personal details.

Main Flow:

1. The customer navigates to their account or profile settings.
2. The customer selects the information they wish to update (e.g., name, phone number, address).
3. The customer enters the new information and saves the changes.
4. The system validates the new information and updates the account profile.

Alternative Flows:

- [E1] If the customer is trying to change a sensitive detail like their email, the system may require re-verification.
- [E2] If the new information is invalid (e.g., an incorrect phone number format), the system displays an error message.

UC40: Managing Saved Addresses

Actor: Customer

Preconditions:

- The customer is logged into their account.

Main Flow:

1. The customer navigates to the "Saved Addresses" section.
2. The system displays a list of all saved addresses (e.g., home, work).
3. The customer can add a new address, edit an existing one, or delete an address.
4. The customer saves the changes.
5. The system updates the list of saved addresses.

Alternative Flows:

- [E1] If a saved address is no longer in a service area, the system may display a warning or an icon indicating this.

UC41: Managing Saved Payment Methods

Actor: Customer

Preconditions:

- The customer is logged into their account.

Main Flow:

1. The customer navigates to the "Payment Methods" section.
2. The system displays a list of all saved payment methods (e.g., credit cards, digital wallets).
3. The customer can add a new card, update the expiration date of an existing one, or remove a card.
4. The customer saves the changes securely.
5. The system updates the list of available payment methods for future orders.

Alternative Flows:

- [E1] If a payment method is expired, the system displays a warning and prompts the customer to update it.
- [E2] If the customer adds an invalid payment method, the system displays an error message.

UC42: Viewing Order History

Actor: Customer

Preconditions:

- The customer is logged into their account.
- The customer has previously placed orders.

Main Flow:

1. The customer navigates to the "Order History" or "Past Orders" section.
2. The system displays a chronological list of all previous orders.
3. The customer can select an order to view detailed information, including items, total cost, and delivery date.
4. The customer can also view receipts and re-order the items from a past order.

Alternative Flows:

- [E1] If the customer has no order history, the system displays a message encouraging them to place their first order.

UC43: Contacting DoorDash Customer Support

Actor: Customer, Customer Support Team

Preconditions:

- The customer has an issue or question related to an order, account, or the service in general.

Main Flow:

1. The customer navigates to the "Help" or "Support" section of the app.
2. The customer can browse a list of common questions or select a topic related to their issue.

3. The system guides the customer through troubleshooting steps or provides contact options such as chat, phone, or email.
4. The customer connects with a support agent and explains their issue.
5. The agent assists the customer in resolving the issue.

Alternative Flows:

- [E1] If the customer's issue is urgent, the system provides a priority option to connect with a live agent immediately.
- [E2] If the support system is experiencing high volume, the system may inform the customer of a longer wait time and offer a callback option.

UC44: Using DoorDash Drive (if applicable) to Earn Money Delivering

Actor: Delivery Driver

Preconditions:

- The individual has been approved as a DoorDash driver.
- The driver has a vehicle, a smartphone, and is in a service area.

Main Flow:

1. The driver logs into the DoorDash driver app.
2. The driver sets their status to "Available" or "On Shift."
3. The system sends them an order request with details like the restaurant location, customer location, and estimated payout.
4. The driver accepts the request and navigates to the restaurant to pick up the order.
5. The driver delivers the order to the customer and marks it as completed.
6. The system processes the payment and updates the driver's earnings.

Alternative Flows:

- [E1] If the driver declines an order request, the system sends the request to another driver.
- [E2] If there is an issue during the delivery (e.g., a customer is not answering the door), the driver can contact support for assistance.

UC45: Participating in DashPass (subscription) Benefits

Actor: Customer

Preconditions:

- The customer has an active DashPass subscription.

Main Flow:

1. The customer logs into their account with an active subscription.
2. The system displays a DashPass logo on eligible restaurants and indicates the benefits, such as free delivery.
3. The customer places an order from an eligible restaurant.
4. The system automatically applies the DashPass benefits at checkout, such as zero delivery fees and reduced service fees.
5. The customer sees the savings reflected in their order total.

Alternative Flows:

- [E1] If the customer places an order from a restaurant that is not DashPass eligible, the system notifies them that standard fees will apply.
- [E2] If the customer's subscription has expired, the system prompts them to renew it to receive the benefits.

UC46: Utilizing Specific Restaurant Deals or Promotions

Actor: Customer

Preconditions:

- The customer is logged into their account.
- A restaurant is running a special promotion.

Main Flow:

1. The customer browses the app and sees a banner or a label on a restaurant indicating a deal (e.g., "50% off," "Free item with purchase").
2. The customer selects the restaurant and places an order that meets the promotion's criteria.

3. The system automatically applies the discount or adds the free item to the cart at checkout.
4. The customer sees the promotion applied to their total and completes the order.

Alternative Flows:

- [E1] If the customer's order does not meet the promotion's requirements, the system informs them of what needs to be added to qualify.
- [E2] If a promotion has expired or been redeemed, the system notifies the customer.

UC47: Utilizing the App's Features for Catering Orders

Actor: Customer, Restaurant Staff

Preconditions:

- The customer needs a large order for a group or event.
- The restaurant offers catering services through the platform.

Main Flow:

1. The customer navigates to the catering section of the app.
2. The customer browses catering menus from participating restaurants.
3. The customer selects a restaurant, chooses catering items, and specifies the number of people to serve.
4. The customer can provide a specific date and time for the large order.
5. The system processes the order and sends a confirmation to both the customer and the restaurant.

Alternative Flows:

- [E1] If the catering order is too large or requires more advance notice than the system allows, the system may prompt the customer to contact the restaurant directly.
- [E2] If a specific catering item is out of stock, the system suggests an alternative that can accommodate the large order.

UC48: Using the App to Schedule Recurring Orders

Actor: Customer

Preconditions:

- The customer has a need for repeated, scheduled orders (e.g., weekly lunch delivery).
- The platform supports recurring orders.

Main Flow:

1. The customer places an order and, on the checkout screen, selects a "Make this a recurring order" option.
2. The customer specifies the frequency (e.g., daily, weekly) and time for the recurring order.
3. The system saves the order as a template and automatically places the order at the specified intervals.
4. The customer receives notifications before each order is placed, allowing them to make changes or skip the order.

Alternative Flows:

- [E1] If a recurring order fails due to a payment issue or the restaurant being closed, the system notifies the customer and asks for a new payment method or a different time.
- [E2] If an item from the recurring order becomes unavailable, the system notifies the customer to update their template.

LLMS Used: Gemini and LLaMA

Gemini's response stood out because it captured the details with precision. The use cases it generated were not only well-structured but also highly specific, reflecting a strong grasp of the requirements. Each use case followed a clear, consistent format that made them easy to read, understand, and directly usable in a development setting. What impressed me most was that Gemini didn't just work off the generic list of prompts I provided—it incorporated elements unique to the "WolfCafe" project, which showed it understood the broader context of the document. This demonstrated a level of contextual awareness and adaptability that gave me confidence the model was truly processing the information rather than just repeating patterns.

In contrast, LLaMA's output felt much more generic. The use cases it provided lacked the same level of depth and detail, and the formatting was inconsistent throughout. Because of this, its results would require significant editing before they could be applied in any practical

development workflow. This difference wasn't surprising, given that we used the PRO/paid version of Gemini while relying on the free version of LLaMA, but it still highlighted the gap in quality between the two. Gemini's ability to align with the project's unique context made its output clearly superior and more valuable for the task at hand.

Total Cost: The project incurred no cost, as we used the Gemini Pro model through a student license and utilized the Groq API with LLaMA integration, both of which were available free of charge.