Status	Finished
Started	Tuesday, 20 October 2026, 11:04 AM
Completed	Tuesday, 20 October 2026, 11:10 AM
Duration	5 mins 36 secs
Grade	**12.00** out of 15.00 (**80**%)

Question **1**

Incorrect

Mark 0.00 out of 1.00

Which of the following is a conventional searching technique?

a. Linear search
b. Dynamic search
c. Hashing
d. Binary search ✗

Question **2**

Correct

Mark 1.00 out of 1.00

In linear search, how is the element searched?

a. By comparing each element in the list sequentially ✓
b. By dividing the list into halves
c. By sorting the list first
d. By using a hash function

Question **3**

Correct

Mark 1.00 out of 1.00

During a binary search, what happens if the target element matches the middle element?

a. The search continues in the left sublist
b. The list is sorted
c. The search ends successfully ✓
d. The search continues in the right sublist

Question **4**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

a. Linear

b. Both (1) & (3)

c. Binary ✓

d. Hash

Question **5**

Correct

Mark 1.00 out of 1.00

In binary search, how is the middle element determined?

a. By comparing each element sequentially

b. By dividing the list length by two ✓

c. By using a hash function

d. By starting from the first element

Question **6**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

a. In the middle of the list

b. At the beginning of the list

c. In the left sublist

d. In the right sublist ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following scenarios is best suited for applying binary search?

a. When the list is sorted ✓

b. When the list is unsorted

c. When the list contains duplicate elements

d. When the list is very small

Question **8**

Correct

Mark 1.00 out of 1.00

In linear search, if the target element is not found in the list, what is the result?

a. The last element is returned
b. The first element is returned
c. An error is raised
d. The search is considered unsuccessful ✓

Question **9**

Incorrect

Mark 0.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

a. 89 and 94
b. 94 and 99 ✗
c. 90 and 100
d. 90 and 99

Question **10**

Correct

Mark 1.00 out of 1.00

What is the key characteristic of binary search?

a. It works on unsorted lists
b. It compares elements sequentially
c. It always starts from the beginning of the list
d. It can be applied only if the list is sorted ✓

Question **11**

Incorrect

Mark 0.00 out of 1.00

What is the first step in binary search?

a. Sort the list ✗
b. Divide the list into two equal parts
c. Compare the target element with the first element in the list
d. Compare the target element with the middle element in the list

Question **12**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Bubble ✓
b. Selection
c. Complexity
d. Insertion

Question **13**

Correct

Mark 1.00 out of 1.00

In a linear search, how many comparisons are made in the worst-case scenario to find an element in a list of size n?

a. log n
b. 1
c. n ✓
d. n/2

Question **14**

Correct

Mark 1.00 out of 1.00

During a linear search, what is the maximum number of comparisons needed to find an element in a list of size n?

a. log n
b. n ✓
c. n/2
d. n-1

Question **15**

Correct

Mark 1.00 out of 1.00

What is the advantage of binary search over linear search?

a. Binary search has a lower time complexity on large, sorted lists ✓
b. Binary search does not require dividing the list
c. Binary search works on unsorted lists
d. Binary search can find multiple instances of the target element