| | |
|---|---|
| **Status** | Finished |
| **Started** | Monday, 31 August 2026, 11:19 AM |
| **Completed** | Monday, 31 August 2026, 11:24 AM |
| **Duration** | 5 mins 12 secs |
| **Grade** | **12.00** out of 15.00 (**80**%) |

Question **1**

Complete

Mark 0.00 out of 1.00

```
if(x=-1):
    print("present")
else:
    print("absent")
```

- a. compilation error
- b. absent
- c. Runtime Error
- d. present

Question **2**

Complete

Mark 1.00 out of 1.00

What will be the output?

```
a=11
b=5
if (a%b==0):
    print ( "hello")
if (a//b==0):
    print ( "hi")
else:
    print ("python")
```

- a. hi
- b. hello
- c. python

Question **3**

Complete

Mark 1.00 out of 1.00

What is the value of x at the end of the following sequence of instructions?

```
x = 10
x = x * 3
x = x + 5
```

a. 15

b. 45

c. 30

d. 35

Question **4**

Complete

Mark 1.00 out of 1.00

**What is the output of the given below program?**

```
a = 25
if a > 15:
    print("Hi")
if a <= 30:
    print("Hello")
else:
    print("Know Program")
```

a. Hello
Know Program

b. Hi
Know Program

c. Hi
Hello

d. Hello

Question **5**

Complete

Mark 1.00 out of 1.00

```
x,y=1,2
if(x or y):
    print("1")
else:
    print("0")
```

- a. 1
- b. Compile time error
- c. Runtime error
- d. 0

Question **6**

Complete

Mark 1.00 out of 1.00

What will be the output for the following code?

```
if False:
    print("1001")
else:
    print("2002")
```

- a. 1001
- b. syntax error
- c. 2002

Question **7**

Complete

Mark 1.00 out of 1.00

Given the nested `if-else` below, what will be the value `x` when the code executed successfully

```
x = 0
a = 5
b = 5
if a > 0:
    if b < 0:
        x = x + 5
    elif a > 5:
        x = x + 4
    else:
        x = x + 3
else:
    x = x + 2
print(x)
```

a. 2

b. 3

c. 0

d. 4

Question **8**

Complete

Mark 0.00 out of 1.00

What is the output of the code given below?

```
a = -10
b = -200
c = 2000
d = 4000
if( a*b >=d):
    if(d>c):
        if(d%c!=0):
            print(11)
        else:
            print(22)
else:
    if(b/a >0):
        if(a<b or d%c!=0):
          print(33)
        else:
          print(44)
```

- a. 22
- b. 11
- c. 33
- d. 44

Question **9**

Complete

Mark 1.00 out of 1.00

choose a valid Python if statement :

- a. if (a >= 2)
- b. if a>=2 :
- c. if (a => 22)

Question **10**

Complete

Mark 1.00 out of 1.00

Can we write if/else into one line in python?

a. No

b. Yes

Question **11**

Complete

Mark 1.00 out of 1.00

Leading whitespace (spaces and tabs) at the beginning of a statement is called _____.

a. **Iteration**

b. **indentation**

c. **orientation**

d. **None of the above**

Question **12**

Complete

Mark 0.00 out of 1.00

**What is the output when the following sequence of instructions is carried out in the console?**

```
a = 1;a = a + 1;a = a + 2;a = a + 3;print(a)
```

a. 4

b. 6

c. 7

d. 5

Question **13**

Complete

Mark 1.00 out of 1.00

Number of elif in a program is dependent on the _____

a. **number of loops in a program**

b. **number of conditions to be checked**

c. **number of variables in a program**

d. All the Above

Question **14**

Complete

Mark 1.00 out of 1.00

What is the output of the below code snippet?

```
num1=100
num2=200
num3=6
if(5>=num3):
    if(num1>100 or num2>150):
        print("1")
elif(num1>=100 and num2>150):
    print("2")
else:
    print("3")
```

a. 3

b. 2

c. 1

Question **15**

Complete

Mark 1.00 out of 1.00

What keyword would you use to add an alternative condition to an if statement?

- a. elif
- b. elseif
- c. None of the above
- d. else if