Status	Finished
Started	Tuesday, 20 October 2026, 8:41 PM
Completed	Tuesday, 20 October 2026, 8:45 PM
Duration	4 mins 11 secs
Grade	**12.00** out of 15.00 (**80**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

a. No, No

b. Yes, No ✓

c. "==" is not supported for set in Python

d. Yes, Yes

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. (1,2,3)(4,5,6)

b. (1,2,3,4,5,6) ✓

c. (1,2,3,3,2,1)

d. Error

Question **3**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. [1, 4, 8] ✓

b. [2, 3, 9]

c. (1, 4, 8)

d. [1, 2, 4, 3, 8, 9]

Question **4**

Incorrect

Mark 0.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. ()

b. Computer

c. Error

d. (Computer) ✗

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
False

b. True
False

c. False
True

d. True ✓
True

Question **6**

Incorrect

Mark 0.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {2,5,1}

b. {3}

c. {2,5,3,1}

d. {} ✗

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {1,3,2}

b. {4} ✓

c. {1,3,4}

d. {2}

Question **8**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. False

b. True ✓

Question **9**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. Error

b. {‘rec’, 1, (‘cse’, ‘ece’)} ✓

c. {‘rec’, 1, (‘cse’, ‘ece’),True}

d. {‘rec’, True, (‘cse’, ‘ece’)}

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

a. (36, 25, 14) ✓

b. Error

c. (58,47,36,25)

d. (3,14,25)

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl.sort()

b. tupl[1]=2

c. tupl1=tupl+tupl ✓

d. tupl.append(2)

Question **12**

Incorrect

Mark 0.00 out of 1.00

Which of the following is a Python tuple?

a. ("Wonder")

b. {1,3,8,9,41} ✗

c. [1,2,3,4]

d. (1,4,5,6,7)

Question **13**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {0,9} ✓

b. {9}

c. {0,0,9}

d. It will throw an error as there are two 0 while creating the set.

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True
False

b. False
False

c. True ✓
True

d. False
True

Question **15**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

```

```

a. <class 'tuple'>

b. str

c. <class 'str'> ✓

d. <class 'int'>