

**LIST OF ABBREVIATIONS:**

<b>S.NO</b>	<b>SYMBOL</b>	<b>DESCRIPTION</b>
<b>1.</b>	<b>HTML</b>	<b>Hypertext markup language.</b>
<b>2.</b>	<b>SQL</b>	<b>Structured query language.</b>
<b>3.</b>	<b>DBMS</b>	<b>Database management system.</b>
<b>4.</b>	<b>DNS</b>	<b>Domain name system.</b>
<b>5.</b>	<b>PHP</b>	<b>Hyper text preprocessor.</b>
<b>6.</b>	<b>CSS</b>	<b>Cascading styling sheets.</b>
<b>7.</b>	<b>Gb</b>	<b>Gigabyte</b>
<b>8.</b>	<b>IDE</b>	<b>Interactive Development Environment</b>
<b>9.</b>	<b>MYSQL</b>	<b>My Structured Query Language</b>
<b>10.</b>	<b>JQUERY</b>	<b>Java Query .</b>

# CHAPTER 1

## 1. INTRODUCTION

The E-DISHA(Way of Crowed Funding)is the project. It's a website development project in which all the work is done digitally. This project involves the collecting the fund by small is the use of small amounts of capital from a large number of individuals to finance a new business venture. Crowd funding makes use of the easy accessibility of vast networks of people through social media& via internet . and crowd funding websites to bring investors and entrepreneurs together, and has the potential to increase entrepreneurship by expanding the pool of investors from whom funds can be raised beyond the traditional circle of owners, relatives and venture capitalists. In recent years, crowd funding has emerged as a revolutionary financing model that allows small entrepreneurs to raise funding in the early stages of their projects, particularly those that may otherwise struggle to obtain capital. Today, there are approximately 1250 active crowd funding platforms across the world, which together channeled \$16.2 billion in 2014, representing a 167 % increase from \$6.1 billion in 2013. Having their project successfully funded is crucial to project creators as it provides not only initial funds for project development but also access to valuable future resources, and eventually turn their projects into successful entrepreneurial organizations.

**Table 1** Previously identified antecedents by category

Category	Project	Success	Goal	Success rate	Funding ratio	Backers	Duration
Art	12,255	6130	9160	50 %	0.84	45.82	33.10
Comics	4274	2307	8466	54 %	1.24	147.32	35.79
Crafts	1873	633	5794	34 %	0.96	33.85	30.93
Dance	2064	1452	7302	70 %	0.89	48.19	32.71
Design	8500	3585	23,385	42 %	1.76	280.39	34.21
Fashion	6781	2135	11,986	31 %	0.73	76.97	32.68
Film & video	34,194	15,334	20,417	45 %	0.62	71.28	35.77
Food	7781	2832	19,493	36 %	0.67	77.85	33.76
Games	10,023	4235	27,520	42 %	1.85	417.15	33.39
Journalism	1101	395	11,833	36 %	0.53	58.91	35.14
Music	28,662	16,989	7289	59 %	0.81	61.90	35.71
Photography	4846	1767	8179	36 %	0.59	46.55	34.72
Publishing	17,117	5942	9037	35 %	0.61	55.14	34.28
Technology	6235	1997	39,073	32 %	1.28	262.84	34.83
Theater	6046	4051	9178	67 %	0.85	53.19	33.83
Overall	151752	69784	14,541	46 %	0.95	115.82	34.06

## **CHAPTER : 2**

### **SOFTWARE AND HARDWARE REQUIREMENTS.**

#### **➤ HARDWARE REQUIREMENTS:**

1. HDD : 1 Gb
2. RAM : 2Gb
- 3. PROCESSOR:** Intel Pentium 4 or later.

#### **➤ SOFTWARE REQUIREMENTS.**

- 1. EDITOR :** SUBLIME EDITOR 3, NOTEPAD, NOTEPAD++,CODELOBSTER IDE.
- 2. LOCAL SERVER:** WAMP/XAMPP.
- 3. DATABASE SERVER:** MYSQL.
- 4. DESIGN TOOL :** PHOTOSHOP
- 5. OPERATING SYSTEM:** ANY OPERATING SYSTEM.

#### **➤ TECHNOLOGY USED:**

**FRONTEND :** HTML , CSS, JOUERY, JSCRIPT, ANGULAR JS, BOOTSTRAP.

#### **➤ SERVERSIDE SCRIPTING LANGUAGE:**

1. PHP

#### **➤ BACKEND :**

1. MYSQL.

## CHAPTER 3

### SOFTWARE DESCRIPTION

#### 3.1 TECHNOLOGIES AND DEVELOPMENT TOOLS:

**3.1.1 PHP :** PHP (recursive acronym for *PHP: Hypertext Preprocessor*) is a widely-used Server side and open source general-purpose scripting language that is especially suited for web development and can be easily embedded into HTML. Originally, it is created by Rasmus Lerdorf in 1994.

**Advantage of php:**

- PHP can generate dynamic page content.
- PHP can create, open, read, write, delete, and close files on the server.
- PHP can collect form data.
- PHP can send and receive cookies.
- PHP can add, delete, modify data in your database.
- PHP can be used to control user-access.
- PHP can encrypt data.
- PHP runs on various platforms (Windows, Linux, Unix, Mac OS X, etc.).
- PHP is compatible with almost all servers used today (Apache, IIS, etc.).
- PHP supports a wide range of databases.
- PHP is free. Download it from the official PHP resource: [www.php.net](http://www.php.net).
- PHP is easy to learn and runs efficiently on the server side.

#### 3.1.2 HTML:

HTML is the standard markup language for creating Web pages.

- HTML stands for Hyper Text Markup Language.
- HTML describes the structure of Web pages using markup.
- HTML elements are the building blocks of HTML pages.
- HTML elements are represented by tags.
- HTML tags label pieces of content such as "heading", "paragraph", "table", and so on.
- Browsers do not display the HTML tags, but use them to render the content of the page.

#### 3.1.3 CSS :

- CSS stands for Cascading Style Sheets.
- CSS describes how HTML elements are to be displayed on screen, paper, or in other media.
- CSS saves a lot of work. It can control the layout of multiple web pages all at once.
- External stylesheets are stored in CSS files.

#### 3.1.4 **JAVA SCRIPT:**

- **JavaScript** to program the behavior of web pages.
- JavaScript is the programming language of HTML and the Web.
- Programming makes computers do what you want them to do.
- JavaScript is easy to learn.

### **DATABASE**

#### **MySQL :**

- MySQL is a database system used on the web.
- MySQL is a database system that runs on a server.
- MySQL is ideal for both small and large applications.
- MySQL is very fast, reliable, and easy to use.
- MySQL uses standard SQL.
- MySQL compiles on a number of platforms.
- MySQL is free to download and use.
- MySQL is developed, distributed, and supported by Oracle Corporation.

## **CHAPTER 4**

### **PROJECT DESCRIPTION**

#### **4.1 PROBLEM DEFINITION:**

The E-DISHA(Way of Crowded Funding)is the project. It's a website development project in which all the work is done digitally. This project involves the collecting the fund by small amounts of capital from a large number of individuals to finance a new business venture. Crowd funding makes use of the easy accessibility of vast networks of people through social media & via internet and crowd funding websites to bring investors and entrepreneurs together, and has the potential to increase entrepreneurship by expanding the pool of investors from whom funds can be raised beyond the traditional circle of owners, relatives and venture capitalists.

#### **4.2 PROJECT OVERVIEW**

Crowded funding Website has the following module.

- Admin module is has rights to verify the fundraiser details.
- Fundraisers request the admin to approve the funding details.
- Donor Can Donate the Fund to current causes.


#### **4.3 MODULE DESCRIPTION**

The system should be designed in such a way that only verified Fundraiser should be allowed to get the fund for their verified causes. The funding details should be modified by only Fundraiser and no one else. And the fundraiser causes details verified by admin and then the cause will show on the website. After that the donor can easily donate the fund for the current causes.


The user interface should be consistent so that the user can handle the application with ease and speed. The application should be visually, conceptually clear.

## Diagrams:

### 1. Activity Diagram of Fundraiser



### 2. Activity Diagram of Donor



## CHAPTER: 5

### CODING AND SNAPSHOT

```

<?php
define("BYPASS_PAGE_ID",TRUE);
define("BYPASS_SESSION",TRUE);
include("vendor.php");
$select = $db->select("needypersondetails","*",array("status"=>"Approve"));
//varPrint($select);
include("includes/header.php");
?>
<!-- Start slider area -->
    <section class="slider-animate-area pb-60">
        <div class="container">
            <div class="row">
                <div class="col-sm-12 text-center">
                    <div class="cd-intro">
                        <h1 class="cd-headline clip is-full-width title1 wow zoomIn
animated" data-wow-duration="1s" data-wow-delay="300ms" style="visibility: visible;
animation-duration: 1s; animation-delay: 300ms; animation-name: zoomIn;">
                            <span>WE CAN HELP </span>
                            <span class="cd-words-wrapper">
                                <b class="is-visible">SOMEONE</b>
                                <b>SOMEONE</b>
                                <b>SOMEONE</b>
                            </span>
                        </h1>
                        <p class="wow zoomIn animated" data-wow-duration="1s" data-wow-delay="600ms"
style="visibility: visible; animation-duration: 1s; animation-delay: 600ms; animation-
name: zoomIn;">E-DISHA makes sure that your donations reach the right people
through an extensive verification process.</p>
                        <div class="slider-button-area wow zoomIn animated" data-wow-duration="1s" data-
wow-delay="900ms" style="visibility: visible; animation-duration: 1s; animation-
delay: 900ms; animation-name: zoomIn;">
                            <a href="donation_categories.php" class="btn-lg">DONATE NOW</a>
                            <a href="login.php" class="btn-lg">Start A Fundriser</a>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>
<!-- End slider area -->
<!-- End slider area -->
<!-- Start our coueses area -->

```



```

<section class="our-couses-area pt-90 pb-90">
  <div class="col-sm-12">
<div class="section-title text-center">
  <h2>OUR <span>CAUSES</span></h2>
    
  <p>Our charity help those people who have no hope</p>
</div>
  <div class="col-md-12">
  <div class="row">
  <div class="MultiCarousel" data-items="0,1,2,3" data-slide="1" id="MultiCarousel1"
  data-interval="1000">
    <div class="MultiCarousel-inner" style="transform: translateX(0px); width: 1710px;">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <?php
    $Pcontent = $db->select("needypersondetails","*",array("status"=>"Approve"));
    foreach($Pcontent as $content)
    <div class="item" style="width: 190px;">
      <div style="background-color: white;">
        <!-- Start single blog -->
        <div class="col-sm-12">
          <div class="single-blog">
            <div class="blo-image-and-date">
              
            </div>
            <div class="blog-info">
              <div class="admin" style="border: 1px solid #ff0000;text-align: center;background:
              red;color: cornsilk;">
                <?php echo $content->NeedFor; ?>
              </div>
              <div class="comment">
                <a href="#"><i class="fa fa-heart" aria-hidden="true"></i> 15</a>
                <a href="#"><i class="fa fa-comment" aria-hidden="true"></i> 25</a>
              </div>
            </div>
            <div class="blog-text">
              <h3><a href="#" style="color: #0aaaa0;"><?php echo $content->Tital;?></a></h3>
            </div>
            <div class="row">
              <div class="couses-button-and-price">
                <div class="col-md-6">
                  <div class="couses-button">
                    <a href="patientdetailpage.php?id=<?php echo $content->sno; ?>" class="btn-md bo-
                    ra-5"style="background-color:#0aaaa0; color: black; margin: 15px;border: 1px solid
                    white;">Donate</a>

```

```

        </div>
    </div>
    <div class="col-md-6" style="margin-top: -15px;">
<div class="couses-price" style="margin-right: 30px; margin-top:5px;">
    <h5 style="font-size: 20px;">₹ <?php echo $content->InitialAmount;?></h5>
    </div>
        </div>
    </div>
    </div></div>
</div>
<!-- End single blog -->
</div>
</div>
<?php
</div><button class="leftLst over" style="background-
color:transparent;color:white; ;font-size:50px; border:none; text-shadow: 4px 4px 8px
black;"><span class="glyphicon glyphicon-chevron-left"></span></button>
<button class="rightLst" style="background-color:transparent;color:white; ;font-size:50px;
border:none; text-shadow: 4px 4px 8px black;"><span class="glyphicon glyphicon-chevron-
right"></span></button>
    </div>
</div>
</div>
<style>
.mr-row1-left, .mr-row1-right {
    float: left;
    -webkit-box-sizing: border-box;
    -moz-box-sizing: border-box;
    -o-box-sizing: border-box;
    -ms-box-sizing: border-box;
    box-sizing: border-box;
    width: 61%;
    border-right: solid 1px #e5e5e5;
    position: relative;
}
.intro-pic {
    width: 45%;
    position: relative;
}
.mr-row1-left .intro-txt {
    background: #FFF;
    width: 60%;
    top: 0;
    left: 42%;
    position: absolute;

```

```

padding: 36px;
-moz-box-shadow: 5px 6px 5px rgba(33, 30, 31, .4);
-webkit-box-shadow: 5px 6px 5px rgba(33, 30, 31, .4);
box-shadow: 5px 6px 5px rgba(33, 30, 31, .4);
z-index: 50;
}
.intro-pic img {
width: 100%;
}
element.style {
}
.mr-row1, .mr-row2 {
position: relative;
padding: 0 0 2em 0;
margin: 0 auto 2em auto;
border-bottom: solid 1px #e5e5e5;
}
.mCustomScrollbar {
-ms-touch-action: pinch-zoom;
touch-action: pinch-zoom;
}

.whoare-content {
height: 330px;
overflow: auto;
position: relative;
}
.mCustomScrollBox {
position: relative;
overflow: hidden;
height: 100%;
max-width: 100%;
outline: none;
direction: ltr;
}

.mCustomScrollBox {
position: relative;
overflow: hidden;
height: 100%;
max-width: 100%;
outline: none;
direction: ltr;
}
.mCSB_inside > .mCSB_container {

```

```

    margin-right: 30px;
}

.mCSB_container {
    overflow: hidden;
    width: auto;
    height: auto;
}
element.style {
    display: block;
}

.mCSB_scrollTools {
    opacity: 0.75;
    filter: "alpha(opacity=75)";
    -ms-filter: "alpha(opacity=75)";
}
.mCSB_scrollTools, .mCSB_scrollTools .mCSB_dragger .mCSB_dragger_bar,
.mCSB_scrollTools .mCSB_buttonUp, .mCSB_scrollTools .mCSB_buttonDown,
.mCSB_scrollTools .mCSB_buttonLeft, .mCSB_scrollTools .mCSB_buttonRight {
    -webkit-transition: opacity .2s ease-in-out, background-color .2s ease-in-out;
    -moz-transition: opacity .2s ease-in-out, background-color .2s ease-in-out;
    -o-transition: opacity .2s ease-in-out, background-color .2s ease-in-out;
    transition: opacity .2s ease-in-out, background-color .2s ease-in-out;
}
.mCSB_scrollTools {
    position: absolute;
    width: 16px;
    height: auto;
    left: auto;
    top: 0;
    right: 0;
    bottom: 0;
}

.intro-txt p {
    font-family: "Baskerville", Georgia, Times, Serif;
    font-size: 1.2em;
    line-height: 1.5em;
    color: #111;
    font-style: italic;
    text-align: justify;
}

.intro-txt h2 {

```

```

text-align: center;
font-family: "AvantGarde", Arial, Sans-serif;
font-size: 1.5em;
line-height: 1.2;
text-transform: uppercase;
color: #000;
letter-spacing: 0.01em;
}
.button {
background-color: #4CAF50; /* Green */
border: none;
color: white;
padding: 16px 32px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 4px 2px;
-webkit-transition-duration: 0.4s; /* Safari */
transition-duration: 0.4s;
cursor: pointer;
}
.button3 {
background-color: transparent;
color: black;
border: 10px solid #f44336;
width: 250px;
}

.button3:hover {
background-color: #f44336;
color: white;
}

.MultiCarousel { float: left; overflow: hidden; padding: 15px; width: 100%;
position: relative; }
.MultiCarousel .MultiCarousel-inner { transition: 1s ease all; float: left; }
.MultiCarousel .MultiCarousel-inner .item { float: left; }
.MultiCarousel .MultiCarousel-inner .item > div { text-align: center;
padding: 10px; margin: 10px; background: #f1f1f1; color: #666; }
.MultiCarousel .leftLst, .MultiCarousel .rightLst { position: absolute; border-
radius: 50%; top: calc(50% - 20px); }
.MultiCarousel .leftLst { left: 0; }
.MultiCarousel .rightLst { right: 0; }

```

```

        .MultiCarousel .leftLst.over, .MultiCarousel .rightLst.over { pointer-events: none;
background:#ccc; }
</style>
<script>
$(document).ready(function () {
    var itemsMainDiv = ('.MultiCarousel');
    var itemsDiv = ('.MultiCarousel-inner');
    var itemWidth = "";

    $('leftLst, .rightLst').click(function () {
        var condition = $(this).hasClass("leftLst");
        if (condition)
            click(0, this);
        else
            click(1, this)
    });

    ResCarouselSize();
    $(window).resize(function () {
        ResCarouselSize();
    });

    //this function define the size of the items
    function ResCarouselSize() {
        var incno = 0;
        var dataItems = ("data-items");
        var itemClass = ('.item');
        var id = 0;
        var btnParentSb = "";
        var itemsSplit = "";
        var sampwidth = $(itemsMainDiv).width();
        var bodyWidth = $('body').width();
        $(itemsDiv).each(function () {
            id = id + 1;
            var itemNumbers = $(this).find(itemClass).length;
            btnParentSb = $(this).parent().attr(dataItems);
            itemsSplit = btnParentSb.split(',');
            $(this).parent().attr("id", "MultiCarousel" + id);
            if (bodyWidth >= 1200) {
                incno = itemsSplit[3];
                itemWidth = sampwidth / incno;
            }
            else if (bodyWidth >= 992) {
                incno = itemsSplit[2];
                itemWidth = sampwidth / incno;
            }
        });
    }
}

```

```

    }
    else if (bodyWidth >= 768) {
        incno = itemsSplit[1];
        itemWidth = sampwidth / incno;
    }
    else {
        incno = itemsSplit[0];
        itemWidth = sampwidth / incno;
    }
    $(this).css({ 'transform': 'translateX(0px)', 'width': itemWidth * itemNumbers
});

$(this).find(itemClass).each(function () {
    $(this).outerWidth(itemWidth);
});

$(".leftLst").addClass("over");
$(".rightLst").removeClass("over");

});
}
//this function used to move the items
function ResCarousel(e, el, s) {
    var leftBtn = ('.leftLst');
    var rightBtn = ('.rightLst');
    var translateXval = "";
    var divStyle = $(el + '' + itemsDiv).css('transform');
    var values = divStyle.match(/-?[\d\.]+/g);
    var xds = Math.abs(values[4]);
    if (e == 0) {
        translateXval = parseInt(xds) - parseInt(itemWidth * s);
        $(el + '' + rightBtn).removeClass("over");

        if (translateXval <= itemWidth / 2) {
            translateXval = 0;
            $(el + '' + leftBtn).addClass("over");
        }
    }
    else if (e == 1) {
        var itemsCondition = $(el).find(itemsDiv).width() - $(el).width();
        translateXval = parseInt(xds) + parseInt(itemWidth * s);
        $(el + '' + leftBtn).removeClass("over");

        if (translateXval >= itemsCondition - itemWidth / 2) {
            translateXval = itemsCondition;
            $(el + '' + rightBtn).addClass("over");
        }
    }
}

```

```

    }
  }
  $(el + ' ' + itemsDiv).css('transform', 'translateX(' + -translateXval + 'px)');
}

//It is used to get some elements from btn
function click(ell, ee) {
  var Parent = "#" + $(ee).parent().attr("id");
  var slide = $(Parent).attr("data-slide");
  ResCarousel(ell, Parent, slide);
}

});
</script>
</section>
  <!-- End our coueses area -->
  <section class="what-we-do-area pb-70">
    <div class="container">
      <div class="row">
        <!-- Start section title -->
        <div class="col-sm-12">
          <div class="section-title text-center">
            <h2>Browse <span>Fundraisers</span></h2>
            
            <p>We create events aiming to pear to the voice for children and gather for support.
            <br>Please update with our events and confirm you presence.</p>
          </div>
        </div>
        <!-- End section title -->
        <div class="what-we-do">
          <!-- Start single we do -->
          <div class="col-sm-3">
            <a href="campaginlist.php?id=Education">
              <div class="single-we-do">
                <div class="we-do-image">
                  
                </div>
                <div class="we-do-text" style="background: center;">
                  <h5>DONATE FOR EDUCATION</h5>
                </div>
              </div>
            </a>
          </div>
          <!-- End single we do -->
          <!-- Start single we do -->

```







```

        <div class="we-do-image">
            
        </div>
        <div class="we-do-text" style="background: center;">
            <h5 style="color:#136888">DONATE FOR HEALTH</h5>
        </div>
    </div>
</a>
</div>
<!-- End single we do -->
</div>
</div>
</div>
</section>
<!-- Start help us area -->
<section class="help-us-area pt-80 pb-80">
    <div class="container">
        <div class="row">
            <div class="col-sm-12">
                <div class="section-title-style-two text-center">
                    <h2>HOW CAN YOU HELP US?</h2>
                    <p>Step 1: Create your fundraiser instantly.<br>
                    Step 2: Share your fundraiser online.<br>
                    Step 3:Receive donations from around the world.<br>
                    Step 4: Transfer funds to the account directly. </p>
                </div>
            </div>
            <div class="help-us-content-area">
                <!-- Start single help -->
                <div class="col-sm-4">
                    <div class="single-help">
                        <div class="help-icon">
                            <i class="fa fa-university" aria-hidden="true"></i>
                        </div>
                        <div class="help-text">
                            <h3>fundraiser</h3>
                            <p>Fill in a few details about yourself, and who you are fundraising for. It takes less
                            time.</p>
                        </div>
                    </div>
                </div>
                <!-- End single help -->
                <!-- Start single help -->
                <div class="col-sm-4">
                    <div class="single-help">
                        <div class="help-icon">

```

```

        <i class="fa fa-money" aria-hidden="true"></i>
    </div>
    <div class="help-text">
        <h3>Start crowdfunding</h3>
        <p>Receive donations from friends, family and even strangers across the world.</p>
    </div>
</div>
</div>
<!-- End single help -->
<!-- Start single help -->
<div class="col-sm-4">
    <div class="single-help">
        <div class="help-icon">
            <i class="fa fa-users" aria-hidden="true"></i>
        </div>
        <div class="help-text">
            <h3>charges</h3>
            <p>Transfer funds to the account directly without any fees.</p>
        </div>
    </div>
</div>
</div>
<!-- End single help -->
</div>
</div>
</section>
<!-- End help us area -->

<!-- Start our gallery -->
<section class="our-gallery pt-90 pb-60">
    <div class="container">
        <div class="row">
            <!-- Start section title -->
            <div class="col-sm-12">
                <div class="section-title text-center">
                    <h2>OUR <span>Gallery</span></h2>
                    
                </div>
                <p>We create events aiming to pear to the voice for children and gather for support.
                <br>Please update with our events and confirm you presence.</p>
            </div>
        </div>
        <!-- End section title -->
        <div class="gallery-area">
            <div class="col-sm-12">
                <div class="gallery-menu text-center">

```

```

<nav>
  <ul>
    <li class="filter" data-filter="all">All</li>
    <li class="filter" data-filter="Charity">Charity</li>
    <li class="filter" data-filter="Nature">Nature</li>

    <li class="filter" data-filter="Wildlife">Wildlife</li>

    <li class="filter" data-filter="Children">Children</li>
  </ul>
</nav>
</div>
</div>
<div id="gallery-filter">
  <!-- Start single gallery -->
  <div class="col-sm-3 mb-30 single-gallery mix all Charity Wildlife ">
  <div class="gallery-image-and-text">
    
    <a class="image-link text-center" href="img\gallery\children.jpeg">
      <i class="fa fa-plus-square-o" aria-hidden="true"></i>
    </a>
  </div>
  </div>
  <!-- End single gallery -->
  <!-- Start single gallery -->
  <div class="col-sm-3 mb-30 single-gallery mix all Nature Video">
    <div class="gallery-image-and-text">
      
    <a class="image-link text-center" href="img\gallery\children1.jpeg">
      <i class="fa fa-plus-square-o" aria-hidden="true"></i>
    </a>
  </div>
  </div>
  <!-- End single gallery -->
  <!-- Start single gallery -->
  <div class="col-sm-3 mb-30 single-gallery mix all Charity Wildlife Children">
    <div class="gallery-image-and-text">
      
      <a class="image-link text-center" href="img\gallery\gallery-three.jpeg">
        <i class="fa fa-plus-square-o" aria-hidden="true"></i>
      </a>
    </div>
  </div>
  </div>
  <!-- End single gallery -->
  <!-- Start single gallery -->
  <div class="col-sm-3 mb-30 single-gallery mix all Nature Video">

```

```

<div class="gallery-image-and-text">
  
  <a class="image-link text-center" href="img/gallery/wildlife.jpeg">
    <i class="fa fa-plus-square-o" aria-hidden="true"></i>
  </a>
</div>

</div>
<!-- End single gallery -->
<!-- Start single gallery -->
<div class="col-sm-3 mb-30 single-gallery mix all Charity Wildlife Video Children">
  <div class="gallery-image-and-text">
    
    <a class="image-link text-center" href="img/gallery/nature.jpeg">
      <i class="fa fa-plus-square-o" aria-hidden="true"></i>
    </a>
  </div> </div>

  <!-- End single gallery -->
  <!-- Start single gallery -->
<div class="col-sm-3 mb-30 single-gallery mix all Nature Children">
  <div class="gallery-image-and-text">
    
    <a class="image-link text-center" href="img/gallery/charity1.jpeg">
      <i class="fa fa-plus-square-o" aria-hidden="true"></i>
    </a>
  </div>

  </div>

  <!-- End single gallery -->
  <!-- Start single gallery -->
  <div class="col-sm-3 mb-30 single-gallery mix all Charity Wildlife Video">
    <div class="gallery-image-and-text">
      
      <a class="image-link text-center" href="img/gallery/gallery-seven.jpeg">
        <i class="fa fa-plus-square-o" aria-hidden="true"></i>
      </a>
    </div>

    </div>

    <!-- End single gallery -->
    <!-- Start single gallery -->
    <div class="col-sm-3 mb-30 single-gallery mix all Nature Children">
      <div class="gallery-image-and-text">
        
        <a class="image-link text-center" href="img/gallery/gallery-eight.jpeg">
          <i class="fa fa-plus-square-o" aria-hidden="true"></i>
        </a>
      </div>
    </div>
  </div>

```






Fig 5.1 –HomePage




Fig 5.2 –LoginPage



**CroudFunding** | Search dashboard... | Logout

**ADD Needy People**

Name\*  Initial Amount\*

Contact  Address

Title  Need For

ID-Proof  No file chosen Image  No file chosen

Required Document  No file chosen Description

☐ I accept the [Terms and Agreements](#)

Fig 5.3 – Fundraiser details

**CroudFunding** | Search dashboard... | Logout

**NEEDY PEOPLE**

Name	Initial Amount	Contact Number	Address	ID-Proof	Medical Invoice	Description
RISHI GOLE	200000	7583016469	MIG 406 Arvind Vihar Baghmugaliya Bhopal	photo.jpg	0	FOR HEALTH DISEASES PLEASE SUPPORT US

Fig 5.4 – Approve page




Fig 5.5 –Fundraiser descriptions

## **CHAPTER 6**

### **TESTING**

#### **UNIT TESTING:**

UNIT TESTING is a level of software testing where individual units/ components of a software are tested. The purpose is to validate that each unit of the software performs as designed. A unit is the smallest testable part of any software. It usually has one or a few inputs and usually a single output. In procedural programming, a unit may be an individual program, function, procedure, etc. In object-oriented programming, the smallest unit is a method, which may belong to a base/ super class, abstract class or derived/ child class. (Some treat a module of an application as a unit. This is to be discouraged as there will probably be many individual units within that module.) Unit testing frameworks, drivers, stubs, and mock/ fake objects are used to assist in unit testing.

#### **ACCEPTENCE TESTING:**

Acceptance testing is a level of software testing where a system is tested for acceptability. The purpose of this test is to evaluate the system's compliance with the business requirements and assess whether it is acceptable for delivery.

#### **INTEGRATION TESTING:**

Integration testing is a level of software testing where individual units are combined and tested as a group. The purpose of this level of testing is to expose faults in the interaction between integrated units. Test drivers and test stubs are used to assist in Integration Testing.

## **CHAPTER 7**

### **CONCLUSION AND FUTURE ENHANCEMENT**

#### **7.1 Conclusion:**

In conclusion, there's a lot to be won by including crowd funding into organization's existing set of fundraising tools, both for individual organizations as well as for the development sector as a whole. Crowd funding is already part and parcel to many organization's and individuals' wish to make the world a better place and help people around the globe to improve their lives.

#### **7.2 Scope for future development:**

The project has a very vast scope in future. The project can be able to fulfill the requirement of the fundraiser it is very flexible in terms of expansion. With the proposed the fundraiser can get the funding for new innovative ideas.

- Integration of Payment Gateway for Making Donation Process Easy.
- Development of Mobile Application For Making Donation Easy.