

Laptop0

Physical

Config

Desktop

Programming


Attributes


**MODULES**


- WPC300N
- PT-LAPTOP-NM-1AM
- PT-LAPTOP-NM-1CE
- PT-LAPTOP-NM-1CFE
- PT-LAPTOP-NM-1CGE
- PT-LAPTOP-NM-1FFE
- PT-LAPTOP-NM-1FGE
- PT-LAPTOP-NM-1W**
- PT-LAPTOP-NM-1W-A
- PT-LAPTOP-NM-1W-AC
- PT-LAPTOP-NM-3G/4G
- PT-HEADPHONE
- PT-MICROPHONE

Physical Device View

Zoom In
Original Size
Zoom Out



Customize  
Icon in  
Physical View


Customize  
Icon in  
Logical View


The PT-LAPTOP-NM-1W module provides one 2.4GHz wireless interface suitable for connection to wireless networks. The module supports protocols that use Ethernet for LAN access.

☐ Top

Laptop0

PhysicalConfigDesktopProgrammingAttributes

GLOBAL

Settings

Algorithm Settings

INTERFACE

Wireless0

Bluetooth

Display Name

Laptop0

Interfaces

Wireless0

Gateway/DNS IPv4

DHCP

Static

Gateway

192.168.0.1

DNS Server

Gateway/DNS IPv6

DHCP

Auto Config

Static

IPv6 Gateway

IPv6 DNS Server

Top

Tablet PC0

PhysicalConfigDesktopProgrammingAttributes

GLOBAL

Settings

Algorithm Settings

INTERFACE

Wireless0

3G/4G Cell1

Bluetooth

Wireless0

Port Status

0

Bandwidth

300 Mbps

MAC Address

0001.C92E.A5B5

SSID

Default

Authentication

Disabled

WEP

WEP Key

WPA-PSK

WPA2-PSK

PSK Pass Phrase

WPA

WPA2

User ID

802.1X

Method:

MD5

User Name

Password

Encryption Type

Disabled

IP Configuration

DHCP

Static

IP Address

192.168.0.110

Top




Wireless Router0



PhysicalConfigGUIAttributes

MAC 13:	00:00:00:00:00:00	MAC 38:	00:00:00:00:00:00
MAC 14:	00:00:00:00:00:00	MAC 39:	00:00:00:00:00:00
MAC 15:	00:00:00:00:00:00	MAC 40:	00:00:00:00:00:00
MAC 16:	00:00:00:00:00:00	MAC 41:	00:00:00:00:00:00
MAC 17:	00:00:00:00:00:00	MAC 42:	00:00:00:00:00:00
MAC 18:	00:00:00:00:00:00	MAC 43:	00:00:00:00:00:00
MAC 19:	00:00:00:00:00:00	MAC 44:	00:00:00:00:00:00
MAC 20:	00:00:00:00:00:00	MAC 45:	00:00:00:00:00:00
MAC 21:	00:00:00:00:00:00	MAC 46:	00:00:00:00:00:00
MAC 22:	00:00:00:00:00:00	MAC 47:	00:00:00:00:00:00
MAC 23:	00:00:00:00:00:00	MAC 48:	00:00:00:00:00:00
MAC 24:	00:00:00:00:00:00	MAC 49:	00:00:00:00:00:00
MAC 25:	00:00:00:00:00:00	MAC 50:	00:00:00:00:00:00




Save SettingsCancel Changes

☐ Top





////practiac177777



Server0

Physical Config Services **Desktop** Programming Attributes

IP Configuration

IP Configuration

☐ DHCP ☒ Static

IP Address: 192.168.0.2

Subnet Mask: 255.255.255.0

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address: /

Link Local Address: FE80::20D:BDFE:FE53:6E0D

IPv6 Gateway:

IPv6 DNS Server:

802.1X

☐ Use 802.1X Security

Authentication: MD5

Username:

Password:

☐ Top

Server0

Physical Config **Services** Desktop Programming Attributes

**SERVICES**

- HTTP
- DHCP**
- DHCPv6
- TFTP
- DNS
- SYSLOG
- AAA
- NTP
- EMAIL
- FTP
- IoT
- VM Management
- Radius EAP

DHCP

Interface: FastEthernet0 Service: ☒ On ☐ Off

Pool Name: serverPool

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

Start IP Address: 192 168 0 0

Subnet Mask: 255 255 255 0

Maximum Number of Users: 255

TFTP Server: 0.0.0.0

WLC Address: 0.0.0.0

Add Save Remove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	0.0.0.0	0.0.0.0	192.168.0.0	255.255.2...	255	0.0.0.0	0.0.0.0

☐ Top

PC0

Physical Config **Desktop** Programming Attributes

IP Configuration

Interface: Wireless0

IP Configuration

☒ DHCP ☐ Static

IP Address: 192.168.0.1

Subnet Mask: 255.255.255.0

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☒ DHCP ☐ Auto Config ☐ Static



IPv6 Address: /

Link Local Address: FE80::20A:F3FF:FE4C:8DAE


IPv6 Gateway:

IPv6 DNS Server:

☐ Top







PC0

Physical Config Desktop Programming Attributes

GLOBAL Settings Algorithm Settings INTERFACE Wireless0 Bluetooth

Wireless0

Port Status ☒ On

Bandwidth 18 Mbps

MAC Address 000A.F34C.8DAE

SSID college\_wifi

Authentication

☒ Disabled ☐ WEP ☐ WPA2-PSK ☐ WPA ☐ WPA2 ☐ 802.1X

Method:

WEP Key

PSK Pass Phrase

User ID

Password

Encryption Type

IMD5

User Name

Password

Disabled

IP Configuration

☒ DHCP ☐ Static

IP Address 192.168.0.1

Subnet Mask 255.255.255.0

IPv6 Configuration

☒ DHCP ☐ Auto Config ☐ Static

IPv6 Address

Link Local Address: FE80::20A:F3FF:FE4C:8DAE

Top

