

Neosoft - Janardan Chaugule

- Core java

- static
- Abstract & Interface
- Upcasting & downcasting
- String mutable
- Exception
- Threading

- OOps concept

- o Abstraction (with Real time example)
- o Encapsulation (-||-)
- o Polymorphism

- Advance java

o servlet (lifecycle)

- services
- doGet & doPost

o jsp - implicit objects

o struts2

(draw back of struts1)

- Logic

- swap without using 3rd variable
- find highest number in 2D array
- find ~~high~~ max. consecutive zeros

1010001100001

Ans $\rightarrow 4$

- Yard & miles calculate by fur in
input (integer numbers)
dip (in floating point)

Mehar A. Shah

Company Name :- NeoSoft

HR

Round 1

Appitude

+

Logical Reasoning

+

Coding on Paper

Coding - 4 Questions

- 54321

5432

543

54

543

54321

5432

543

54

5

- ****

**
*
*

Instead of *

Print Prime Nos.

- A

B A B

C B A B C

D C B A B C D

Program was
given. We have
to find ~~err~~ logical
Error.

- Array is subset
of another array.

Technical -

Q1 Project \leftarrow Which Technology
Role

Q2 Multithreading \leftarrow Synchronization

Q3 JDBC \leftarrow Prepared Statement vs Callable vs
Statement

Q4 Static Variables vs final

Q5 Hibernate

Q6 Spring MVC