

EX – 1

```
Microsoft Windows [Version 10.0.26200.8894]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Personal>cd\

C:\>cd C:\Program Files\MySQL\MySQL Server 8.0\bin

C:\Program Files\MySQL\MySQL Server 8.0\bin>mysql -u root -p
Enter password: ****
ERROR 1045 (28000): Access denied for user 'root'@'localhost' (using password: YES)

C:\Program Files\MySQL\MySQL Server 8.0\bin>mysql -u root -p
Enter password: *****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 12
Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql>
mysql> |
```

```
Microsoft Windows [Version 10.0.26200.8973]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Personal>cd/

C:\>cd "C:\Program Files\MySQL\MySQL Server 8.0\bin"

C:\Program Files\MySQL\MySQL Server 8.0\bin>mysql -u root -p
Enter password: *****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 12
Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE Students
-> ;
ERROR 1007 (HY000): Can't create database 'students'; database exists
mysql> CREATE DATABASE IF NOT EXISTS Students
-> ;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that co
the right syntax to use near 'EXISTS Students' at line 1
mysql> USE Students;
Database changed
mysql> CREATE TABLE users(
```

```
mysql> DESCRIBE Student;
```

Field	Type	Null	Key	Default	Extra
id	int	YES		NULL	
name	varchar(50)	YES		NULL	
Branch	varchar(50)	YES		NULL	
year	int	YES		NULL	
cgpa	float	YES		NULL	
backlogs	int	YES		NULL	
dob	date	YES		NULL	

```
7 rows in set (0.01 sec)
```

```
mysql> INSERT INTO Student(id,name,Branch,year,cgpa,backlogs,dob)VALUES
-> (205,'Rishil','CSIT',2,8.83,0,12-04-2008),
-> (206,'Jashwanth','CSE',2,8.7,0,22-07-2008),
-> (177,'Dhanush','CSIT',2,8.65,0,05-09-2008),
-> (178,'Prabu','CSIT',2,8.6,0,30-11-2008);
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual
that corresponds to your MySQL server version for the right syntax to use
near '2,8.65,0,05-09-2008),
(178,'Prabu','CSIT',2,8.6,0,30-11-2008)' at line 4
```

```
mysql> INSERT INTO Student(id, name, Branch, year, cgpa, backlogs, dob)
-> VALUES
-> (205, 'Rishil', 'CSIT', 2, 8.83, 0, '2008-04-12'),
-> (206, 'Jashwanth', 'CSE', 2, 8.70, 0, '2008-07-22'),
-> (177, 'Dhanush', 'CSIT', 2, 8.65, 0, '2008-09-05'),
-> (178, 'Prabu', 'CSIT', 2, 8.60, 0, '2008-11-30');
```

```
Query OK, 4 rows affected (0.02 sec)
```

```
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM Student;
```

id	name	Branch	year	cgpa	backlogs	dob
205	Rishil	CSIT	2	8.83	0	2008-04-12
206	Jashwanth	CSE	2	8.70	0	2008-07-22
177	Dhanush	CSIT	2	8.65	0	2008-09-05
178	Prabu	CSIT	2	8.60	0	2008-11-30

```
4 rows in set (0.00 sec)
```

EX - 2

```
Microsoft Windows [Version 10.0.26200.8973]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Personal>cd/

C:\>cd "C:\Program Files\MySQL\MySQL Server 8.0\bin"

C:\Program Files\MySQL\MySQL Server 8.0\bin>mysql -u root -p
Enter password: *****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
```

```
Command Prompt - mysql -u  X + v

mysql> create database if not exists bankdetails
->;
Query OK, 1 row affected (0.02 sec)

mysql> use bankdetails;
Database changed
mysql> create table bank_transactions(
-> txn_id INT PRIMARY KEY,
-> customer_name VARCHAR(50),
-> branch_name VARCHAR(50),
-> transaction_type VARCHAR(20),
-> amount DECIMAL(10,2),
-> transaction_date DATE);
Query OK, 0 rows affected (0.04 sec)

mysql> DESCRIBE bank_transactions;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| txn_id         | int           | NO   | PRI | NULL    |       |
| customer_name  | varchar(50)   | YES  |     | NULL    |       |
| branch_name    | varchar(50)   | YES  |     | NULL    |       |
| transaction_type | varchar(20)   | YES  |     | NULL    |       |
| amount         | decimal(10,2) | YES  |     | NULL    |       |
| transaction_date | date          | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.02 sec)

mysql> ALTER TABLE bank_transactions
-> add account_no VARCHAR(20);
Query OK, 0 rows affected (0.06 sec)
```

```
Query OK, 0 rows affected (0.06 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> DESCRIBE bank_transactions;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| txn_id | int | NO | PRI | NULL | |
| customer_name | varchar(50) | YES | | NULL | |
| branch_name | varchar(50) | YES | | NULL | |
| transaction_type | varchar(20) | YES | | NULL | |
| amount | decimal(10,2) | YES | | NULL | |
| transaction_date | date | YES | | NULL | |
| account_no | varchar(20) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.01 sec)

mysql> alter table bank_transactions
-> ;
Query OK, 0 rows affected (0.02 sec)

mysql> rename bank_transactions
-> TO customer_transactions;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to the MySQL server version you are using. The right syntax to use near 'bank_transactions TO customer_transactions' at line 1
mysql> rename table bank_transactions
-> to customer_transactions;
Query OK, 0 rows affected (0.03 sec)
```

```
Command Prompt - mysql -u <user>
mysql> truncate table customer_transactions;
Query OK, 0 rows affected (0.03 sec)

mysql> drop table bank_backup;
ERROR 1051 (42S02): Unknown table 'bankdetails.bank_backup'
mysql> brop table customer_transactions;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to the MySQL server version you are using. The right syntax to use near 'brop table customer_transactions' at line 1
mysql> drop table customer_transactions;
Query OK, 0 rows affected (0.03 sec)

mysql> describe customer_transactions;
ERROR 1146 (42S02): Table 'bankdetails.customer_transactions' doesn't exist
mysql> CREATE TABLE bank_transactions (
-> txn_id INT PRIMARY KEY,
-> customer_name VARCHAR(50),
-> branch_name VARCHAR(50),
-> transaction_type VARCHAR(20),
-> amount DECIMAL(10,2),
-> transaction_date DATE
-> );
Query OK, 0 rows affected (0.02 sec)

mysql> INSERT INTO bank_transactions VALUES
-> (101, 'Ravi', 'Hyderabad', 'Deposit', 5000, '2024-01-05'),
-> (102, 'Sita', 'Hyderabad', 'Withdrawal', 2000, '2024-01-06'),
-> (103, 'Kiran', 'Vijayawada', 'Deposit', 12000, '2024-01-08'),
-> (104, 'Anil', 'Vizag', 'Deposit', 8000, '2024-01-10'),
-> (105, 'Priya', 'Hyderabad', 'Withdrawal', 3500, '2024-01-11'),
-> (106, 'Ramesh', 'Vizag', 'Deposit', 15000, '2024-01-12'),
-> (107, 'Keerthi', 'Vijayawada', 'Withdrawal', 1000, '2024-01-13'),
```

```

Command Prompt - mysql -u x + v
mysql> INSERT INTO bank_transactions VALUES
-> (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05'),
-> (102,'Sita','Hyderabad','Withdrawal',2000,'2024-01-06'),
-> (103,'Kiran','Vijayawada','Deposit',12000,'2024-01-08'),
-> (104,'Anil','Vizag','Deposit',8000,'2024-01-10'),
-> (105,'Priya','Hyderabad','Withdrawal',3500,'2024-01-11'),
-> (106,'Ramesh','Vizag','Deposit',15000,'2024-01-12'),
-> (107,'Keerthi','Vijayawada','Withdrawal',1000,'2024-01-13'),
-> (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14'),
-> (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15'),
-> (110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16');
Query OK, 10 rows affected (0.02 sec)
Records: 10 Duplicates: 0 Warnings: 0

mysql>
mysql> insert into bank_transactions values
-> (111,'Venu','Vizag','Deposit',7000,'2024-01-18');
Query OK, 1 row affected (0.01 sec)

mysql> update bank_transactions
-> set amount=5000
-> where txn_id=105;
Query OK, 1 row affected (0.02 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> delete from bank_transactions
-> where txn_id=111;
Query OK, 1 row affected (0.01 sec)

mysql> select *from bank_transactions;

```

```

mysql> select *from bank_transactions;
+-----+-----+-----+-----+-----+-----+
| txn_id | customer_name | branch_name | transaction_type | amount | transaction_date |
+-----+-----+-----+-----+-----+-----+
| 101 | Ravi | Hyderabad | Deposit | 5000.00 | 2024-01-05 |
| 102 | Sita | Hyderabad | Withdrawal | 2000.00 | 2024-01-06 |
| 103 | Kiran | Vijayawada | Deposit | 12000.00 | 2024-01-08 |
| 104 | Anil | Vizag | Deposit | 8000.00 | 2024-01-10 |
| 105 | Priya | Hyderabad | Withdrawal | 5000.00 | 2024-01-11 |
| 106 | Ramesh | Vizag | Deposit | 15000.00 | 2024-01-12 |
| 107 | Keerthi | Vijayawada | Withdrawal | 1000.00 | 2024-01-13 |
| 108 | Rahul | Hyderabad | Deposit | 9000.00 | 2024-01-14 |
| 109 | Sneha | Vizag | Withdrawal | 4000.00 | 2024-01-15 |
| 110 | Madhu | Vijayawada | Deposit | 11000.00 | 2024-01-16 |
+-----+-----+-----+-----+-----+-----+
10 rows in set (0.01 sec)

mysql> slect *from bank_transactions
-> where transaction_type='Deposit';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that correspond
the right syntax to use near 'slect *from bank_transactions
where transaction_type='Deposit'' at line 1
mysql> select *from bank_transactions
-> where transaction_type='Deposit';
+-----+-----+-----+-----+-----+-----+
| txn_id | customer_name | branch_name | transaction_type | amount | transaction_date |
+-----+-----+-----+-----+-----+-----+
| 101 | Ravi | Hyderabad | Deposit | 5000.00 | 2024-01-05 |
| 103 | Kiran | Vijayawada | Deposit | 12000.00 | 2024-01-08 |
| 104 | Anil | Vizag | Deposit | 8000.00 | 2024-01-10 |
| 106 | Ramesh | Vizag | Deposit | 15000.00 | 2024-01-12 |
+-----+-----+-----+-----+-----+-----+

```

```
Command Prompt - mysql -u x + v

+-----+-----+-----+-----+-----+-----+
| txn_id | customer_name | branch_name | transaction_type | amount | transaction_date |
+-----+-----+-----+-----+-----+-----+
| 101 | Ravi | Hyderabad | Deposit | 5000.00 | 2024-01-05 |
| 103 | Kiran | Vijayawada | Deposit | 12000.00 | 2024-01-08 |
| 104 | Anil | Vizag | Deposit | 8000.00 | 2024-01-10 |
| 106 | Ramesh | Vizag | Deposit | 15000.00 | 2024-01-12 |
| 108 | Rahul | Hyderabad | Deposit | 9000.00 | 2024-01-14 |
| 110 | Madhu | Vijayawada | Deposit | 11000.00 | 2024-01-16 |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)

mysql> select *from bank_transactions
-> order by amount DESC;

+-----+-----+-----+-----+-----+-----+
| txn_id | customer_name | branch_name | transaction_type | amount | transaction_date |
+-----+-----+-----+-----+-----+-----+
| 106 | Ramesh | Vizag | Deposit | 15000.00 | 2024-01-12 |
| 103 | Kiran | Vijayawada | Deposit | 12000.00 | 2024-01-08 |
| 110 | Madhu | Vijayawada | Deposit | 11000.00 | 2024-01-16 |
| 108 | Rahul | Hyderabad | Deposit | 9000.00 | 2024-01-14 |
| 104 | Anil | Vizag | Deposit | 8000.00 | 2024-01-10 |
| 101 | Ravi | Hyderabad | Deposit | 5000.00 | 2024-01-05 |
| 105 | Priya | Hyderabad | Withdrawal | 5000.00 | 2024-01-11 |
| 109 | Sneha | Vizag | Withdrawal | 4000.00 | 2024-01-15 |
| 102 | Sita | Hyderabad | Withdrawal | 2000.00 | 2024-01-06 |
| 107 | Keerthi | Vijayawada | Withdrawal | 1000.00 | 2024-01-13 |
+-----+-----+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

```
15000.00 | 2024-01-12 |
+-----+-----+-----+-----+-----+-----+
+-----+-----+-----+-----+-----+-----+
10 rows in set (0.00 sec)

mysql> grant select on bank_transactions to Auditor1;
ERROR 1410 (42000): You are not allowed to create a user with GRANT
mysql> CREATE USER 'Auditor1'@'localhost' IDENTIFIED BY 'password';
Query OK, 0 rows affected (0.02 sec)

mysql> grant select on bank_transactions to Auditor1;
ERROR 1410 (42000): You are not allowed to create a user with GRANT
mysql> GRANT SELECT
-> ON bank_transactions
-> TO 'Auditor1'@'localhost';
Query OK, 0 rows affected (0.01 sec)
```

