

rishill10@ASUS16X:~/OSSP\$ tree

```
├── LICENSE
├── Makefile
├── README.md
├── assets
│   └── architecture.png
├── bin
├── docs
│   ├── design.md
│   └── report.pdf
├── include
│   ├── builtin.h
│   ├── executor.h
│   ├── parser.h
│   └── shell.h
├── obj
├── scripts
│   └── run.sh
├── src
│   ├── builtin.c
│   ├── executor.c
│   ├── main.c
│   ├── parser.c
│   └── shell.c
└── tests
    ├── test_executor.c
    └── test_parser.c
```

9 directories, 18 files

rishill10@ASUS16X:~/OSSP\$

 rishill10@ASUS16X: ~/ProcessTask

```
rishill10@ASUS16X:~$ mkdir ProcessTask
rishill10@ASUS16X:~$ cd ProcessTask
rishill10@ASUS16X:~/ProcessTask$ nano task2.c
rishill10@ASUS16X:~/ProcessTask$ gcc task2.c -o task2
rishill10@ASUS16X:~/ProcessTask$ ./task2.c
-bash: ./task2.c: Permission denied
rishill10@ASUS16X:~/ProcessTask$ ./task2
This is the Parent Process.
Parent PID=13286
Child PID=13287
This is the Child Process.
Child PID=13287
rishill10@ASUS16X:~/ProcessTask$
```



rishill10@ASUS16X: ~/ProcessTask

GNU nano 7.2

```
#include<stdio.h>
#include<unistd.h>
int main(){
pid_t pid;
pid=fork();
if(pid<0){
printf("Fork failed!\n");
}
else if(pid==0){
printf("This is the Child Process.\n");
printf("Child PID=%d\n",getpid());
}
else{
printf("This is the Parent Process.\n");
printf("Parent PID=%d\n",getpid());
printf("Child PID=%d\n",pid);
}
return 0;
}
```