Status	Finished
Started	Sunday, 25 October 2026, 11:20 AM
Completed	Sunday, 25 October 2026, 11:25 AM
Duration	5 mins 38 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Reads the file line by line
b. Deletes the file
c. Moves the file cursor to the specified position ✓
d. Writes data to the file

The correct answer is: Moves the file cursor to the specified position

Question **2**

Correct

Mark 1.00 out of 1.00

Select the correct method to write a list of lines to a file

a. None of the mentioned
b. writelist(list)
c. writelines(list) ✓
d. write(list)

The correct answer is: writelines(list)

Question **3**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

- a. \n ✓
- b. space
- c. \t
- d. ,

The correct answer is:
\n

Question **4**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

- a. A new file is created
- b. An empty file object is returned
- c. The operation is ignored
- d. An error is raised ✓

The correct answer is: An error is raised

Question **5**

Correct

Mark 1.00 out of 1.00

Which function is used to open a file in Python?

- a. open_file()
- b. open() ✓
- c. openfile()
- d. file()

The correct answer is: open()

Question **6**

Correct

Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

a. None
b. EOFError
c. 0
d. An empty string ✓

The correct answer is: An empty string

Question **7**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a.
- Move file pointer five characters behind from the current position.

b. Move file pointer five characters ahead from the beginning

c.
- Move file pointer five characters ahead from the current position. ✓

d.
- Move file pointer five characters behind ahead from the end of a file.

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **8**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

- True ✓
- False

The correct answer is 'True'.

Question **9**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for read and append, w+ is for read and write
b. r+ is for read and write, w+ is for append only
c. r+ is for read and write without truncating, w+ is for read and write with truncating ✓
d. r+ is for binary read and write, w+ is for text read and write

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **10**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the read() method
b. Using the readlines() method
c. Using the readline() method
d. Using a for loop ✓

The correct answer is: Using a for loop

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. readlines()
b. readline(size)
c. readline() ✓
d. read()

The correct answer is: readline()

Question **12**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

a. wb+
b. rw+ ✓
c. ab+
d. r

The correct answer is: rw+

Question **13**

Correct

Mark 1.00 out of 1.00

Which method is used to read file line by line

a. read(1)
b. readlines(1)
c. readline() ✓
d. line()

The correct answer is: readline()

Question **14**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. reduce()
b. resize()
c. shrink()
d. truncate() ✓

The correct answer is: truncate()

Question **15**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It clears the old data and starts fresh ✓
b. It appends data to the file
c. It does nothing
d. It raises an error

The correct answer is: It clears the old data and starts fresh