

Control | Setup

Source: <document_source>

Template Note	Pack A scaffold only: direct formulas/values, no Excel Tables, no requi
----------------------	---

Control Setup	
Field	Value
Engagement / Target	
TemplateVersion	v1.0-packA
Currency	USD
Units	\$000s
FYEndMonth (1-12)	12
LatestMonthEnd	

[illegible]

[illegible]

Control | QC

Source: <document_source>

Workbook QC Stat **PASS**

Centralized pass/fail matrix linked to check cells across all core sheets.

QC Matrix		
CheckID	CheckName	Sheet
QC_IS_NI	Combined IS net income tie-out	Combined IS
QC_IS_EBITDA	Combined IS EBITDA tie-out	Combined IS
QC_BS_BAL	Combined BS balance check	Combined BS
QC_CF_NET	Combined CF net cash tie-out	Combined CF
QC_QOFE_REV	QofE Summary revenue tie-out	QofE Summary
QC_QOFE_EB	QofE Summary EBITDA tie-out	QofE Summary
QC_QOFE_DET	QofE Detail adjusted EBITDA tie-out	QofE Detail
QC_NWC_SUM	NWC Summary tie-out	NWC Summary
QC_NWC_DET	NWC Detail tie-out	NWC Detail
QC_STRAT_BS	Stratified BS tie-out	Stratified BS
QC_NETDEBT	Net debt tie-out	Net_debt
QC_RECONS_IS	Recons IS section checks	Recons
QC_RECONS_BS	Recons BS section checks	Recons
QC_RECONS_CF	Recons CF section checks	Recons
QC_RECONS_OT	Recons Other section checks	Recons
QC_AGING_AR	AR aging tie-out check	Agings
QC_AGING_AP	AP aging tie-out check	Agings
QC_AGING_ALL	Combined aging tie-out check	Agings

CellRef	Expected	Actual	PassFlag	Severity
'Combined IS'!G28:K28	0	#VALUE!	#VALUE!	High
'Combined IS'!G29:K29	0	#VALUE!	#VALUE!	High
'Combined BS'!G28:K28	0	#VALUE!	#VALUE!	High
'Combined CF'!G28:K28	0	#VALUE!	#VALUE!	High
'QofE Summary'!G20:J20	0	0	TRUE	Med
'QofE Summary'!G21:J21	0	0	TRUE	Med
'QofE Detail'!G28:K28	0	#VALUE!	#VALUE!	Med
'NWC Summary'!G17:K17	0	0	TRUE	High
'NWC Detail'!G28:K28	0	0	TRUE	High
'Stratified BS'!G28:K28	0	0	TRUE	High
'Net_debt'!G28:K28	0	0	TRUE	High
'Recons'!H9:H13	0	#VALUE!	#VALUE!	Med
'Recons'!H18:H22	0	#VALUE!	#VALUE!	Med
'Recons'!H27:H31	0	#VALUE!	#VALUE!	Med
'Recons'!H36:H40	0	#VALUE!	#VALUE!	Med
'Agings'!J17	0	#VALUE!	#VALUE!	High
'Agings'!J33	0	#VALUE!	#VALUE!	High
'Agings'!J40	0	#VALUE!	#VALUE!	High

Template | Index

Source: <document_source>

Manifest Block

ModuleKey	ModuleName	SheetNames	Purpose
CORE_CONTROLS	Controls	Control Setup	Template controls a
CORE_DATA	Data intake	Data TB; Data	Standardized data in
CORE_MAPPING	Mappings	Map COA to L	Account and classif
CORE_FINANCIALS	Financial statements	Financials>>; C	Core financial state
CORE_QOFE	QofE	QofE>>; QofE	QofE scaffold outpu
CORE_NWC	NWC	NWC>>; NWC	NWC and stratificati
CORE_NETDEBT	Net debt	Net_debt	Net debt scaffold ou
CORE_RECONS	Reconciliations	Recons	Cross-tab reconcilia
CORE_AGINGS	Agings	Agings	AR/AP aging blocks
CORE_QC	QC dashboard	Control QC	Centralized workbo

Index Block			
-------------	--	--	--

Template Index			
Deterministic block coordinate index (fixed anchors, no named ranges required).			

Template Note	Pack A scaffold only: direct formulas/values, no Excel Tables, no		
---------------	---	--	--

Template Index			
SheetName	BlockKey	TopLeftCell	HeaderRowNumbe
Control Setup	CONTROL_SETUP_FIELDS	A7	7
Control Setup	PERIODS_BLOCK	A20	20
Template Index	MANIFEST_MAIN	A3	4
Template Index	INDEX_MAIN	A32	33
Data TB	TB_WIDE_INPUT	A8	8
Data AR Aging	AR_AGING_INPUT	A8	8
Data AP Aging	AP_AGING_INPUT	A8	8
Map COA to Lines	COA_MAP_INPUT	A8	8
Map NWC & NetDebt Class	CLASS_MAP_INPUT	A8	8

Map Entities	ENTITIES_MAP_INPUT	A8	8
Financials>>	FINANCIALS_DIVIDER	A1	1
Combined IS	IS_MAIN	A8	8
Combined IS	IS_CHECKS	A27	8
Combined BS	BS_MAIN	A8	8
Combined BS	BS_CHECKS	A27	8
Combined CF	CF_MAIN	A8	8
Combined CF	CF_CHECKS	A27	8
Entity 1 IS	ENTITY1_IS_MAIN	A8	8
Entity 1 BS	ENTITY1_BS_MAIN	A8	8
Entity 1 CF	ENTITY1_CF_MAIN	A8	8
QofE>>	QOFE_DIVIDER	A1	1
QofE Summary	QOFE_SUMMARY_MAIN	A8	8
QofE Summary	QOFE_SUMMARY_CHECKS	A19	19
QofE Detail	QOFE_DETAIL_MAIN	A8	8
QofE Detail	QOFE_DETAIL_CHECKS	A27	27
NWC>>	NWC_DIVIDER	A1	1
NWC Summary	NWC_SUMMARY_MAIN	A8	8
NWC Summary	NWC_SUMMARY_CHECKS	A16	16
NWC Detail	NWC_DETAIL_MAIN	A8	8
NWC Detail	NWC_DETAIL_CHECKS	A27	27
NWC Days	NWC_DAYS_MAIN	A8	8
NWC Days	NWC_DAYS_CHECKS	A27	27
Stratified BS	STRAT_BS_MAIN	A8	8
Stratified BS	STRAT_BS_CHECKS	A27	27
Net_debt	NETDEBT_MAIN	A8	8
Net_debt	NETDEBT_CHECKS	A27	27
Control QC	QC_MAIN	A8	8
Recons	RECONS_IS	A7	8
Recons	RECONS_BS	A16	17
Recons	RECONS_CF	A25	26
Recons	RECONS_OTHER	A34	35
Recons	RECONS_CHECKS	A43	43
Agings	AGING_AR	A7	8
Agings	AGING_AP	A23	24
Agings	AGING_CHECKS	A39	39

PrimaryInputs	Dependencies	TypicalUseCases	CanInstantiateMultiple
Manual setup	None	All deals	FALSE
Client exports	Control Setup	All deals	FALSE
TB + team mapping c	Data TB	All deals	FALSE
Control Setup; Data	Pack A tabs	All deals	TRUE
Control Setup; Data	Pack A	All deals	FALSE
Control Setup; Dat	Pack A	All deals	FALSE
Map NWC & NetDel	CORE_NWC	All deals	FALSE
Core output checks	Combined IS; Com	All deals	FALSE
Data AR Aging; Dat	Combined BS	All deals	FALSE
Check cells across c	All core modules	All deals	FALSE

FirstDataRowNumb	PeriodStartColumn	PeriodHeaderRowNun	NotesPanelTopLeftCell	OutputType
8				grid
22	A	21		grid
5				grid
34				grid
9	G	8		grid
9				grid
9				grid
9				grid
9				grid

9				grid
4				grid
9	G	8		grid
9	G	8		grid
9	G	8		grid
9	G	8		grid
9	G	8		grid
9	G	8		grid
9	G	8		grid
9	G	8		grid
9	G	8		grid
4				grid
9	G	8		grid
20	G	8		grid
9	G	8		grid
28	G	8		grid
4				grid
9	G	8		grid
17	G	8		grid
9	G	8		grid
28	G	8		grid
9	B	8		grid
28	B	8		grid
9	G	8		grid
28	G	8		grid
9	G	8		grid
28	G	8		grid
9				grid
9				grid
18				grid
27				grid
36				grid
44				grid
9				grid
25				grid
40				grid

RefreshRequired	ValidationRule
FALSE	FYEndMonth in B12; LatestMonthEnd in B13
FALSE	A22:A299 must be month-end dates
FALSE	Module keys should be stable
FALSE	Update when block anchors move
FALSE	Month columns map to Control Setup A22:A57
FALSE	Total column should equal bucket sum
FALSE	Total column should equal bucket sum
FALSE	LineKey values must be stable
FALSE	ClassKey values must be stable

FALSE	SortOrder should be sequential
FALSE	Navigation links should point to Pack B sheets
FALSE	Header row uses B8="\$'000" (units). Parse FS column
FALSE	Check values should resolve to 0
FALSE	Header row uses B8="\$'000" (units). Parse FS column
FALSE	Balance check should resolve to 0
FALSE	Header row uses B8="\$'000" (units). Parse FS column
FALSE	Check values should resolve to 0
FALSE	Header row uses B8="\$'000" (units). Parse FS column
FALSE	Header row uses B8="\$'000" (units). Parse FS column
FALSE	Header row uses B8="\$'000" (units). Parse FS column
FALSE	Navigation divider
FALSE	B8 stores units as \$'000
FALSE	Checks should resolve to 0 once linked
FALSE	B8 stores units as \$'000
FALSE	Checks should resolve to 0 once linked
FALSE	Navigation divider
FALSE	B8 stores units as \$'000
FALSE	Checks should resolve to 0 once linked
FALSE	B8 stores units as \$'000
FALSE	Checks should resolve to 0 once linked
FALSE	B8 stores units as \$'000
FALSE	Review-based check block
FALSE	B8 stores units as \$'000
FALSE	Checks should resolve to 0 once linked
FALSE	B8 stores units as \$'000
FALSE	Checks should resolve to 0 once linked
FALSE	PassFlag TRUE when check resolves
FALSE	B8 stores units as \$'000
FALSE	Section-level variances should resolve to 0
FALSE	Section-level variances should resolve to 0
FALSE	Section-level variances should resolve to 0
FALSE	Overall open fails should resolve to 0
FALSE	B8 stores units as \$'000
FALSE	B24 stores units as \$'000
FALSE	AR/AP tie-out should resolve to 0

Data | TB

Source: <document_source>

Template Note Pack A scaffold only: direct formulas/values, no Excel Tables, no required named range

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Data | AR Aging

Source: <document_source>

Template Note Pack A scaffold only: direct formulas/values, no Excel Tables, no required named ranges.

[illegible]

[illegible]

Data | AP Aging

Source: <document_source>

Template Note Pack A scaffold only: direct formulas/values, no Excel Tables, no required named ranges.

[illegible]

Map | COA to Lines

Source: <document_source>

Template Note Pack A scaffold only: direct formulas/values, no Excel Tables, no require

Map COA to Lines			
AccountNumber	AccountName	Statement	LineKey

LineName	GroupKey	SortOrder	SignMultiplier

Notes

Map | NWC & NetDebt Class

Source: <document_source>

Template Note Pack A scaffold only: direct formulas/values, no Excel Tables, no required named ranges.

Map NWC & NetDebt Class				
AccountNumber	ClassType	ClassKey	ClassName	Bucket

WorkingCapitalFlag	NetDebtFlag	SortOrder

Map | Entities

Source: <document_source>

Template Note Pack A scaffold only: direct formulas/values,

Map Entities			
EntityName	EntityCode	IncludeFlag	SortOrder

Notes

Financials>>

Navigation divider for financial statement scaffolds.

Go to Combined IS
Financials>>
Go to Combined CF
Go to Entity 1 IS
Go to Entity 1 BS
Go to Entity 1 CF

Combined IS

Source: <document_source>

Combined IS					
LineKey	\$'000	TB Account No.	Sign	Source	Comments
IS_REV	Revenue		+	TB/Map	
IS_COGS	Cost of goods sold		+	TB/Map	
IS_GP	Gross profit		+	Formula	Derived
IS_OPEX	Operating expenses		+	TB/Map	
IS_OPINC	Operating income		+	Formula	Derived
IS_INT	Interest expense		+	TB/Map	
IS_TAX	Taxes		+	TB/Map	
IS_NI	Net income		+	Formula	Main total
IS_ADD_DA	Add back: Depreciation & amortization		+	TB/Map	
IS_ADD_INT	Add back: Interest		+	TB/Map	
IS_ADD_TAX	Add back: Taxes		+	TB/Map	
IS_EBITDA	EBITDA		+	Formula	Secondary total
IS_CHECKS					
Net income tie-out					
EBITDA tie-out					

[illegible]

[illegible]

[illegible]

[illegible]

Combined BS

Source: <document_source>

Combined BS					
LineKey	\$'000	TB Account No.	Sign	Source	Comments
BS_CASH	Cash		+	TB/Map	
BS_AR	Accounts receivable		+	TB/Map	
BS_INV	Inventory		+	TB/Map	
BS_OCA	Other current assets		+	TB/Map	
BS_TCA	Total current assets		+	Formula	Derived
BS_PPE	PP&E		+	TB/Map	
BS_OTA	Other assets		+	TB/Map	
BS_TA	Total assets		+	Formula	Main total
BS_AP	Accounts payable		+	TB/Map	
BS_ACCR	Accrued liabilities		+	TB/Map	
BS_DEBT	Debt		+	TB/Map	
BS_OL	Other liabilities		+	TB/Map	
BS_TL	Total liabilities		+	Formula	Derived
BS_EQ	Equity		+	TB/Map	
BS_TLE	Total liabilities + equity		+	Formula	Derived
BS_CHECKS					
Balance check (Assets - Liabilities & Equity)					

[illegible]

[illegible]

[illegible]

[illegible]

Combined CF

Source: <document_source>

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Entity 1 IS

Source: <document_source>

Entity 1 IS					
LineKey	\$'000	TB Account No.	Sign	Source	Comments
IS_REV	Revenue		+	TB/Map	
IS_COGS	Cost of goods sold		+	TB/Map	
IS_GP	Gross profit		+	Formula	Derived
IS_OPEX	Operating expenses		+	TB/Map	
IS_OPINC	Operating income		+	Formula	Derived
IS_INT	Interest expense		+	TB/Map	
IS_TAX	Taxes		+	TB/Map	
IS_NI	Net income		+	Formula	Main total
IS_ADD_DA	Add back: Depreciation & amortization		+	TB/Map	
IS_ADD_INT	Add back: Interest		+	TB/Map	
IS_ADD_TAX	Add back: Taxes		+	TB/Map	
IS_EBITDA	EBITDA		+	Formula	Secondary total
IS_CHECKS					
Net income tie-out					
EBITDA tie-out					

[illegible]

[illegible]

[illegible]

[illegible]

Entity 1 BS

Source: <document_source>

Entity 1 BS					
LineKey	\$'000	TB Account No.	Sign	Source	Comments
BS_CASH	Cash		+	TB/Map	
BS_AR	Accounts receivable		+	TB/Map	
BS_INV	Inventory		+	TB/Map	
BS_OCA	Other current assets		+	TB/Map	
BS_TCA	Total current assets		+	Formula	Derived
BS_PPE	PP&E		+	TB/Map	
BS_OTA	Other assets		+	TB/Map	
BS_TA	Total assets		+	Formula	Main total
BS_AP	Accounts payable		+	TB/Map	
BS_ACCR	Accrued liabilities		+	TB/Map	
BS_DEBT	Debt		+	TB/Map	
BS_OL	Other liabilities		+	TB/Map	
BS_TL	Total liabilities		+	Formula	Derived
BS_EQ	Equity		+	TB/Map	
BS_TLE	Total liabilities + equity		+	Formula	Derived
BS_CHECKS					
Balance check (Assets - Liabilities & Equity)					

[illegible]

[illegible]

[illegible]

Entity 1 CF

Source: <document_source>

[illegible]

[illegible]

[illegible]

[illegible]

QofE>>

[Go to QofE | Summary](#)

[Go to QofE | Detail](#)

QofE Summary

Source: <document_source>

QofE Summary				
LineKey	\$'000	TB Account No.	Sign	Source
Q_REV_REP	Revenue - Reported		+	Input
Q_REV_DD	Revenue - DD Adj		+	Input
Q_REV_PF	Revenue - PF Adj		+	Input
Q_REV_ADJ	Revenue - Adjusted		+	Formula
Q_EB_REP	EBITDA - Reported		+	Input
Q_EB_DD	EBITDA - DD Adj		+	Input
Q_EB_PF	EBITDA - PF Adj		+	Input
Q_EB_ADJ	EBITDA - Adjusted		+	Formula
Q_MARGIN	EBITDA Margin %		+	Formula
QOFE_SUMMARY_CHECKS				

Revenue tie-out vs QofE Detail

EBITDA tie-out vs QofE Detail

Comments	FY-3	FY-2	FY-1	TTM
Derived				
Derived				
Derived				

QofE Detail

Source: <document_source>

[illegible]

NWC>>

Go to NWC Summary
Go to NWC Detail
Go to NWC Days
Go to Stratified BS
Go to Net_debt

NWC Summary

Source: <document_source>

NWC Summary				
LineKey	\$'000	TB Account No.	Sign	Source
NWC_REP	Reported NWC		+	Input
NWC_DD	DD Adjustment		+	Input
NWC_PF	PF Adjustment		+	Input
NWC_ADJ	Adjusted NWC		+	Formula
NWC_SALES	Sales (TTM)		+	Input
NWC_PCT	NWC % Sales		+	Formula

NWC_SUMMARY_CHECKS

Adjusted NWC tie-out vs NWC Detail

Comments	FY-2 YE	FY-1 YE	Latest ME	FY-2 Avg	FY-1 Avg	TTM Avg
Derived						
Derived						

NWC Detail

Source: <document_source>

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

NWC Days

Source: <document_source>

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Stratified BS

Source: <document_source>

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Net Debt

Source: <document_source>

[illegible]

[illegible]

Recons

Source: <document_source>

Cross-tab reconciliation mini-grids for IS, BS, CF, and other tie-outs.

Recons IS				
LineKey	\$'000	TB Account No.	Source value	Databook value
R_IS_REV	Revenue			
R_IS_NI	Net income			
R_IS_EBITDA	EBITDA			
R_IS_OPEX	Operating expenses			
R_IS_OTHER	Other IS line			

Recons BS				
LineKey	\$'000	TB Account No.	Source value	Databook value
R_BS_TA	Total assets			
R_BS_TL	Total liabilities			
R_BS_EQ	Equity			
R_BS_TLE	Liabilities + equity			
R_BS_OTHER	Other BS line			

Recons CF				
LineKey	\$'000	TB Account No.	Source value	Databook value
R_CF_NET	Net cash flow			
R_CF_OP	Operating cash flow			
R_CF_INV	Investing cash flow			
R_CF_FIN	Financing cash flow			
R_CF_OTHER	Other CF line			

Recons Other				
LineKey	\$'000	TB Account No.	Source value	Databook value
R_OTH_AR	AR aging to BS			
R_OTH_AP	AP aging to BS			
R_OTH_NWC	NWC Summary to NWC Detail			
R_OTH_ND	Net debt to Stratified BS			
R_OTH_MISC	Other tie-out			

RECONS_CHECKS			
Open recon fails (should be 0)			
Absolute variance sum (should be 0)			

Variance	Explanation	Check (=0)	Status

Variance	Explanation	Check (=0)	Status

Variance	Explanation	Check (=0)	Status

Variance	Explanation	Check (=0)	Status

		-	PASS
		#VALUE!	#VALUE!

Agings

Source: <document_source>

AR/AP aging scaffolds with canonical buckets and control tie-out checks.

Aging AR					
LineKey	\$'000	Counterparty ID	Current	1-30	31-60
AR_001	Top customer 1	AR101			
AR_002	Top customer 2	AR102			
AR_003	Top customer 3	AR103			
AR_004	Top customer 4	AR104			
AR_005	Top customer 5	AR105			
AR_006	Top customer 6	AR106			
AR_TOTAL	Total AR aging				
AGING_AR_CHECKS					
AR aging tie-out vs AR control					
AR_CONTROL	AR control account (from Combined BS)				

Aging AP					
LineKey	\$'000	Counterparty ID	Current	1-30	31-60
AP_001	Top vendor 1	AP101			
AP_002	Top vendor 2	AP102			
AP_003	Top vendor 3	AP103			
AP_004	Top vendor 4	AP104			
AP_005	Top vendor 5	AP105			
AP_006	Top vendor 6	AP106			
AP_TOTAL	Total AP aging				
AGING_AP_CHECKS					
AP aging tie-out vs AP control					
AP_CONTROL	AP control account (from Combined BS)				

AGING_CHECKS					
Combined AR/AP tie-out check					

61-90	91-120	>120	Total	Source
				Input
				Input
				Input
				Input
				Input
				Input
				Formula
				Should be 0
				Input/Link

61-90	91-120	>120	Total	Source
				Input
				Input
				Input
				Input
				Input
				Input
				Formula
				Should be 0
				Input/Link

				Should be 0
--	--	--	--	-------------