Test Cases – Event Management System

Test Case ID	Req ID	Test Scenario	Preconditions	Test Steps	Expected Result	Priority	Status
TC01	FR-01	Register as Attendee with valid credentials	User is on registration page	1. Open Sign Up. 2. Select Attendee role. 3. Enter valid name, email, password. 4. Submit.	Account created and user routed to Attendee browsing dashboard.	High	Not Executed
TC02	FR-01	Register as Organizer with valid credentials	User is on registration page	1. Open Sign Up. 2. Select Organizer role. 3. Enter valid name, email, password. 4. Submit.	Account created and user routed to Organizer event creation dashboard.	High	Not Executed
TC03	FR-01	Prevent duplicate email registration	An account with email test@example.com exists	1. Fill registration with test@example.com. 2. Submit.	System rejects registration and displays 'Email already registered' error.	High	Not Executed
TC04	FR-01	Restrict Attendee from Organizer dashboard	User is logged in as Attendee	1. Manually navigate to /organizer/dashboard. 2. Attempt access.	Access denied (HTTP 403 / redirect to Attendee dashboard).	High	Not Executed
TC05	FR-02	Create and publish valid event	Organizer is logged in	1. Open Event Creator. 2. Enter title, date, time, venue, capacity (100), price ($20). 3. Click Publish.	Event is published and immediately visible on public listings.	High	Not Executed
TC06	FR-02	Reject event creation with missing capacity limit	Organizer is logged in	1. Fill event details leaving capacity empty. 2. Click Publish.	System blocks publication with 'Capacity limit is required' validation message.	High	Not Executed
TC07	FR-02	Prevent publishing event with past date	Organizer is logged in	1. Enter event details with date set to yesterday. 2. Click Publish.	System rejects event and displays date validation error.	High	Not Executed
TC08	FR-02	Update published event details	Event is published and Organizer is logged in	1. Open event editor. 2. Modify description and venue. 3. Save changes.	Event details updated successfully and reflected publicly.	Medium	Not Executed
TC09	FR-03	Filter events by category	Events exist across 'Tech' and 'Music' categories	1. Navigate to Events page. 2. Select 'Tech' category filter.	Only active events in the 'Tech' category are displayed.	Medium	Not Executed
TC10	FR-03	Filter events by date range	Active events scheduled across various dates exist	1. Select date range filter (e.g. Next 7 Days).	Only events scheduled within selected date range are returned.	Medium	Not Executed
TC11	FR-03	Exclude expired and canceled events from search	Expired and canceled events exist in database	1. Perform keyword search on main events page.	Expired and canceled events do not appear in default search results.	High	Not Executed
TC12	FR-04	Immediate ticket capacity decrement on checkout hold	Event has 50 tickets available	1. Attendee selects 2 tickets and clicks Checkout.	Available ticket count drops from 50 to 48 immediately.	High	Not Executed
TC13	FR-04	Block ticket request exceeding available capacity	Event has 1 ticket remaining	1. Attendee attempts to purchase 2 tickets.	System blocks checkout with 'Only 1 ticket remaining' alert.	High	Not Executed

Test Case ID	Req ID	Test Scenario	Preconditions	Test Steps	Expected Result	Priority	Status
TC14	FR-04	Release held seats on checkout timeout	Attendee placed 2 tickets on hold	1. Wait until checkout hold timer expires without paying.	Held tickets are released and event capacity returns to previous count.	High	Not Executed
TC15	FR-05	Validate contact details during checkout	Attendee is at checkout contact stage	1. Enter invalid email (missing @). 2. Click Continue.	System halts progression with 'Please enter a valid email address' alert.	Medium	Not Executed
TC16	FR-05	Accept valid attendee contact information	Attendee is at checkout contact stage	1. Enter valid full name, email, and phone number. 2. Click Continue.	Contact details verified and attendee proceeds to payment screen.	Medium	Not Executed
TC17	FR-06	Process successful payment and generate ticket	Tickets held, valid test payment token provided	1. Submit payment. 2. Gateway returns charge approval.	Unique Ticket UUID and QR code generated; confirmation email dispatched.	High	Not Executed
TC18	FR-06	Handle declined payment gracefully	Tickets held, card declined by gateway	1. Submit invalid card/declined charge.	Hold released back to inventory; error message displayed with retry option.	High	Not Executed
TC19	FR-06	Ensure unique UUID on generated tickets	Multiple concurrent successful ticket purchases	1. Verify generated ticket IDs in database.	Each issued ticket possesses a distinct, non-overlapping UUID.	High	Not Executed
TC20	FR-07	Cancel registration and void ticket ID	Attendee has active ticket for upcoming event	1. Open My Tickets. 2. Select ticket. 3. Click Cancel Registration. 4. Confirm.	Ticket ID is voided, capacity increases by 1, and confirmation is sent.	Medium	Not Executed
TC21	FR-07	Process refund to original payment method	Attendee cancels eligible ticket	1. Execute confirmed cancellation.	Refund is initiated through payment gateway back to original payment method.	Medium	Not Executed
TC22	FR-07	Prevent cancellation of past event ticket	Event finished yesterday	1. Attempt to click Cancel on finished event ticket.	System disables cancellation and displays 'Event has already concluded'.	Medium	Not Executed
TC23	FR-08	Export clean attendee manifest as CSV	Event has 15 confirmed attendees and 2 canceled	1. Organizer clicks 'Download Manifest'.	CSV downloads containing exactly the 15 confirmed attendees.	Medium	Not Executed
TC24	FR-08	Exclude canceled attendees from manifest	Event has canceled registrations	1. Inspect downloaded CSV manifest.	Canceled tickets and attendee records are completely excluded from manifest.	High	Not Executed
TC25	FR-08	Restrict manifest download to event owner	User B is not organizer of Event A	1. User B sends GET request to manifest endpoint for Event A.	Access denied (HTTP 403 Forbidden).	High	Not Executed
TC26	FR-09	Suspend fraudulent event by Platform Admin	Admin is logged into moderation console	1. Open reported event. 2. Click Suspend Event. 3. Confirm.	Event immediately disappears from public listings and sales are halted.	High	Not Executed
TC27	FR-09	Block direct URL checkout on suspended event	Event is in suspended status	1. Attendee visits direct event URL. 2. Attempt to checkout.	Checkout is blocked with 'This event has been suspended' notice.	High	Not Executed
TC28	FR-09	Suspend entire Organizer account	Organizer account violates terms of service	1. Admin clicks Suspend Organizer. 2. Confirm.	Organizer cannot log in and all their published events are de-listed.	High	Not Executed
TC29	NFR-01	Checkout response under simulated load	Simulate 500 concurrent checkout requests	1. Execute automated load test against checkout endpoint.	Sub-3-second response times maintained without server timeout.	High	Not Executed
TC30	NFR-01	Search page latency under standard traffic	100 active events in database	1. Perform event search and filter operations.	Search results returned in under 2 seconds.	High	Not Executed

Test Case ID	Req ID	Test Scenario	Preconditions	Test Steps	Expected Result	Priority	Status
TC31	NFR-02	Payment card tokenization verification	Attendee completes checkout with test credit card	1. Inspect database logs and storage records.	No plain-text credit card numbers stored; only gateway token and last 4 digits present.	High	Not Executed
TC32	NFR-02	PCI-DSS compliance log audit	Complete multiple test payment transactions	1. Audit application server logs for PAN/CVV.	Sensitive authentication data (CVV/PIN) is never logged or cached.	High	Not Executed
TC33	NFR-03	ACID concurrent booking transaction test	Event has exactly 1 remaining seat	1. Two attendees submit checkout simultaneously for the last seat.	ACID transaction guarantees exactly 1 purchase succeeds; 2nd gets graceful failure.	High	Not Executed
TC34	NFR-03	Rollback inventory hold on transaction failure	Database error simulated during ticket record creation	1. Complete payment authorization but trigger database exception.	Transaction rolls back safely; ticket count not corrupted.	High	Not Executed
TC35	NFR-04	Mobile viewport responsive checkout	Viewport set to mobile dimensions (375x667)	1. Complete full booking flow on mobile device emulator.	Layout adapts with touch-friendly buttons and no horizontal scrolling.	Medium	Not Executed
TC36	NFR-05	Payment gateway provider decoupling	Payment service abstraction layer in place	1. Switch payment gateway provider configuration.	Payment service logic switches without modifying core inventory database schema.	Low	Not Executed