

SKILL-8

1. To Detect Variable References, Expand Values, Handle Undefined Variables, Update Tokens, Support Nested Variables, Test Expansion Logic.

To Identify Built-ins, Create Dispatch Table, Execute In-Process Commands, Handle Invalid Commands, Maintain State, Test Dispatch Logic.

```
rishitha@Rishitha: ~/skill8
rishitha@Rishitha:~$ mkdir skill8
rishitha@Rishitha:~$ cd skill8
rishitha@Rishitha:~/skill8$ pwd
/home/rishitha/skill8
rishitha@Rishitha:~/skill8$ nano variable_expand.c
rishitha@Rishitha:~/skill8$ gcc variable_expand.c -o variable_expand
rishitha@Rishitha:~/skill8$ ./variable_expand
Skill-8 Variable Expansion
Enter text: My home is $HOME
Original : My home is $HOME
Expanded : My home is /home/rishitha
rishitha@Rishitha:~/skill8$ ./variable_expand
Skill-8 Variable Expansion
Enter text: Home directory: ${HOME}
Original : Home directory: ${HOME}
Expanded : Home directory: /home/rishitha
rishitha@Rishitha:~/skill8$ ./variable_expand
Skill-8 Variable Expansion
Enter text: Current user: $USER
Original : Current user: $USER
Expanded : Current user: rishitha
rishitha@Rishitha:~/skill8$ ./variable_expand
Skill-8 Variable Expansion
Enter text: ./variable_expand
Original : ./variable_expand
Expanded : ./variable_expand
rishitha@Rishitha:~/skill8$ ./variable_expand
Skill-8 Variable Expansion
Enter text: Value: $XYZ123
Original : Value: $XYZ123
Expanded : Value: $XYZ123
rishitha@Rishitha:~/skill8$ ./variable_expand
Skill-8 Variable Expansion
Enter text: User=$USER Home=$HOME
Original : User=$USER Home=$HOME
Expanded : User=rishitha Home=/home/rishitha
rishitha@Rishitha:~/skill8$ ./variable_expand
Skill-8 Variable Expansion
Enter text: Welcome $USER to $HOME directory
Original : Welcome $USER to $HOME directory
Expanded : Welcome rishitha to /home/rishitha directory
```

```
rishitha@Rishitha: ~/skill8
rishitha@Rishitha:~/skill8$ nano builtin.c
rishitha@Rishitha:~/skill8$ gcc builtin.c -o builtin
rishitha@Rishitha:~/skill8$ ./builtin
Skill-8 Built-in Command Dispatcher
skill8$ pwd
/home/rishitha/skill8
skill8$ echo Hello Skill 8
Hello Skill 8
skill8$ help

Built-in commands:
  cd <directory> - Change directory
  pwd           - Show current directory
  echo <text>    - Display text
  help         - Show help
  exit         - Exit shell
skill8$ ^C
rishitha@Rishitha:~/skill8$ ./builtin
Skill-8 Built-in Command Dispatcher
skill8$ pwd
/home/rishitha/skill8
skill8$ help

Built-in commands:
  cd <directory> - Change directory
  pwd           - Show current directory
  echo <text>    - Display text
  help         - Show help
  exit         - Exit shell
skill8$ cd..
Invalid command: cd..
skill8$ pwd
/home/rishitha/skill8
skill8$ cd
cd: missing argument
skill8$ cd..
Invalid command: cd..
skill8$ pwd
/home/rishitha/skill8
skill8$ hello
Invalid command: hello
```

```
Invalid command: hello
skill8$ pwd
/home/rishitha/skill8
skill8$ exit
Exiting Skill-8 shell...
rishitha@Rishitha:~/skill8$ |
```