

ALERT 4.0 GOVERNMENT - API Documentation

This document outlines the core backend microservice APIs and their corresponding usage across the frontend application pages.

1. Incident Service (/api/v1/incidents)

Service: incident-service (Port 8083) | **Database:** MongoDB / Oracle

HTTP Method	Endpoint	Description	Frontend Page Usage
POST	/api/v1/incidents	Creates a new disaster incident.	Village / Create Incident (/village/create-incident)
GET	/api/v1/incidents	Fetches all active incidents.	Dashboard Views (/state/dashboard, /collector/dashboard)
GET	/api/v1/incidents/taluk/{taluk}	Fetches incidents for a specific taluk.	Taluk Dashboard (/taluk/dashboard)
GET	/api/v1/incidents/{id}	Fetches details of a specific incident.	View Incident Details (/village/update-status)
PUT	/api/v1/incidents/{id}/status	Escalates or updates incident status.	View Incident Details (/village/update-status)
GET	/api/v1/incidents/stats	Fetches aggregate statistics of incidents.	Analytics Dashboards

2. AI Service (/api/v1/ai)

Service: ai-service (Java Proxy, Port 8089) & alertgov-ai (Python Llama3, Port 8000)

HTTP Method	Endpoint	Description	Frontend Page Usage
			Taluk / Incident

GET	/api/v1/ai/predict/{incidentId}	Generates AI severity analysis for an incident.	Verification (/taluk/verify-incident)
GET	/api/v1/ai/weather-advisory	Fetches live weather data & generates AI advisory.	State / AI Prediction (/state/prediction)

3. Approval Service (/api/v1/approvals)

Service: approval-service (Port 8085)

HTTP Method	Endpoint	Description	Frontend Page Usage
GET	/api/v1/approvals/broadcasts/pending	Fetches pending broadcasts requiring approval.	State / Broadcast Queue (/state/broadcast-queue)
POST	/api/v1/approvals/broadcasts/{id}/approve	Approves and dispatches a broadcast.	State / Broadcast Queue (/state/broadcast-queue)

4. Alert / Broadcast Service (/api/v1/alerts)

Service: alert-service (Port 8084)

HTTP Method	Endpoint	Description	Frontend Page Usage
POST	/api/v1/alerts/broadcast	Submits a new broadcast to the queue.	Collector / Issue Advisory (/collector/broadcast)
GET	/api/v1/alerts	Fetches all active and past alerts.	Public / Live Alerts Map

5. Analytics Service (/api/v1/analytics)

Service: analytics-service (Port 8088)

HTTP			
------	--	--	--

Method	Endpoint	Description	Frontend Page Usage
GET	/api/v1/analytics/district/weekly-chart	Fetches weekly incident charts for a district.	Collector Dashboard (/collector/dashboard)
GET	/api/v1/analytics/executive/taluk-performance	Fetches response time metrics across taluks.	State Dashboard (/state/dashboard)

6. User & Reference Service (/api/v1/users & /api/v1/reference)

Service: user-service (Port 8082)

HTTP Method	Endpoint	Description	Frontend Page Usage
GET	/api/v1/reference/districts	Fetches state geographical data.	Registration / Onboarding
GET	/api/v1/users/profile/{username}	Fetches user roles and access levels.	App Header / Settings

7. Notification Service (/api/v1/notifications)

Service: notification-service (Port 8087) | **Database:** WebSockets

HTTP Method	Endpoint	Description	Frontend Page Usage
GET	/api/v1/notifications/user/{userId}	Fetches unread notifications for a user.	Global Notification Bell (All Pages)
PUT	/api/v1/notifications/{id}/read	Marks a notification as read.	Global Notification Dropdown