Status	Finished
Started	Wednesday, 28 October 2026, 10:59 PM
Completed	Wednesday, 28 October 2026, 11:08 PM
Duration	8 mins 57 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which function helps to merge dictionary 'D1' and 'D2'?

a. append
b. merge
c. get
d. update ✓

Question **2**

Correct

Mark 1.00 out of 1.00

____ datatype fall under mapping.

a. List
b. Dictionary ✓
c. String
d. Tuple

Question **3**

Correct

Mark 1.00 out of 1.00

____ function returns the number of key: value pairs of the dictionary.

a. total
b. length
c. items
d. len ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Dictionary is a ____ data type.

a. Ordered
b. Sequence
c. Mapping ✓
d. None of the mentioned

Question **5**

Correct

Mark 1.00 out of 1.00

In Python, Dictionaries are immutable

Select one:

True
False ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Which function/statement delete the dictionary from the memory?

a. pop
b. clear
c. del ✓
d. delete

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?

```
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)
```

a. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓
b. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]
c. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]
d. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

Question **8**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

a. d.len()

b. len(d) ✓

c. d.size()

d. size(d)

Question **9**

Incorrect

Mark 0.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys or same values but cannot have two same key-value pair ✗

b. A python, a dictionary can neither have two same keys nor two same values.

c. A dictionary can have two same keys with different values.

d. A dictionary can have two same values with different keys.

Question **10**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **11**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

a. D1.disp(7)
b. D1.pop(7)
c. D1.get(7) ✓
d. D1.values(7)

Question **12**

Correct

Mark 1.00 out of 1.00

Which function/statement delete all the items of the dictionary?

a. del
b. pop( )
c. delete( )
d. clear( ) ✓

Question **13**

Correct

Mark 1.00 out of 1.00

_____ function returns the value corresponding to the key passed as the argument.

a. get ✓
b. update
c. del
d. values

Question **14**

Correct

Mark 1.00 out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

a. list ✓
b. tuple
c. string
d. dictionary

Question **15**

Incorrect

Mark 0.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

- a. dictionary ✕
- b. create
- c. dict
- d. convert