Status	Finished
Started	Tuesday, 27 October 2026, 9:17 PM
Completed	Tuesday, 27 October 2026, 9:35 PM
Duration	17 mins 40 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Complete

Mark 1.00 out of 1.00

choose a valid Python if statement :

- [x] a. if a>=2 :
- [ ] b. if (a >= 2)
- [ ] c. if (a => 22)

Question **2**

Complete

Mark 1.00 out of 1.00

Ahaana wants to make a fun program , if user enters any number a “Good” or “funny” message will appear . She is confused that which is the most suitable control to be used to make such program. Help her to choose correct option.

- a. Nested if
- b. if else
- c. if elif
- d. If

Question **3**

Complete

Mark 1.00 out of 1.00

Can we write if/else into one line in python?

- a. No
- b. Yes

Question **4**

Complete

Mark 1.00 out of 1.00

Python supports _____ types of control structures.

- a. 1
- b. 3
- c. 2
- d. 4

Question **5**

Complete

Mark 1.00 out of 1.00

Can we write if/else into one line in python?

- a. No
- b. Yes

Question **6**

Complete

Mark 1.00 out of 1.00

What will be the output?

```
a=11
b=5
if (a%b==0):
    print ( "hello")
if (a//b==0):
    print ( "hi")
else:
    print ("python")
```

- a. python
- b. hi
- c. hello

Question **7**

Complete

Mark 1.00 out of 1.00

What is the output of the following code :

```
x=True
y=False
z=False
if x or y and z:
    print("YES")
elif x and y or z:
    print("yes")
else:
    print("no")
```

- a. YES
- b. yes
- c. Error
- d. no

Question **8**

Complete

Mark 1.00 out of 1.00

```
x,y=1,2
if(x or y):
   print("1")
else:
   print("0")
```

- a. Runtime error
- b. 1
- c. 0
- d. Compile time error

Question **9**

Complete

Mark 1.00 out of 1.00

What will be the output of the given code?

```
x,y=1,1
if(x ==y):
    print("equal")
if(x>y):
    print("1")
else:
    print("0")
```

a. 0

b. equal
0

c. 1

d. equal

Question **10**

Complete

Mark 1.00 out of 1.00

Which of the following is true about the code below?

```
x = 3
if (x > 2):
    x = x * 2;
if (x > 4):
    x = 0;
print(x)
```

a. if x is greater than 2, the value in x will be doubled after this code executes

b. x will always equal 0 after this code executes for any value of x

c. if x is greater than 2, x will equal 0 after this code executes

d. if x is lesser then 0,x will be 0 after this code executes

Question **11**

Complete

Mark 1.00 out of 1.00

What does the arithmetic operator % do?

a. Finds the sum of two numbers

b. Finds the quotient on dividing two numbers

c. Finds the remainder on dividing two numbers

d. Finds the product of two numbers

Question **12**

Complete

Mark 0.00 out of 1.00

Which of the following options correctly prints the phrase "Hurry Up!!"?

a. print("Hurry Up!!")

b. print(Hurry Up!!!)

c. print_sentence(Hurry Up!!!)

d. printf("Hurry Up!!")

Question **13**

Complete

Mark 1.00 out of 1.00

What is the output of the given below program?

```
if 1 + 3 == 7:
    print("Hello")
else:
    print("Know Program")
```

a. Know Program

b. Compiled Successfully, No Output

c. Error

d. Hello

Question **14**

Complete

Mark 1.00 out of 1.00

What is the output of the following code.

```
a=90
if a>100:
    if(a<=90 and a==90):
        print("REC")
    else:
        print("OPEN-ELECTIVE")
```

a. REC
OPEN-ELECTIVE

b. OPEN-ELECTIVE

c. REC

d. No output

Question **15**

Complete

Mark 1.00 out of 1.00

Which among the following codes have equivalent logic?

Code 1:

```
if(value3>1000 and value3<1006):
  if(value1=="ABC"):
    if(value2=="A"):
      value4=10
    else:
      value4=8
  elif(value1=="XYZ"):
    if(value2=="A"):
      value4=8
    else:
      value4=6
print(value4)
```

Code 2:

```
if(value3>=1001 and value3<=1005 and value1=="ABC"):
    if(value2=="A"):
        value4=10
    else:
        value4=8
elif(value3>1000 and value3<1006 and value1=="XYZ"):
     if(value2=="A"):
        value4=8
     else:
        value4=6
print(value4)
```

Code 3:

```
if(value3>1000 and value3<1006 or value1=="ABC"):
   if(value2=="A"):
      value4=10
   else:
      value4=8
elif(value3>1000 and value3<1006 or  value1=="XYZ"):
   if(value2=="A"):
      value4=8
   else:
      value4=6
print(value4)
```

a. Code 1, Code 2

b. Code 1, Code 3

c. Code 2, Code 3