Status	Finished
Started	Wednesday, 28 October 2026, 10:37 PM
Completed	Wednesday, 28 October 2026, 10:43 PM
Duration	6 mins 30 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

a. [(55,33,11)]

b. [55, 33, 11] ✓

c. ([55,33,11])

d. (55,33,11)

Question **2**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

```
a=(15,16,17,18,19,25)
print((a[1:-1]))
```

a. (16,17,18)

b. (16,17,18,19) ✓

c. Error

d. (25,19,18,17)

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

- a. i,ii ✓
- b. iii
- c. All of the above
- d. ii

Question **4**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

- a. {'rec', 1, ('cse', 'ece')} ✓
- b. {'rec', True, ('cse', 'ece')}
- c. Error
- d. {'rec', 1, ('cse', 'ece'),True}

Question **5**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

- a. In Python, a tuple can contain only strings as its elements.
- b. In Python, a tuple can contain only integers as its elements.
- c. In Python, a tuple can contain either string or integer but not both at a time.
- d. In Python, a tuple can contain both integers and strings as its elements. ✓

Question **6**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

- a. True ✓
- b. False

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

- a. {}
- b. {2,5,1}
- c. {2,5,3,1}
- d. {3} ✓

Question **8**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

- a. A new set will be created with the elements of both set1 and set2
- b. Elements of set1 will get appended to set2
- c. Elements of set2 will get appended to set1
- d. A new set will be created with the unique elements of set1 and set2. ✗

Question **9**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

- a. (11, 3, 11, 3, 11, 3) ✓
- b. (11,3)(11,3)(11,3)
- c. (11,3,11,11,3,11,11,11,3)
- d. [11,11,11,3,3,3]

Question **10**

Correct

Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

- a. No, No
- b. Yes, No ✓
- c. "==" is not supported for set in Python
- d. Yes, Yes

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

- a. (12)
- b. Error ✓
- c. (55,78,64,25)
- d. 12

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

- a. ii,iv
- b. iii,iv
- c. i,iii ✓
- d. i,ii

Question **13**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

- a. (Computer)
- b. () ✓
- c. Computer
- d. Error

Question **14**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. (1, 4, 8)

b. [1, 2, 4, 3, 8, 9]

c. [2, 3, 9]

d. [1, 4, 8] ✓

Question **15**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

a. Error

b. True

c. False ✓

d. Error