





Optical detectors say Hallo




Student Name	Roll No	Enrollment No
Rishu Rajan	45	2403031460689
Mayuri	39	2403031460755
Shradha	69	2403031460315
Ankush	60	2403031461062

Project tool -



Circuit Connection :



Project Code :

```
// Eazytronic.com
#include <Servo.h> // servo library
Servo s1;
const int trigPin = 10;
const int echoPin = 9;
long duration;
int distanceCm, distanceInch;
void setup()
{

Serial.begin(9600);
pinMode(trigPin, OUTPUT);
pinMode(echoPin, INPUT);

s1.attach(3); // Servo Motor
```

```
}  
void loop()  
{  
  digitalWrite(trigPin, LOW);  
  delayMicroseconds(2);  
  digitalWrite(trigPin, HIGH);  
  delayMicroseconds(10);  
  digitalWrite(trigPin, LOW);  
  duration = pulseIn(echoPin, HIGH);  
  distanceCm= duration*0.034/2;  
  distanceInch = duration*0.0133/2;  
  Serial.println("Distance: ");  
  Serial.println(distanceCm);  
  delay(50);  
  
  if(distanceCm <50)  
  {  
  
    s1.write(90);  
    delay(400);  
    s1.write(0);  
    delay(400);  
    s1.write(90);  
    delay(400);  
    s1.write(0);  
    delay(800);  
  
  }  
  
  else  
  {  
    s1.write(0);  
    delay(10);  
  }  
}
```

}
}