# Experiment 2

## Title

Design a landing page for a fictional product or service using HTML, CSS, and Bootstrap. Include a hero section, product descriptions, pricing plans, and a contact form. Make it mobile friendly with Bootstrap grid system.

## Theory:

A landing page is a single, focused web page designed to present a product, service, or idea to users in a clear and visually appealing manner. The primary objective of a landing page is to capture user attention, communicate value effectively, and encourage a specific action such as sign-up, inquiry, or purchase. Landing pages are widely used in modern web development for marketing, product launches, and service promotion

**HTML (HyperText Markup Language)**

HTML is the standard markup language used to structure web content. It defines the layout and elements of a web page such as headings, paragraphs, images, links, forms, and sections. In a landing page, HTML is used to create key components like the hero section, product descriptions, pricing tables, and contact forms. Semantic HTML elements improve accessibility and search engine optimization.

**CSS (Cascading Style Sheets)**

CSS is used to control the visual presentation of HTML elements. It allows developers to apply styles such as colors, fonts, spacing, alignment, and layouts. In a landing page, CSS enhances the overall look and feel, ensures consistency in design, and improves user experience. Custom CSS can be used along with Bootstrap styles to achieve a unique and professional appearance

**Bootstrap Framework**

Bootstrap is an open-source front-end framework that simplifies responsive web design. It provides predefined CSS classes and JavaScript components that help in building modern, mobile-first websites quickly. Bootstrap includes ready-made components such as navigation bars, buttons, cards, forms, and pricing layouts which are commonly used in landing pages.

**Hero Section**

The hero section is the topmost part of a landing page and serves as the first visual interaction for users. It typically contains a prominent heading, a short description, and a call-to-action button. The hero section plays a crucial role in grabbing user attention and clearly communicating the purpose of the product or service.

**Product Description Section**

This section provides detailed information about the product or service, highlighting its features, benefits, and unique selling points. Clear and concise descriptions help users understand the value offered and build trust. Bootstrap cards and grid layouts are often used to present product information in a structured manner.

**Pricing Plans**

Pricing plans display the cost structure of the product or service in a transparent and organized format. This section commonly uses columns to compare different plans side by side. Bootstrap's grid system enables easy alignment of pricing cards, making the section visually balanced and readable on all screen sizes.

**Contact Form**

A contact form allows users to communicate with the service provider. It typically includes input fields such as name, email, message, and a submit button. Bootstrap form classes ensure proper alignment, validation, and responsiveness, improving usability across devices.

**Responsive Design Using Bootstrap Grid System**

Responsive web design ensures that a web page adapts to different screen sizes such as desktops, tablets, and mobile phones. Bootstrap's grid system is based on a 12-column layout that adjusts automatically according to screen width. By using grid classes like col-sm, col-md, and col-lg, developers can create mobile-friendly layouts without writing complex CSS.

## Procedure

1. Create index.html file.
2. Add Bootstrap CDN in <head>:

   ```
   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
   rel="stylesheet">
   ```

3. Create hero section:

   ```
   <div class="container text-center py-5">
     <h1>My Product</h1>
     <p>Amazing solution for modern problems</p>
   </div>
   ```

4. Add product cards using Bootstrap grid.
5. Add pricing section using cards.
6. Create contact form using Bootstrap forms.

# Output:

Landing page Desktop view :-







127.0.0.1:5500/index%20copy.html
Action required
Cloudify
✓ 1 Project
✓ Basic Monitoring
✓ Email Support
Choose Plan
✓ Unlimited Projects
✓ Advanced Analytics
✓ Priority Support
Most Popular
✓ Dedicated Manager
✓ Custom Integrations
✓ 24/7 Support
Contact Sales
Contact Us
Have questions? We'd love to hear from you.
Name
Your name
Email
you@example.com
Message
Your message
Send Message
Activate Windows
Go to Settings to activate Windows.
© 2026 Cloudify. All rights reserved.

Mobile View :-


127.0.0.1:5500/index%20copy.html
Cloudify
Cloudify
Simplify, monitor, and scale your cloud infrastructure effortlessly.
Get Started
Why Choose Cloudify?
Powerful tools designed for modern teams
Cloud Monitoring
Real-time analytics and alerts for all your cloud services.


127.0.0.1:5500/index%20copy.html
Cloudify
Contact Sales
Contact Us
Have questions? We'd love to hear from you.
Name
Your name
Email
you@example.com
Message
Your message
Send Message
© 2026 Cloudify. All rights reserved.

## Conclusion:

Using HTML, CSS, and Bootstrap, a responsive and visually appealing landing page can be designed efficiently. Bootstrap simplifies layout management and ensures mobile friendliness, making it an ideal framework for modern web development.

**Question:**

1. What is a landing page?
2. How do you make images and videos responsive in Bootstrap?
3. What is the difference between margin and padding

1. Landing Page: A standalone web page created specifically for a marketing or advertising campaign. It is designed with a single focus or goal, known as a Call to Action (CTA), such as signing up for a newsletter or buying a product.
2. Responsive Media in Bootstrap:
   Images: Add the class .img-fluid. This applies max-width: 100%; and height: auto; so the image scales with the parent element.
   Videos: Wrap the embed (like an <iframe> or <video>) in a container with the class .ratio and a specific aspect ratio class (e.g., .ratio-16x9).

Margin vs. Padding:

3. Margin: The space outside the border of an element. It creates distance between the element and its neighbors.
   Padding: The space inside the border, between the element's content and its border. It increases the clickable area or white space within the element itself.

Code: -

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>MyOwn</title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- Bootstrap CSS -->
  <link

href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.
css"
    rel="stylesheet"
  >

  <style>

    *{
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }
    body {
      font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    }

    .container-fluid{
      background-color: #0066ff;

    }



    .hero {
      background: linear-gradient(135deg, #0d6efd, #4c8be9);
```

```
      color: white;
      padding: 100px 0;
    }

    .hero h1 {
      font-size: 3rem;
      font-weight: bold;
    }

    .hero p {
      font-size: 1.2rem;
    }

    .feature-icon {
      font-size: 40px;
      color: #0d6efd;
    }

    .pricing-card {
      transition: transform 0.3s;
    }

    .pricing-card:hover {
      transform: scale(1.05);
    }

    .contact-section {
      background-color: #f8f9fa;
    }

    footer {
      background-color: #0d6efd;
      color: white;
      padding: 15px 0;
    }
  </style>
</head>
```

```
<body>

<nav class="navbar bg-body-tertiary fixed-top">
  <div class="container-fluid">
    <h1><a class="navbar-brand" href="#">Cloudify</a></h1>
    <button class="navbar-toggler" type="button"
data-bs-toggle="offcanvas" data-bs-target="#offcanvasNavbar"
aria-controls="offcanvasNavbar" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="offcanvas offcanvas-end" tabindex="-1"
id="offcanvasNavbar" aria-labelledby="offcanvasNavbarLabel">
      <div class="offcanvas-header">
        <h5 class="offcanvas-title"
id="offcanvasNavbarLabel">Offcanvas</h5>
        <button type="button" class="btn-close"
data-bs-dismiss="offcanvas" aria-label="Close"></button>
      </div>
      <div class="offcanvas-body">
        <ul class="navbar-nav justify-content-end flex-grow-1 pe-3">
          <li class="nav-item">
            <a class="nav-link active" aria-current="page"
href="#">Home</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#">Link</a>
          </li>
          <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="#" role="button"
data-bs-toggle="dropdown" aria-expanded="false">
              Dropdown
            </a>
            <ul class="dropdown-menu">
              <li><a class="dropdown-item" href="#">Action</a></li>
              <li><a class="dropdown-item" href="#">Another
action</a></li>
              <li>
```

```
                <hr class="dropdown-divider">
              </li>
              <li><a class="dropdown-item" href="#">Something else
here</a></li>
            </ul>
          </li>
        </ul>
        <form class="d-flex mt-3" role="search">
          <input class="form-control me-2" type="search"
placeholder="Search" aria-label="Search"/>
          <button class="btn btn-outline-success"
type="submit">Search</button>
        </form>
      </div>
    </div>
  </div>
</nav>

<!-- Hero Section -->
<section class="hero text-center">
  <div class="container">
    <div class="row justify-content-center">
      <div class="col-lg-8">
        <h1>Cloudify</h1>
        <p class="mt-3">
          Simplify, monitor, and scale your cloud infrastructure
effortlessly.
        </p>
        <a href="#pricing" class="btn btn-light btn-lg mt-4">
          Get Started
        </a>
      </div>
    </div>
  </div>
</section>

<!-- Features Section -->
```

```html
<section class="py-5">
  <div class="container">
    <div class="row text-center mb-4">
      <div class="col">
        <h2>Why Choose Cloudify?</h2>
        <p class="text-muted">
          Powerful tools designed for modern teams
        </p>
      </div>
    </div>

    <div class="row g-4">
      <div class="col-md-4 text-center">
        <div class="feature-icon mb-3">☁️</div>
        <h5>Cloud Monitoring</h5>
        <p class="text-muted">
          Real-time analytics and alerts for all your cloud services.
        </p>
      </div>

      <div class="col-md-4 text-center">
        <div class="feature-icon mb-3">⚡</div>
        <h5>Fast Performance</h5>
        <p class="text-muted">
          Optimized infrastructure for speed and reliability.
        </p>
      </div>

      <div class="col-md-4 text-center">
        <div class="feature-icon mb-3">🔒</div>
        <h5>Secure by Design</h5>
        <p class="text-muted">
          Enterprise-grade security and compliance built in.
        </p>
      </div>
    </div>
  </div>
```

```
</section>



<!-- Pricing Section -->
<section id="pricing" class="py-5 bg-light">
  <div class="container">
    <div class="row text-center mb-4">
      <div class="col">
        <h2>Pricing Plans</h2>
        <p class="text-muted">
          Simple pricing for teams of all sizes
        </p>
      </div>
    </div>

    <div class="row g-4 justify-content-center">
      <div class="col-md-4">
        <div class="card pricing-card h-100 text-center">
          <div class="card-body">
            <h5 class="card-title">Starter</h5>
            <h2 class="my-3">$9<span class="fs-6">/mo</span></h2>
            <ul class="list-unstyled">
              <li>✔ 1 Project</li>
              <li>✔ Basic Monitoring</li>
              <li>✔ Email Support</li>
            </ul>
            <a href="#" class="btn btn-outline-primary mt-3">Choose
Plan</a>
          </div>
        </div>
      </div>

      <div class="col-md-4">
        <div class="card pricing-card h-100 text-center border-primary">
          <div class="card-body">
            <h5 class="card-title">Pro</h5>
```

```
            <h2 class="my-3">$29<span class="fs-6">/mo</span></h2>
            <ul class="list-unstyled">
              <li>✔ Unlimited Projects</li>
              <li>✔ Advanced Analytics</li>
              <li>✔ Priority Support</li>
            </ul>
            <a href="#" class="btn btn-primary mt-3">Most Popular</a>
          </div>
        </div>
      </div>

      <div class="col-md-4">
        <div class="card pricing-card h-100 text-center">
          <div class="card-body">
            <h5 class="card-title">Enterprise</h5>
            <h2 class="my-3">Custom</h2>
            <ul class="list-unstyled">
              <li>✔ Dedicated Manager</li>
              <li>✔ Custom Integrations</li>
              <li>✔ 24/7 Support</li>
            </ul>
            <a href="#" class="btn btn-outline-primary mt-3">Contact
Sales</a>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>

<!-- Contact Section -->
<section class="contact-section py-5">
  <div class="container">
    <div class="row text-center mb-4">
      <div class="col">
        <h2>Contact Us</h2>
        <p class="text-muted">
```

```
          Have questions? We'd love to hear from you.
        </p>
      </div>
    </div>

    <div class="row justify-content-center">
      <div class="col-lg-6">
        <form>
          <div class="mb-3">
            <label class="form-label">Name</label>
            <input type="text" class="form-control" placeholder="Your
name">
          </div>

          <div class="mb-3">
            <label class="form-label">Email</label>
            <input type="email" class="form-control"
placeholder="you@example.com">
          </div>

          <div class="mb-3">
            <label class="form-label">Message</label>
            <textarea class="form-control" rows="4" placeholder="Your
message"></textarea>
          </div>

          <div class="d-grid">
            <button type="submit" class="btn btn-primary btn-lg">
              Send Message
            </button>
          </div>
        </form>
      </div>
    </div>
  </div>
</section>
```

```html
<!-- Footer -->
<footer class="text-center">
  <div class="container">
    <p class="mb-0">© 2026 Cloudify. All rights reserved.</p>
  </div>
</footer>

<!-- Bootstrap JS -->
<script

src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle
.min.js">
</script>

</body>
</html>
```