Safety data sheet
according to UK REACH

Printing date 12.12.2024 *Version number 4 (replaces version 3)* *Revision: 12.12.2024*

* SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· ***1.1 Product identifier***

· ***Trade name:*** **Lumea Wick Chafing Fuel**

· ***CAS Number:***
111-46-6
· ***EC number:***
203-872-2
· ***Index number:***
603-140-00-6

· ***1.2 Relevant identified uses of the substance or mixture and uses advised against***
No further relevant information available.
· ***Application of the substance / the mixture*** combustible

· ***1.3 Details of the supplier of the safety data sheet***
· ***Manufacturer/Supplier:***
Lumea Ltd
Hartnoll Business Centre
Tiverton
Devon, EX16 4NG
Tel.: +44 (0)845 601 7532
Fax: +44 (0)1884 252090
sales@lumea.co.uk
www.lumea.co.uk

· ***Informing department:***
Department Sales:
Tel.: +44 (0)845 601 7532
sales@lumea.co.uk
Sales Department:
Tel.: +44 (0)845 601 7532
sales@lumea.co.uk

· ***1.4 Emergency telephone number:***
For Great Britain:
England: 111 (freecall)
Scotland: 08454 24 24 24
Wales: 0845 46 47

* SECTION 2: Hazards identification

· ***2.1 Classification of the substance or mixture***
· ***Classification according to Regulation (EC) No 1272/2008***

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

· ***2.2 Label elements***
· ***Labelling according to Regulation (EC) No 1272/2008***
The substance is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

(Contd. from page 1)

· ***Hazard pictograms***

GHS07

· ***Signal word*** Warning

· ***Hazard-determining components of labelling:***
2,2'-oxybisethanol
· ***Hazard statements***
H302 Harmful if swallowed.
· ***Precautionary statements***

P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P330	Rinse mouth.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· ***2.3 Other hazards***
· ***Results of PBT and vPvB assessment***
· ***PBT:*** Not applicable.
· ***vPvB:*** Not applicable.

SECTION 3: Composition/information on ingredients

· ***3.1 Substances***
· ***CAS No. Designation:***
111-46-6 2,2'-oxybisethanol
· ***Identification number(s):***
· ***EC number:*** 203-872-2
· ***Index number:*** 603-140-00-6

*

SECTION 4: First aid measures

· ***4.1 Description of first aid measures***
· ***After inhalation*** Supply fresh air; consult doctor in case of symptoms.
· ***After skin contact***
Wash with water and soap.
Remove contaminated clothing.
Wash contaminated clothing before re-use.
· ***After eye contact***
Rinse opened eye for several minutes under running water.
In case of permanent aches and pains please go and see the doctor.
· ***After swallowing***
Do not induce vomiting; instantly call for medical help.
Rinse out mouth and then drink plenty of water.
· ***4.2 Most important symptoms and effects, both acute and delayed***
No further relevant information available.
· ***4.3 Indication of any immediate medical attention and special treatment needed***
No further relevant information available.

(Contd. on page 3)

(Contd. from page 2)

* SECTION 5: Firefighting measures

· ***5.1 Extinguishing media***
· ***Suitable extinguishing agents***
Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.
· ***For safety reasons unsuitable extinguishing agents*** Water with a full water jet.
· ***5.2 Special hazards arising from the substance or mixture***
Inhalation of combustion gases may cause serious health hazards.
During incomplete combustion carbon monoxide can be formed.
· ***5.3 Advice for firefighters***
· ***Protective equipment:*** Wear breathing protection if necessary.
· ***Additional information***
Cool endangered containers with water spray.
Remove goods in stock from incendiary zone, if possible.

* SECTION 6: Accidental release measures

· ***6.1 Personal precautions, protective equipment and emergency procedures***
Wear protective equipment. Keep unprotected persons away.
· ***For non-emergency personnel***
Do not inhale gases / fumes / aerosols.
Avoid contact with the product.
· ***For emergency responders***
Ensure adequate ventilation
Put on suitable personal protective equipment.
· ***6.2 Environmental precautions:***
Inform respective authorities in case product reaches water or sewage system.
Do not allow to enter drainage system, surface or ground water.
· ***6.3 Methods and material for containment and cleaning up:***
Ensure adequate ventilation.
Absorb with liquid-binding material (sand, diatomite, universal binders) and disposal in suitable containers.
· ***6.4 Reference to other sections***
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

* SECTION 7: Handling and storage

· ***7.1 Precautions for safe handling***
Ensure good ventilation/exhaustion at the workplace.
Keep away from heat and direct sunlight.
Store in cool, dry place in tightly closed containers.
Don't eat, drink or smoke while working.
Avoid contact with eyes and skin.
· ***Information about protection against explosions and fires:***
Store it away from ignition sources or open fire.

· ***Handling***
Avoid contact with the eyes and skin.
Do not eat, drink or smoke while working.
Use only in well ventilated areas.
Wash hands during breaks and at the end of the work.
Wash contaminated clothing before re-use.
Keep away from foodstuffs, beverages and food.

(Contd. on page 4)

(Contd. from page 3)

· ***7.2 Conditions for safe storage, including any incompatibilities***
· ***Storage***
· ***Requirements to be met by storerooms and containers:***
Store in cool location.
Store only in the original container.
· ***Information about storage in one common storage facility:***
Store away from foodstuffs.
Keep away from strong oxidizing, alkalis and acidic materials.
· ***Further information about storage conditions:*** None.
· ***7.3 Specific end use(s)*** combustible

*

SECTION 8: Exposure controls/personal protection

· ***8.1 Control parameters***
· ***Components with limit values that require monitoring at the workplace:***
WEL: workplace exposure limit
OEL: Occupational Exposure Limit

111-46-6 2,2'-oxybisethanol	
WEL (Great Britain)	Long-term value: 101 mg/m³, 23 ppm
OEL (Ireland)	Long-term value: 100 mg/m³, 23 ppm

· ***Additional information:*** The lists that were valid during the compilation were used as basis.

· ***8.2 Exposure controls***
· ***Individual protection measures, such as personal protective equipment***
· ***General protective and hygienic measures***
Keep away from foodstuffs, beverages and food.
Wash hands during breaks and at the end of the work.
· ***Breathing equipment:***
Not necessary if room is well-ventilated.
In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
· ***Hand protection***

Use gloves of stable material (i.e. nitril rubber).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· ***Material of gloves***
Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
· ***Penetration time of glove material***
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Value for the permeation: Level = 6
· ***Eye/face protection*** Safety glasses recommended during refilling.

(Contd. on page 5)

(Contd. from page 4)

· ***Body protection:***

Protective work clothing.

*

SECTION 9: Physical and chemical properties

· ***9.1 Information on basic physical and chemical properties***	
· ***General Information***	
· ***Physical state***	Fluid
· ***Colour:***	colourless
· ***Odour:***	Characteristic
· ***Odour threshold:***	Not determined.
· ***Melting point/freezing point:***	-6.5 °C
· ***Boiling point or initial boiling point and boiling range***	245.8 °C
· ***Flammability***	Not applicable.
· ***Lower and upper explosion limit***	
· ***Lower:***	0.7 Vol %
· ***Upper:***	22 Vol %
· ***Flash point:***	124 °C
· ***Auto-ignition temperature:***	372 °C
· ***Decomposition temperature:***	Not determined.
· ***SADT***	
· ***pH***	Not determined.
· ***Viscosity:***	
· ***dynamic at 20 °C:***	30 mPas
· ***Solubility***	
· ***Water:***	Fully miscible
· ***Partition coefficient n-octanol/water (log value)***	Not determined.
· ***Vapour pressure at 25 °C:***	0.008 hPa
· ***Density and/or relative density***	
· ***Density at 20 °C***	1.1 g/cm³
· ***Vapour density***	Not determined.
· ***9.2 Other information***	
· ***Appearance:***	
· ***Form:***	Fluid
· ***Important information on protection of health and environment, and on safety.***	
· ***Self-inflammability:***	Not determined.
· ***Explosive properties:***	Product is not explosive. However, formation of explosive air/steam mixtures is possible.
· ***Organic solvents:***	100.0 %
· ***Molecular weight***	106.12 g/mol
· ***Change in condition***	
· ***Evaporation rate***	Not determined.
· ***Information with regard to physical hazard classes***	
· ***Explosives***	Void
· ***Flammable gases***	Void
· ***Aerosols***	Void
· ***Oxidising gases***	Void
· ***Gases under pressure***	Void

(Contd. on page 6)

(Contd. from page 5)

· ***Flammable liquids***	Void
· ***Flammable solids***	Void
· ***Self-reactive substances and mixtures***	Void
· ***Pyrophoric liquids***	Void
· ***Pyrophoric solids***	Void
· ***Self-heating substances and mixtures***	Void
· ***Substances and mixtures, which emit flammable gases in contact with water***	Void
· ***Oxidising liquids***	Void
· ***Oxidising solids***	Void
· ***Organic peroxides***	Void
· ***Corrosive to metals***	Void
· ***Desensitised explosives***	Void

* SECTION 10: Stability and reactivity

· ***10.1 Reactivity*** No further relevant information available.
· ***10.2 Chemical stability***
· ***Information on the shelf life*** The product is stable.
· ***Thermal decomposition / conditions to be avoided:***
No decomposition if used according to specifications.
· ***10.3 Possibility of hazardous reactions*** Reacts with acids, alkalis and oxidizing agents
· ***10.4 Conditions to avoid*** Do not distil to dryness.
· ***10.5 Incompatible materials:*** No further relevant information available.
· ***10.6 Hazardous decomposition products:***
None in case of intended use and storage in compliance with instructions.

* SECTION 11: Toxicological information

· ***11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008***
· ***Acute toxicity***
Harmful if swallowed.

· ***LD/LC50 values that are relevant for classification:***		
111-46-6 2,2'-oxybisethanol		
Oral	LD50	16,500 mg/kg (Rat)
Dermal	LD50	13,300 mg/kg (rabbit)

· ***Primary irritant effect:***
· ***Skin corrosion/irritation*** Based on available data, the classification criteria are not met.
· ***Serious eye damage/irritation*** Based on available data, the classification criteria are not met.
· ***Respiratory or skin sensitisation*** Based on available data, the classification criteria are not met.
· ***Germ cell mutagenicity*** Based on available data, the classification criteria are not met.
· ***Carcinogenicity*** Based on available data, the classification criteria are not met.
· ***Reproductive toxicity*** Based on available data, the classification criteria are not met.
· ***STOT-single exposure*** Based on available data, the classification criteria are not met.
· ***STOT-repeated exposure*** Based on available data, the classification criteria are not met.
· ***Aspiration hazard*** Based on available data, the classification criteria are not met.
· ***Additional toxicological information:***

· ***Repeated dose toxicity***		
111-46-6 2,2'-oxybisethanol		
Oral	NOAEL (28d)	10,000 mg/kg bw/day (Rat) (OECD 407)
Dermal	NOAEL (28d)	2,220 mg/kg bw/day (dog) (OECD 410)

(Contd. on page 7)

(Contd. from page 6)

· ***11.2 Information on other hazards***

· ***Endocrine disrupting properties***
Substance is not listed.

*

SECTION 12: Ecological information

· ***12.1 Toxicity***

· ***Aquatic toxicity:***	
111-46-6 2,2'-oxybisethanol	
EC50	62,630 mg/l/48h (Daphnia magna)
LC50 (dynamic)	75,222 mg/l/96h (Pimephales promelas)

· ***12.2 Persistence and degradability*** biodegradable
· ***Other information:*** There are no data available about the preparation.
· ***12.3 Bioaccumulative potential*** No further relevant information available.
· ***12.4 Mobility in soil*** No further relevant information available.
· ***12.5 Results of PBT and vPvB assessment***
· ***PBT:*** Not applicable.
· ***vPvB:*** Not applicable.
· ***12.6 Endocrine disrupting properties***
The product does not contain substances with endocrine disrupting properties.
· ***12.7 Other adverse effects*** No further relevant information available.
· ***Additional ecological information:***
· ***General notes:***
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· ***13.1 Waste treatment methods***
· ***Recommendation***
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Ensure cans are completely empty before recycling.
Let the boxes burn off completely and dispose of them in the collection of recyclable materials depending on municipal regulations.

· ***European waste catalogue***	
13 00 00	OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19)
13 07 00	wastes of liquid fuels
13 07 03*	other fuels (including mixtures)
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 10*	packaging containing residues of or contaminated by hazardous substances
HP6	Acute Toxicity

· ***Uncleaned packagings:***
· ***Recommendation:*** Dispose of packaging according to regulations on the disposal of packagings.
· ***Recommended cleaning agent:*** Water, if necessary with cleaning agent.

(Contd. on page 8)

(Contd. from page 7)

SECTION 14: Transport information

· **14.1 UN number or ID number** · **ADR/RID, ADN, IMDG, IATA**	Void
· **14.2 UN proper shipping name** · **ADR/RID, ADN, IMDG, IATA**	Void
· **14.3 Transport hazard class(es)** · **ADR/RID, ADN, IMDG, IATA** · **Class**	Void
· **14.4 Packing group** · **ADR/RID, IMDG, IATA**	Void
· **14.5 Environmental hazards:** · **Marine pollutant:**	No
· **14.6 Special precautions for user**	Not applicable.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.
· **Transport/Additional information:**	Not dangerous according to the above specifications.
· **UN "Model Regulation":**	Void

*

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Poisons Act**

· **Regulated explosives precursors**
Substance is not listed.

· **Regulated poisons**
Substance is not listed.

· **Reportable explosives precursors**
Substance is not listed.

· **Reportable poisons**
Substance is not listed.

· **Chemical safety assessment**
· **Named dangerous substances - ANNEX I** Substance is not listed.
· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
Substance is not listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**
Substance is not listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

Safety data sheet
according to UK REACH

Printing date 12.12.2024 *Version number 4 (replaces version 3)* *Revision: 12.12.2024*

Trade name: **Lumea Wick Chafing Fuel**

(Contd. from page 8)

· ***Department issuing data specification sheet:***

DEKRA This Safety Data Sheet has been drawn up in cooperation with:
DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,
phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

· ***Abbreviations and acronyms:***

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4

· **** Data compared to the previous version altered.***