IMSSU OFFICIAL SPORTING RULES



2025

GENERAL TECHNICAL RULES FOR ALL METALLIC SILHOUETTE DISCIPLINE SHOOTING CATEGORIES 1

SECTION I: General **1**
A. Purposes 1
B. Rules Generalities 1
C. Championships 1
D. Classes 2
E. Junior Category 2

SECTION II: Safety **2**
A . General 2
B. Disqualification 3
C. Protection 3
D. Muzzle Control 3
E. Firearm Handling 3
F. "Spitting" Firearms 4
G. Ammunition 4
H. Triggers 4
I. Misfires 4

SECTION III: Target standards **4**
A. Official Targets 5
B. Material 5
C. Feet 5
D. Silhouette Templates 5

SECTION IV: Range standards - Target setup **8**
A. General 8
B. Firing Line 8
C. Wind Flags 8
D. Colour 8
E. Setting 9
F. Sighters 9
G. Clamping 9

SECTION V: Competition officials **9**
A. Juries 9
B. Disputes 9
C. Juries Availability 10
D. Juries Decisions 10

SECTION VI: Shooting events procedures and competition rules **10**
A. Sanctioned event 10
B. Firearm certification 10
C. Shooting procedures 10
D. Sighter Shots 10
E. Commands 11
F. Scoring 11
G. Alibis 12
H. Shoot Offs 13
I. Rule Violation 13
J. Aggregates 14

SECTION VII: Trophies - Awards - Prizes **14**
A. Value 14
B. Trophy Awarding 14

SECTION VIII: Protests **15**

SECTION IX: Sportsmanship **15**

SECTION X: Prohibited behaviour **15**

SECTION XI: Spotter **15**

GENERAL TECHNICAL RULES FOR ALL HANDGUNS CATEGORIES 16

SECTION I: Shooting positions **16**
A. Freestyle 16
B. Standing 16

SECTION II: Production rules **16**
A. Production Pistol 16
B. Production Pistol Scope Mount 20
C. Production Scope 20
D. Production Cartridges 20
a) Big Bore: 20
b) Small Bore: 20
c) Field Pistol: 20

SECTION III: Unlimited **20**
A. Unlimited Pistol 20
B. Unlimited Cartridges 21
a)Big bore: 21
b)Small Bore: 21

SECTION IV: ALLOWED - NOT ALLOWED **21**
A. Allowed 21
a) Shooting mat: 21
b) Elbow protection: 21
c) Gloves: 21
d) Shields: 21
e) Auxiliary lenses: 21
f) Sun glasses: 21
g) Iris: 21
h) Cap: 21
i) Handling: 21
B. Not Allowed 21
a) Optical devices: 22
b) Artificial rests: 22
c) Shooting shoes: 22
d) Clothes: 22
e) Adhesives and padding: 22
f) Triggers: 22
g) Programmed aiming devices: 22
h) Checkering: 22
i) Forends (Production and Unlimited firearms): 22
j) Rests: 24
k) Extractor. 24

Section V: Shooting events procedures and competition rules **24**
A. Loading, firing and alibi periods 24
B. Events order 24
C. Shooting procedure 24
D. Firearms transportation 25

SPECIAL TECHNICAL RULES FOR THE BIG BORE PISTOL CATEGORY 26

A. Events 26
B. Targets Specifications 26
C. Targets Setting 28

D. Rams 28
E. Scopes 28
F. Classification 28

SPECIAL TECHNICAL RULES FOR THE SMALL BORE PISTOL CATEGORY 29
A. Events 29
B. Targets Specifications 29
C. Target Setting 31
D. Scopes 31
E. Classification 31

SPECIAL TECHNICAL RULES FOR THE FIELD PISTOL CATEGORY 32
A. Events 32
B. Targets Specifications 32
C. Target Setting 34
D. Weight 34
E. Scopes and Mounts 34
F. Classification 34

GENERAL TECHNICAL RULES FOR ALL RIFLES CATEGORIES 35

SECTION I: Shooting positions 35
A. Standing position 35

SECTION II: Sighter shots 35

SECTION III: Allowed - Not allowed 35
A. Allowed 35
a) Spotting scopes: 35
b) Gloves: 35
c) Clothing: 35
d) Barrels [2] 35
B. Not allowed 35
a) Palm rest: 35
b) Butt plates and cheek pieces: 36
c) Compensators and muzzle brakes: 36
d) Equipment general: 36

SECTION IV: Loading, firing and alibi periods 36

SECTION V: Shooting procedures 36

SPECIAL TECHNICAL RULES FOR THE BIG BORE RIFLE CATEGORY 38

SECTION I: Big Bore Rifle events 38
A. Silhouette rifle 38
a) Maximum weight: 38
b) Sights: 38
c) Trigger: 38
d) trigger guard: 38
e) Stock: 38
f) Barrel: 39
B. Hunting rifle 39
a) Maximum weight: 39
b) Sights: 39
c) Trigger: 39
d) Stock: 39
e) Barrel: 39
C. Ammunition: 40

SECTION II: Target specifications 40

SECTION III: Target setting 42

SECTION IV: Classifications 42

SECTION V: Shoot offs 42

SPECIAL TECHNICAL RULES FOR THE SMALL BORE RIFLE CATEGORY 43

SECTION I: Small Bore Rifle events 43
A. Silhouette rifle 43
a) Maximum weight: 43
b) Sights: 43
c) Trigger: 43
d) trigger guard: 43
e) Stock: 43
f) Barrel: 44
B. Light rifle 44
a) Weight: 44
b) Caliber: 44
c) Type: 44
C. Ammunition 44

SECTION II: Target specifications 44

SECTION III: Target setting 47

SECTION IV: Classifications 47

SECTION V: Shoot offs 47

SECTION VI: Non mandatory Small Bore Rifle events 48

AIRGUN RULES 50

MODIFICATIONS WITH REGARD TO THE 1993 RULES 52

GENERAL TECHNICAL RULES FOR ALL SHOOTING CATEGORIES 52
SECTION VI (Shooting events procedures and competition rules) 52
Paragraph C (Shooting procedures): 52
Paragraph H (Shoot Offs): 52
SECTION VII (Trophies - Awards - Prizes) 52
Paragraph B (Trophy Awarding): 52

GENERAL TECHNICAL RULES FOR ALL HANDGUNS CATEGORIES 52
SECTION I (Shooting positions) 52
Paragraph B (Standing): 52
SECTION II (Production rules) 52
Paragraph A (Production Pistol): 52
Paragraph E (Unavailability of parts for discontinued handguns): 52
SECTION V (Shooting events procedures and competition rules) 53
Paragraph A (Loading, firing and alibi periods): 53
Paragraph B (Events order): 53
Paragraph C (Shooting procedure): 53
Paragraph D (Firearms transportation): 53

SPECIAL TECHNICAL RULES FOR THE FIELD PISTOL CATEGORY 53
Paragraph A (Events): 53

GENERAL TECHNICAL RULES FOR ALL RIFLE CATEGORIES **53**
SECTION IV (Loading, firing and alibi periods) 53
SECTION V (Shooting procedures) 53

SPECIAL TECHNICAL RULES FOR THE BIG BORE RIFLE CATEGORY **53**
SECTION I (Big Bore Rifle events) 53
Paragraph B (Hunting rifle): 53

SPECIAL TECHNICAL RULES FOR THE SMALL BORE RIFLE CATEGORY **53**
SECTION I (Small Bore Rifle events) 53
Paragraph B (Light rifle): 53

MODIFICATIONS WITH REGARD TO THE 1997 RULES 54

GENERAL TECHNICAL RULES FOR ALL SHOOTING CATEGORIES **54**
SECTION IV (Range Standards – Target Setup) 54
Paragraph A (General): 54
Paragraph B (Firing Line): 54
Paragraph D (Colour): 54
Paragraph E (Setting): 54

GENERAL TECHNICAL RULES FOR ALL HANDGUNS CATEGORIES **54**
SECTION II (Production rules) 54
Paragraph A (Production Pistol): 54
Paragraph E (Unavailability of parts for discontinued handguns): 54

SPECIAL TECHNICAL RULES FOR THE BIG BORE PISTOL CATEGORY **54**
Paragraph B (Target Specifications): 54

SPECIAL TECHNICAL RULES FOR THE FIELD PISTOL CATEGORY **55**
Paragraph A (Events): 55

GENERAL TECHNICAL RULES FOR ALL RIFLE CATEGORIES **55**
SECTION V (Shooting procedures) 55

SPECIAL TECHNICAL RULES FOR THE BIG BORE RIFLE CATEGORY **55**
SECTION I (Big Bore Rifle events) 55
Paragraph A (Silhouette rifle): 55
Paragraph B (Hunting rifle): 55
SECTION II (Target Specifications) 55

SPECIAL TECHNICAL RULES FOR THE SMALL BORE RIFLE CATEGORY **56**
SECTION I (Small Bore Rifle events) 56
Paragraph A (Silhouette rifle): 56
Paragraph B (Light rifle): 56
Paragraph C (Ammunition): 56

MISCELLANEOUS **56**
Automatic target setting 56
Vocabulary 56

MODIFICATIONS WITH REGARD TO THE 2001 RULES 57

GENERAL TECHNICAL RULES FOR ALL SHOOTING CATEGORIES **57**
SECTION I (General) 57
Paragraph D (Classes): 57
SECTION VI: (Shooting events procedures and competition rules) 57
Paragraph J (Aggregates): 57

Since there are up to **six** categories shot, a member country may enter up to **six** teams, one for each category shot.**57**

GENERAL TECHNICAL RULES FOR ALL HANDGUNS CATEGORIES 57
SECTION II (Production rules) 57
Paragraph A (Production pistol): 57

SPECIAL TECHNICAL RULES FOR THE BIG BORE RIFLE CATEGORY 58
SECTION I: Big Bore Rifle events 58
A. Silhouette rifle 58

SPECIAL TECHNICAL RULES FOR THE SMALL BORE RIFLE CATEGORY 58
SECTION I: Small Bore Rifle events 58
A. Silhouette rifle 58
B. Light rifle 58

MODIFICATIONS WITH REGARD TO THE 2005 RULES 59

GENERAL TECHNICAL RULES for all handguns categories 59
SECTION II: Production rules 59
E. Unavailability of parts for discontinued handguns 59

GENERAL TECHNICAL RULES for all rifles categories 59
SECTION III: Allowed - Not allowed 59
A. Allowed 59
c) Clothing: 59

GENERAL TECHNICAL RULES for all handguns categories 59
SECTION IV: ALLOWED - NOT ALLOWED 59
B. Not Allowed 59
d) Clothes: 59

SPECIAL TECHNICAL RULES for the Small Bore Rifle category 60
SECTION I: Small Bore Rifle events 60
B. Light rifle 60
a) Weight: 60

MODIFICATIONS 2010 61

MODIFICATIONS 2013 64
A. Production Pistol 64
B. Unlimited Cartridges 64
a)Big bore: 64

MODIFICATIONS 2017 66
E. Junior Category 66

SECTION I: Big Bore Rifle events 66

B) Hunting rifle 668
e) Barrel: 668

SECTION VI: Non mandatory Small Bore Rifle events 66

MODIFICATIONS 2023 66

MODIFICATIONS 2025 69

GENERAL TECHNICAL RULES
for all metallic silhouette discipline shooting categories

SECTION I: General

A. Purposes

The IMSSU establishes technical rules for the sport of silhouette shooting to govern the conduct of metallic silhouette shooting events recognized by IMSSU. The object of all IMSSU competition is to knock down metallic silhouettes with a handgun or a rifle (centre fire, rimfire, black powder arms...).

IMSSU menetapkan aturan teknis untuk olahraga menembak siluet guna mengatur penyelenggaraan acara menembak siluet metalik yang diakui oleh IMSSU. Tujuan dari semua kompetisi IMSSU adalah untuk merobohkan siluet metalik dengan pistol atau senapan (tembakan tengah, tembakan rimfire, senjata serbuk hitam...).

Specific rules for each type of competition are covered in the corresponding Special Technical Rules.

Peraturan khusus untuk masing-masing jenis kompetisi diatur dalam Peraturan Teknis Khusus yang bersangkutan

The objective of IMSSU is to achieve uniformity in the conduct of the silhouette shooting sport throughout the World to promote the development of the sport.

IMSSU technical rules include general technical rules that are common to all silhouette shooting categories and special technical rules that apply specifically to each silhouette shooting category.

Tujuan IMSSU adalah untuk mencapai keseragaman dalam penyelenggaraan olahraga menembak siluet di seluruh dunia guna mendorong perkembangan olahraga tersebut.

Aturan teknis IMSSU mencakup aturan teknis umum yang berlaku untuk semua kategori menembak siluet dan aturan teknis khusus yang berlaku khusus untuk setiap kategori menembak siluet.

B. Rules Generalities

IMSSU general and special technical rules are approved to be effective for a minimum of four years beginning on January 1st of the year following the summer Olympic Games. Except in special circumstances, IMSSU rules are not changed during this four year period.

Peraturan teknis umum dan khusus IMSSU disetujui untuk berlaku minimal selama empat tahun dimulai pada tanggal 1 Januari tahun berikutnya setelah Olimpiade Musim Panas. Kecuali dalam keadaan khusus, peraturan IMSSU tidak diubah selama periode empat tahun ini.

C. Championships

Throughout these rules, competitions which are supervised by the IMSSU are referred to as “IMSSU Championships”. The competition referred to as “World Championships” is the main event of the “IMSSU Championships”.

IMSSU rules must be applied to all IMSSU Championships.

The IMSSU recommends that IMSSU rules be applied at competitions where IMSSU events are in the program including competitions organized at national level.

The IMSSU recommends that Continental Championships will be organized each two years alternately with the World Championships.

Dalam aturan ini, kompetisi yang diawasi oleh IMSSU disebut sebagai “Kejuaraan IMSSU”. Kompetisi yang disebut sebagai “Kejuaraan Dunia” merupakan acara utama dari “Kejuaraan IMSSU”.

Aturan IMSSU harus diterapkan pada semua Kejuaraan IMSSU.

IMSSU merekomendasikan agar aturan IMSSU diterapkan pada kompetisi yang menyelenggarakan acara IMSSU termasuk kompetisi yang diselenggarakan di tingkat nasional.

IMSSU merekomendasikan agar Kejuaraan Kontinental diselenggarakan setiap dua tahun secara bergantian dengan Kejuaraan Dunia.

The IMSSU technical delegates, in cooperation with the Match Director, range officials and juries appointed by the organizing committee for the different disciplines, must examine the shooting ranges and equipment for IMSSU championships. They may approve small deviations from specification in IMSSU rules which do not conflict with the intent and spirit of the IMSSU regulations and rules.

Delegasi teknis IMSSU, bekerja sama dengan Direktur Pertandingan, petugas lapangan, dan juri yang ditunjuk oleh panitia penyelenggara untuk berbagai disiplin, harus memeriksa lapangan tembak dan peralatan untuk kejuaraan IMSSU. Mereka dapat menyetujui penyimpangan kecil dari spesifikasi dalam aturan IMSSU yang tidak bertentangan dengan maksud dan semangat peraturan dan ketentuan IMSSU.

During competitions the juries and/or the range officers must decide all cases which are not provided for in these rules.

An organizing committee must be formed and is responsible for the preparation, administration and conduct of the shooting competitions. The organizing committee must consist only of representatives of the host country. Representative(s) of the IMSSU may be invited as technical advisors without voting rights.

Selama kompetisi, juri dan/atau petugas lapangan harus memutuskan semua kasus yang tidak diatur dalam peraturan ini.

Panitia penyelenggara harus dibentuk dan bertanggung jawab atas persiapan, administrasi, dan pelaksanaan kompetisi menembak. Panitia penyelenggara hanya boleh terdiri dari perwakilan negara tuan rumah. Perwakilan IMSSU dapat diundang sebagai penasihat teknis tanpa hak suara.

GTR all shooting categories

A chief range officer and appropriate assistant range officer and/or referees appointed by the organizing committee are responsible for the technical aspects of the individual shooting events.

At International level, all range commands must be given in English.

Kepala petugas lapangan tembak dan asisten petugas lapangan tembak dan/atau wasit yang ditunjuk oleh panitia penyelenggara bertanggung jawab atas aspek teknis dari masing-masing pertandingan menembak.

Pada tingkat Internasional, semua perintah lapangan tembak harus diberikan dalam bahasa Inggris

D. Classes

A multiple classes system will be used as defined in each category Special Technical Rules.

The champion, second and third places will be decided by score irrespective of class. Once these competitors have been extracted from their class, the next highest scores will be used to determine class winners within the classification system.

It is up to each country to manage the classification of its shooters.

Nevertheless, assuming a shooter has attended an international championship, he/she cannot enter a subsequent international championship in a lower class than the one attained by his/her most recent results at an international match. Classification can be protested.

The classes system is not applied at the World Championships.

Sistem beberapa kelas akan digunakan sebagaimana ditetapkan dalam setiap kategori Aturan Teknis Khusus.

Juara, tempat kedua, dan ketiga akan ditentukan berdasarkan skor tanpa memandang kelas. Setelah para pesaing ini dikeluarkan dari kelasnya, skor tertinggi berikutnya akan digunakan untuk menentukan pemenang kelas dalam sistem klasifikasi.

Terserah kepada masing-masing negara untuk mengelola klasifikasi penembaknya.

Namun, dengan asumsi seorang penembak telah mengikuti kejuaraan internasional, ia tidak dapat mengikuti kejuaraan internasional berikutnya di kelas yang lebih rendah daripada yang dicapai berdasarkan hasil terbarunya di pertandingan internasional. Klasifikasi dapat diprotes.

Sistem kelas tidak diterapkan di Kejuaraan Dunia.

E. Junior Category

A Junior category is included in the following disciplines to be included in the program at International Competitions:

1 Four Match Small Bore Pistol Aggregate (Production; Revolver; Standing and Unlimited. No Field Pistol or Big Bore Pistol)
2 Two Match Small Bore Rifle Aggregate (Light and Silhouette. No Big Bore Rifle)
3 A Junior is defined as someone up to and including the year they attain 20 years of age.
4 Juniors will compete in the overall competition and if they are placed either 1-2-3 outright in the overall competition aggregate for Small Bore Pistol or Small Bore Rifle they will not be eligible for awards in the Junior category.
5 There are no Classes/Grades in the Junior Category

GTR all shooting categories

Kategori Junior termasuk dalam disiplin ilmu berikut yang akan dimasukkan dalam program di Kompetisi Internasional:

1. *Agregat Pistol Bore Kecil Empat Pertandingan (Produksi; Revolver; Berdiri dan Tidak Terbatas. Tidak Ada Pistol Lapangan atau Pistol Bore Besar)*
2. *Agregat Senapan Bore Kecil Dua Pertandingan (Ringan dan Siluet. Tidak Ada Senapan Bore Besar)*
3. *Junior didefinisikan sebagai seseorang hingga dan termasuk tahun mereka mencapai usia 20 tahun.*
4. *Junior akan berkompetisi dalam kompetisi keseluruhan dan jika mereka ditempatkan baik 1-2-3 langsung dalam agregat kompetisi keseluruhan untuk Pistol Bore Kecil atau Senapan Bore Kecil mereka tidak akan memenuhi syarat untuk penghargaan dalam kategori Junior.*
5. *Tidak Ada Kelas/Tingkat dalam Kategori Junior*

SECTION II: Safety

A . General

IMSSU rules state only specific safety requirements which are required by the IMSSU for use in IMSSU championships. Necessary and special safety regulations for ranges differ from country to country. For this reason only basic details are stated within the framework of these rules. The safety of a shooting range depends to a large extent on local conditions and additional safety rules may be established by the organizing committee. The organizing committee bears the responsibility for safety.

Adherence to generally accepted firearm safety procedures, and the specific procedures detailed below, is absolute top priority at any IMSSU sanctioned event. While the Match Director has the primary responsibility for overseeing the conduct of the match, safety is the responsibility of every shooter, spotter and match official.

In the interests of safety, a jury member or a range official may stop shooting at any time. Shooters and team officials must immediately notify range officers of any situation that may be dangerous, or which may cause an accident.

Peraturan IMSSU hanya menyatakan persyaratan keselamatan khusus yang diwajibkan oleh IMSSU untuk digunakan dalam kejuaraan IMSSU. Peraturan keselamatan yang diperlukan dan khusus untuk lapangan tembak berbeda-beda di setiap negara. Karena alasan ini, hanya rincian dasar yang dinyatakan dalam kerangka peraturan ini. Keselamatan lapangan tembak sangat bergantung pada kondisi setempat dan peraturan keselamatan tambahan dapat ditetapkan oleh panitia penyelenggara. Panitia penyelenggara bertanggung jawab atas keselamatan.

Kepatuhan terhadap prosedur keselamatan senjata api yang diterima secara umum, dan prosedur khusus yang dirinci di bawah ini, merupakan prioritas utama mutlak di setiap acara yang disetujui IMSSU. Sementara Direktur Pertandingan memiliki tanggung jawab utama untuk mengawasi jalannya pertandingan, keselamatan merupakan tanggung jawab setiap penembak, pengamat, dan petugas pertandingan.

Demi keselamatan, anggota juri atau petugas lapangan dapat berhenti menembak kapan saja. Penembak dan petugas tim harus segera memberi tahu petugas lapangan tentang situasi apa pun yang mungkin berbahaya, atau yang dapat menyebabkan kecelakaan

B. Disqualification

A competitor must be interrupted during the loading or firing period if his attitude poses an immediate threat to the safety of himself or any other individual.
Safety is the only reason a competitor can be interrupted during the course of fire.

The match director, line officers or referees have the power to disqualify immediately any shooter whose attitude poses a threat to his own safety or to the safety of any other individual.

Seorang peserta harus diinterupsi selama periode pengisian atau penembakan jika sikapnya menimbulkan ancaman langsung terhadap keselamatan dirinya sendiri atau orang lain.

Keselamatan adalah satu-satunya alasan peserta dapat diinterupsi selama penembakan.

Pimpinan pertandingan, petugas garis, atau wasit memiliki wewenang untuk segera mendiskualifikasi

setiap penembak yang sikapnya menimbulkan ancaman terhadap keselamatannya sendiri atau keselamatan orang lain.

C. Protection

It is mandatory that appropriate eye and ear protection be worn by all competitors, spotters, line officers and any other personnel on the designated firing line. It is recommended that side shields be worn on the eye protection.

D. Muzzle Control

From the moment a firearm is placed on the firing point, until it is removed, the muzzle shall point down range in a safe direction.


At no time during the loading or firing stages shall competitors allow their firearms to point at any part of their anatomy, or at any other person.

While in a firing position, no part of the shooter's body may be in a «danger zone» which is a cone shaped area extending down range from the muzzle at a 45 degree angle above and below and to the right and left of the centre line of the bore.

Sejak senjata api diletakkan di titik tembak, hingga dilepaskan, moncongnya harus mengarah ke bawah jangkauan dalam arah yang aman.

Selama tahap pengisian atau penembakan, peserta tidak boleh membiarkan senjata api mereka mengarah ke bagian tubuh mana pun, atau ke orang lain.

Saat dalam posisi menembak, tidak ada bagian tubuh penembak yang boleh berada di «zona bahaya» yang merupakan area berbentuk kerucut yang memanjang ke bawah jangkauan dari moncong pada sudut 45 derajat di atas dan di bawah serta ke kanan dan kiri garis tengah lubang laras.



During firing, competitors shall not allow the muzzle of their firearm to recoil past vertical.

Selama menembak, peserta tidak boleh membiarkan moncong senjata apinya mundur melewati vertikal

E. Firearm Handling

During the course of fire, the firearm must be visible at all times so that its safe condition can be verified by a line officer, a referee or any other person.

All actions must be open on the firing line except after the “Load” command is given.

Firearms shall not be handled between stages for the safety of the persons on the firing line and the target setters.

Shooters may not handle their firearms until the command “Load” is given.

Upon the command “Make your firearms safe” shooters shall immediately put their firearms in a safe condition (unloaded, action open).
Should any round be fired before the command “Load” or after the command “Range is clear”, the shooter will be disqualified for one year.

Should any round be fired after the command “Load”, but before the command “Fire” or after the command “Cease fire, make your firearms safe” but before the command “Range is clear”, it will be judged as a lost shot.

Selama berlangsungnya penembakan, senjata api harus selalu terlihat sehingga kondisinya yang aman dapat diverifikasi oleh petugas garis, wasit, atau orang lain.

Semua tindakan harus terbuka di garis tembak kecuali setelah perintah "Isi" diberikan.

Senjata api tidak boleh dipegang di antara tahapan demi keselamatan orang- orang di garis tembak dan penentu sasaran.

Penembak tidak boleh memegang senjata api mereka sampai perintah "Isi" diberikan.

Setelah perintah "Amankan senjata api Anda", penembak harus segera meletakkan senjata api mereka dalam kondisi aman (tidak terisi peluru, tindakan terbuka).

Jika ada peluru yang ditembakkan sebelum perintah "Isi" atau setelah perintah "Jarak tembak aman", penembak akan didiskualifikasi selama satu tahun.

Jika ada peluru yang ditembakkan setelah perintah “Isi”, tetapi sebelum perintah “Tembak” atau setelah perintah “Gencatan senjata, amankan senjata api Anda” tetapi sebelum perintah “Jarak tembak aman”, maka akan dianggap sebagai tembakan yang hilang.

F. “Spitting” Firearms

A Match Director shall have the authority to remove from the firing line any firearm shaving bullet material. The competitor may substitute another firearm, which must pass inspection for the appropriate event. However, the match will not be delayed.

Seorang Direktur Pertandingan berwenang untuk menyingkirkan bahan peluru yang dapat merusak senjata api dari garis tembak. Peserta dapat mengganti senjata api lain, yang harus lulus inspeksi untuk acara yang sesuai. Namun, pertandingan tidak akan ditunda

G. Ammunition

Competitors have the responsibility to use only ammunition that is safe to fire in the firearm for which it is loaded.

The Match Director has the authority to declare any ammunition unsafe and to disallow its use.

Since there are no commercial standards for the popular "wildcat" and "improved" cartridges, it is up to the competitor to exercise caution and common sense in working up loads.

Para peserta bertanggung jawab untuk hanya menggunakan amunisi yang aman untuk ditembakkan pada senjata api yang digunakan untuk mengisinya.

Direktur Pertandingan berwenang untuk menyatakan amunisi apa pun tidak aman dan melarang penggunaannya.

Karena tidak ada standar komersial untuk kartrid "wildcat" dan "improved" yang populer, terserah kepada peserta untuk berhati-hati dan menggunakan akal sehat dalam mengisi amunisi.

H. Triggers

Triggers set so light as to be prone to accidental discharge are not allowed.

This will normally be tested by cocking an unloaded firearm and rapping it sharply with the palm of the hand on the butt.

Should the sear mechanism disconnect, the firearm will not be allowed in competition. The above procedure notwithstanding, a Match Director may disqualify a firearm if it is proven to be unsafe for any reason.

Pemicu yang disetel terlalu ringan hingga rentan terhadap pelepasan yang tidak disengaja tidak diperbolehkan.

Ini biasanya akan diuji dengan mengokang senjata api yang tidak terisi peluru dan memukulnya dengan telapak tangan pada popor dengan keras.

Jika mekanisme sear terlepas, senjata api tidak akan diperbolehkan dalam kompetisi. Meskipun prosedur di atas berlaku, seorang Direktur Pertandingan dapat mendiskualifikasi senjata api jika terbukti tidak aman karena alasan apa pun.

I. Misfires

A misfire must be treated as a hang fire and the firearm must be kept pointed safely down range for a 10 second period after the trigger was pulled. It is not safe to open the action of a firearm immediately after it has misfired.

Kesalahan tembak harus dianggap sebagai hang fire dan senjata api harus tetap diarahkan dengan aman ke bawah selama 10 detik setelah pelatuk ditarik. Tidak aman untuk membuka aksi senjata api segera setelah salah tembak.

SECTION III: Target standards

A. Official Targets

The quality and dimensions of all targets will be examined by the technical delegates prior to the beginning of IMSSU championships. Only targets which correspond to the approved official IMSSU templates may be used.

Kualitas dan dimensi semua target akan diperiksa oleh delegasi teknis sebelum dimulainya kejuaraan IMSSU. Hanya target yang sesuai dengan templat resmi IMSSU yang disetujui yang boleh digunakan

B. Material

For safety, it is highly recommended that big bore silhouettes be made from T1 steel or equivalent. Use of T1 steel or equivalent is mandatory for Field Pistol silhouettes and Big Bore chickens.

Demi keselamatan, sangat disarankan agar siluet big bore dibuat dari baja T1 atau yang setara. Penggunaan baja T1 atau yang setara wajib digunakan untuk siluet Field Pistol dan ayam Big Bore.

C. Feet


The “feet”, upon which the silhouettes rest, should be made from the same type and thickness of steel as the targets. The “feet” shall be welded to the targets as described in each Special Technical Rules set.


"Kaki", tempat siluet berada, harus terbuat dari jenis dan ketebalan baja yang sama dengan target. "Kaki" harus dilas ke target seperti yang dijelaskan dalam setiap Aturan Teknis Khusus.


D. Silhouette Templates


Official IMSSU silhouettes templates: the dimension of the square grids depends on the particular category. See each particular category of ”Special Technical Rule“.

Templat siluet resmi IMSSU: dimensi kisi persegi bergantung pada kategori tertentu. Lihat setiap kategori tertentu pada "Aturan Teknis Khusus".


12
14


15
23


23
19


28
33

SECTION IV: Range standards - Target setup

A. General

A silhouette range consists of four different target lines of a particular bird or animal. Targets are to be set in banks of five. All targets in a bank shall face in the same direction. The recommended minimum distance between targets is the width of that target. The range can have a very simple set up. An existing high power range can be used. If desired, it can be put in a natural setting, such as a ravine or canyon. Trees and brush need not be removed and variation in height above or below the firing point is allowed provided all shooters have a clear view of the targets.

Dirt berms behind the targets are recommended for safety, ease of spotting shots which miss the targets and to give an even background to all targets. They may be required for safety considerations.

Lapangan tembak siluet terdiri dari empat garis target berbeda dari burung atau hewan tertentu. Target harus dipasang dalam kelompok lima. Semua target dalam kelompok harus menghadap ke arah yang sama. Jarak minimum yang disarankan antara target adalah lebar target tersebut. Lapangan tembak dapat memiliki pengaturan yang sangat sederhana. Lapangan tembak berdaya tinggi yang sudah ada dapat digunakan. Jika diinginkan, dapat ditempatkan di lingkungan alami, seperti jurang atau ngarai. Pohon dan semak tidak perlu disingkirkan dan variasi ketinggian di atas atau di bawah titik tembak diperbolehkan asalkan semua penembak memiliki pandangan yang jelas ke target.

Tanggul tanah di belakang target direkomendasikan untuk keselamatan, kemudahan melihat tembakan yang meleset dari target dan untuk memberikan latar belakang yang merata ke semua target. Tanggul tanah mungkin diperlukan untuk pertimbangan keselamatan

B. Firing Line

For IMSSU World and Continental championships the firing line must be protected against rain. The firing point must be flat and level. The standards for the firing line for all other kinds of matches, including National Championships, are the prerogative of each country. There must be sufficient space behind the firing points for the range officials and the jury to perform their duties.

The size of the firing points must not be less than 1.5 m (4' 11") wide x 2.50 m (8' 3") deep.

Target sets must be marked with numbers or colours corresponding to their firing point numbers or colours. These numbers or colours must be clearly visible throughout the competition.

Smoking is prohibited on the firing line.

Untuk kejuaraan Dunia dan Kontinental IMSSU, garis tembak harus terlindungi dari hujan. Titik tembak harus datar dan datar. Standar garis tembak untuk semua jenis pertandingan lainnya, termasuk Kejuaraan Nasional, merupakan hak prerogatif masing-masing negara. Harus ada ruang yang cukup di belakang titik tembak agar petugas lapangan dan juri dapat menjalankan tugas mereka.

Ukuran titik tembak tidak boleh kurang dari 1,5 m (4' 11") lebar x 2,50 m (8' 3") dalam.

Set target harus ditandai dengan angka atau warna yang sesuai dengan nomor atau warna titik tembaknya. Angka atau warna ini harus terlihat jelas selama kompetisi.

Dilarang merokok di garis tembak.

C. Wind Flags

Wind flags are recommended at each distance, without interfering with the bullets trajectories or the shooter's view of the target during aiming.

For World and Continental Championships, wind flags are mandatory. Private wind indicators are prohibited.

Bendera angin direkomendasikan pada setiap jarak, tanpa mengganggu lintasan peluru atau pandangan penembak terhadap target selama membidik.

Untuk Kejuaraan Dunia dan Kontinental, bendera angin wajib digunakan. Indikator angin pribadi dilarang.

D. Colour

Silhouettes should be painted with a flat colour that contrasts clearly with the background, so that the targets are visible to the naked eye. For pistol events, a flat black paint to contrast with the sights is recommended and for scoped events, a colour which allows the crosshairs in a telescopic sight to be seen on the target.

For World and Continental Championships, the background conditions must be equal for all competitors. All targets are to be painted after each shooter.

Siluet harus dicat dengan warna datar yang kontras dengan latar belakang, sehingga target terlihat oleh mata telanjang. Untuk acara pistol, cat hitam datar disarankan untuk kontras dengan alat bidik dan untuk acara teropong, warna yang memungkinkan garis bidik pada alat bidik teleskopik terlihat pada target.

Untuk Kejuaraan Dunia dan Kontinental, kondisi latar belakang harus sama untuk semua peserta. Semua target harus dicat setelah setiap penembak

E. Setting

All silhouettes are placed on stands off the ground. The top of the stands must be flat and level and have a steel surface for the target to sit on. They should be of solid construction so the stands don't move when the target or the stand is hit.

All silhouettes, except rams for the Big Bore Pistol category, must be set full foot with the back edge of the feet flush with the back edge of a level stand.

Semua siluet diletakkan di atas dudukan yang tidak menyentuh tanah. Bagian atas dudukan harus datar dan rata serta memiliki permukaan baja agar target dapat duduk di atasnya. Dudukan harus kokoh sehingga dudukan tidak bergerak saat target atau dudukannya dipukul.

Semua siluet, kecuali ram untuk kategori Pistol Big Bore, harus diletakkan dengan kaki penuh dengan tepi belakang kaki sejajar dengan tepi belakang dudukan yang rata

F. Sighters

Metallic sighter targets of the official size and shape and set at the correct distances with the same approximate background as the match targets, are mandatory. There is to be a minimum of one sighter target at each distance and the targets must be stationary (clamped or swinger type).

Sasaran bidik logam dengan ukuran dan bentuk resmi dan diatur pada jarak yang tepat dengan latar belakang yang sama dengan sasaran pertandingan, adalah wajib. Harus ada minimal satu sasaran bidik pada setiap jarak dan sasaran harus diam (tipe dijepit atau diayunkan).

G. Clamping

If one target in a bank must be secured (clamped) due to wind conditions, all targets at that distance must be clamped. When wind conditions require that the targets be fastened down, painting of the targets is mandatory after each string of fire.

Jika satu target di tepian harus diamankan (dijepit) karena kondisi angin, semua target pada jarak tersebut harus dijepit. Jika kondisi angin mengharuskan target diikat, pengecatan target wajib dilakukan setelah setiap rentetan tembakan

SECTION V: Competition officials

A. Juries

Juries are composed of three or five persons. Two juries are mandatory: a technical jury and a jury of appeal. These two juries must be constituted of different persons. The organizing committee shall have the authority to appoint these juries.

A minimum of two countries must be represented at World and Continental Championships.

The juries advise, assist and supervise the competition officials appointed by the organizing committee.

The range officers and the juries conduct the competition in close co-operation with each other.

The range officers are responsible for the actual conduct of the competition while the juries act in an advisory and supervisory capacity. The range officers and juries are responsible to the organizing committee and to the IMSSU, respectively, for the conduct of the competitions in accordance with IMSSU regulations and rules.

All range officers and jury members must be familiar with the IMSSU rules and they must ensure that these rules are enforced in a fair and equitable manner during the competitions.

Juri terdiri dari tiga atau lima orang. Dua juri wajib dibentuk: juri teknis dan juri banding. Kedua juri ini harus terdiri dari orang yang berbeda. Panitia penyelenggara berwenang untuk menunjuk juri-juri ini.

Minimal dua negara harus diwakili di Kejuaraan Dunia dan Kontinental.

Juri memberi nasihat, membantu, dan mengawasi petugas pertandingan yang ditunjuk oleh panitia penyelenggara.
Petugas lapangan dan juri menyelenggarakan pertandingan dengan kerja sama yang erat satu sama lain.
Petugas lapangan bertanggung jawab atas pelaksanaan pertandingan yang sebenarnya, sementara juri bertindak sebagai penasihat dan pengawas. Petugas lapangan dan juri bertanggung jawab kepada panitia penyelenggara dan IMSSU, masing-masing, atas pelaksanaan pertandingan sesuai dengan peraturan dan ketentuan IMSSU.

Semua petugas lapangan dan anggota juri harus memahami peraturan IMSSU dan mereka harus memastikan bahwa peraturan ini ditegakkan secara adil dan setara selama pertandingan.

B. Disputes

All cases in dispute must be decided by a majority of the technical jury. The team official or shooter concerned may appeal the technical jury's decision to the jury of appeal. Decisions of the jury of appeal are final in all IMSSU championships.

Semua kasus yang disengketakan harus diputuskan oleh mayoritas juri teknis. Ofisial tim atau penembak yang bersangkutan dapat mengajukan banding atas keputusan juri teknis kepada juri banding. Keputusan juri banding bersifat final di semua kejuaraan IMSSU

C. Juries Availability

A majority of each jury must always be present on the range during a competition so that, if necessary, a jury meeting can be called and decisions made immediately. The chairman of each jury must ensure the presence of sufficient members of said juries.

Mayoritas juri harus selalu hadir di lapangan selama kompetisi berlangsung sehingga, jika perlu, rapat juri dapat diadakan dan keputusan dapat segera diambil. Ketua setiap juri harus memastikan kehadiran anggota juri yang cukup

D. Juries Decisions

The juries must decide all cases which are not provided for in the IMSSU regulations and rules. Such decisions must be made within the spirit and intent of the IMSSU regulations and rules and forwarded to IMSSU so that necessary rules may be clarified or changed.

A jury may request information from other knowledgeable persons to aid in making its decision.

Juri harus memutuskan semua kasus yang tidak diatur dalam peraturan dan tata tertib IMSSU.
Keputusan tersebut harus dibuat sesuai dengan semangat dan maksud peraturan dan tata tertib IMSSU dan diteruskan ke IMSSU sehingga peraturan yang diperlukan dapat diperjelas atau diubah.

Juri dapat meminta informasi dari orang lain yang memiliki pengetahuan untuk membantu dalam pengambilan keputusannya.

SECTION VI: Shooting events procedures and competition rules

A. Sanctioned event

A basic sanctioned event will consist of a 40 round course of fire with an equal number of targets being set at each distance.

Peristiwa dasar yang disetujui akan terdiri dari rangkaian tembakan 40 putaran dengan jumlah target yang sama yang ditetapkan pada setiap jarak.

B. Firearm certification

Firearms must be checked before firing for score. No one may win an award with an uncertified firearm. Firearm certification is made by specially appointed referees.

When a competitor's firearm is checked during registration, internal inspection is not mandatory unless there is reason to believe it does not comply with the rules. Then, the competitor may be asked to disassemble the firearm to an extent necessary to permit visual inspection by the referees. If the competitor refuses to comply with this requirement, he will not be allowed to use this particular firearm in competition.

Only the competitor, or a person he designates, shall remove or replace any parts from his firearm. If the firearm does not comply with the rules, the competitor's entry with that firearm shall not be accepted.

At championships, the Match Director may require the first, second and third place competitors to submit their firearms for inspection as previously described. This should be accomplished as soon after the conclusion of competition as it is practical.

Only one firearm per event may be certified.

The same firearm, barrel, grips, sights, etc..., shall be used throughout a particular course of fire, unless it should cease to function (see section VI-G Alibis).

Senjata api harus diperiksa sebelum digunakan untuk menentukan skor. Tidak seorang pun boleh memenangkan penghargaan dengan senjata api yang tidak bersertifikat. Sertifikasi senjata api dilakukan oleh wasit yang ditunjuk secara khusus.

Jika senjata api peserta diperiksa selama pendaftaran, pemeriksaan internal tidak wajib kecuali ada alasan untuk meyakini bahwa senjata api tersebut tidak mematuhi peraturan. Kemudian, peserta dapat diminta untuk membongkar senjata api tersebut sejauh yang diperlukan untuk memungkinkan pemeriksaan visual oleh wasit. Jika peserta menolak untuk mematuhi persyaratan ini, ia tidak akan diizinkan untuk menggunakan senjata api tersebut dalam kompetisi.

Hanya peserta, atau orang yang ditunjuknya, yang boleh melepas atau mengganti bagian apa pun dari senjata apinya. Jika senjata api tersebut tidak mematuhi peraturan, entri peserta dengan senjata api tersebut tidak akan diterima.

Pada kejuaraan, Direktur Pertandingan dapat meminta peserta yang berada di posisi pertama, kedua, dan ketiga untuk menyerahkan senjata api mereka untuk diperiksa seperti yang dijelaskan sebelumnya. Ini harus dilakukan segera setelah kompetisi berakhir jika memungkinkan.

Hanya satu senjata api per acara yang dapat disertifikasi.

Senjata api, laras, pegangan, alat bidik, dan sebagainya yang sama, boleh digunakan sepanjang rangkaian tembakan tertentu, kecuali jika senjata api tersebut tidak lagi berfungsi (lihat bagian VI-G Alibi).

C. Shooting procedures

All events are shot by five shots strings.

Semua acara direkam dengan lima rangkaian tembakan.

D. Sighter Shots

At championship matches shooters will be allowed five sighter shots for each event in which they are competing. The five shots must be taken during a normal firing period. Shooters will have the option of shooting at the sighting targets of their choice.

Pada pertandingan kejuaraan, penembak akan diizinkan untuk menembak lima kali untuk setiap cabang olahraga yang diikutinya. Kelima tembakan tersebut harus dilakukan selama periode penembakan normal. Penembak akan memiliki pilihan untuk menembak sasaran bidik pilihan mereka.

No practice will be allowed during any World or Continental Championships match other than add-on practice day(s) and the five sighting shots which are allowed prior to the competitor firing for record. Sighter shots are at the Match Director's option at non-championship matches. When available sighter shots are an integral part of the event for which they are shot.

Tidak diperbolehkan melakukan latihan selama pertandingan Kejuaraan Dunia atau Kejuaraan Kontinental, kecuali pada hari latihan tambahan dan lima tembakan bidik yang diperbolehkan sebelum atlet melepaskan tembakan untuk mencatat rekor.
Tembakan bidik merupakan pilihan Direktur Pertandingan pada pertandingan non-kejuaraan.
Jika tersedia, tembakan bidik merupakan bagian integral dari pertandingan yang menjadi sasaran tembakan tersebut.

E. Commands

There are five commands given by the range officer in charge of the firing line. To ensure uniformity and avoid confusion on the part of the competitors, these commands should be used consistently by ranges officers at all IMSSU matches:

Ada lima perintah yang diberikan oleh petugas lapangan yang bertugas di garis tembak. Untuk memastikan keseragaman dan menghindari kebingungan di pihak peserta, perintah-perintah ini harus digunakan secara konsisten oleh petugas lapangan di semua pertandingan IMSSU:

1°) **“Shooters to the line”**: Given when the range is clear to alert competitors to ready themselves on the firing line. Firearms shall **NOT** be handled at this time. Unloaded firearms shall be in a safe and stable position, with the action open and visible to the line officers.

Diberikan saat jarak tembak aman untuk memberi tahu peserta agar bersiap di garis tembak. Senjata api TIDAK boleh dipegang saat ini. Senjata api yang tidak terisi peluru harus berada di posisi aman dan stabil, dengan aksi terbuka
dan terlihat oleh petugas garis

2°) **“Load”**: Given at the start of a period in which the shooter prepares to shoot, including (but not limited to) adjusting/blackening sights, dry firing, and loading. Shooters shall not handle their firearms until the “Load” command has been given. Should any round be fired after the command “Load”, but before the command “Fire”, it will be judged as a lost shot. Should any round be discharged before the command “Load” the shooter will be disqualified for one year.

Diberikan pada awal periode saat penembak bersiap untuk menembak, termasuk (tetapi tidak terbatas pada) menyetel/menghitamkan alat bidik, menembak tanpa peluru, dan mengisi peluru. Penembak tidak boleh memegang senjata api mereka hingga perintah "Isi" diberikan. Jika ada peluru yang ditembakkan setelah perintah "Isi", tetapi sebelum perintah "Tembak", maka akan dianggap sebagai tembakan yang hilang. Jika ada peluru yang ditembakkan sebelum perintah "Isi", maka penembak akan didiskualifikasi selama satu tahun

3°) **“Fire”**: Given at the conclusion of the loading period, it signifies the beginning of the period to fire five shots.

Diberikan pada akhir periode pemuatan, ini menandakan dimulainya periode untuk melepaskan lima tembakan

4°) **“Cease fire”, “Make your firearms safe”**: Given at the end of the firing period. When given, shooters must immediately stop firing and unload their firearms. They must make firearms "safe" (unloaded with action open) ready for range officer inspection. If a shooter encounters any difficulty or delay in doing so, he should notify a range officer or a referee immediately. Any shot fired after the “Cease fire” command is a lost shot and should be called as such by the range officer in charge of the firing line.

Diberikan di akhir periode penembakan. Saat diberikan, penembak harus segera berhenti menembak dan mengeluarkan senjata api mereka. Mereka harus menyiapkan senjata api "aman" (dikeluarkan dengan amunisi terbuka) agar siap untuk diperiksa oleh petugas lapangan tembak. Jika seorang penembak menemui kesulitan atau penundaan dalam melakukannya, ia harus segera memberi tahu petugas lapangan tembak atau wasit. Tembakan apa pun yang dilepaskan setelah perintah "Gencatan Senjata" adalah tembakan yang hilang dan harus dinyatakan demikian oleh petugas lapangan tembak yang bertanggung jawab atas garis tembak

5°) **“Range is clear”:** Given after command number 4 by the range officer in charge of the firing line when all firearms have been cleared. Should any round be fired after the command “Range is clear”, the shooter will be disqualified for one year.

Diberikan setelah perintah nomor 4 oleh petugas lapangan tembak yang bertanggung jawab atas garis tembak ketika semua senjata api telah dikosongkan. Jika ada peluru yang ditembakkan setelah perintah “Lapangan tembak kosong”, penembak akan didiskualifikasi selama satu tahun

F. Scoring

Scorecards shall be marked as follows (assuming a competitor has fired a shot at the correct target):

a) an “X” is marked in the appropriate box if the target is knocked from the stand as a result of the shot.

b) an “O” is marked in the appropriate box if the target is still standing on the stand after the shot.

Kartu skor akan ditandai sebagai berikut (dengan asumsi seorang peserta telah melepaskan tembakan ke sasaran yang benar):

a) tanda “X” ditandai di kotak yang sesuai jika sasaran terlempar dari dudukannya akibat tembakan.

b) tanda “O” ditandai di kotak yang sesuai jika sasaran masih berdiri di dudukannya setelah tembakan.

Targets are shot in sequence, left to right, one shot fired at each target. If a target is knocked down out of sequence, it is scored as an “O” as is the intended target. The penalty shall be two targets. For example, a competitor's third shot knocks down the fifth target in his bank. That shot will be scored as an “O”, as will target five.

Jika sasaran jatuh tidak sesuai urutan, sasaran tersebut akan diberi skor "O" sebagaimana sasaran yang dituju. Hukumannya adalah dua sasaran. Misalnya, tembakan ketiga seorang peserta menjatuhkan sasaran kelima di banknya. Tembakan itu akan diberi skor "O", sebagaimana sasaran kelima.

"Turning" a target on the stand, without knocking it off the stand, will be scored as an "O".
A ricochet hit which knocks down the correct target will be scored as an "X".
When there are wind conditions requiring the targets to be fastened down, all hits on the targets shall be scored as an "X", if shot in the correct sequence.

"Membalikkan" Sasaran ditembak secara berurutan, dari kiri ke kanan, satu tembakan dilepaskan ke setiap sasaran. sasaran di atas dudukan, tanpa menjatuhkannya dari dudukan, akan diberi skor "O".
Tembakan pantulan yang menjatuhkan sasaran yang benar akan diberi skor "X".
Jika ada kondisi angin yang mengharuskan sasaran diikat, semua tembakan ke sasaran akan diberi skor "X", jika ditembakkan dalam urutan yang benar.

If either foot of any pig or ram is completely off the stand, but resting on the ground (or any other obstruction) so as to prevent the target from falling, the hit will be scored as an "X", even if the target is still standing with the other foot still on the stand. Otherwise (except when targets are clamped due to wind conditions), in no case shall a hit target be scored as an "X" unless it is knocked down and/or off its stand as a result of the shot fired by the competitor at that target.
If a target should be knocked down or blown over before being fired at by the competitor, the remaining targets will be fired at in order. If the competitor has one or more of his five shots remaining after firing at each of the available targets, these remaining shots will be fired as alibis. See SECTION VI.G "Alibis", below.

All scoring differences must be resolved immediately before either the shooter or the scorer leaves the firing point, before target setting and before the beginning of another string of fire.

The scorer shall be any person other than the shooter. The scorer assists the referees in verifying that:
- the correct entries are made on the score card.
- the competitor observes the rules and time limits.
- the competitor fires no more than five shots per string.
- when strong wind exists, distinction is made between targets knocked down by hits and those knocked down by the wind.

Jika salah satu kaki babi atau domba jantan terlepas sepenuhnya dari dudukannya, tetapi bertumpu di tanah (atau penghalang lain) untuk mencegah sasaran jatuh, tembakan akan dinilai sebagai "X", meskipun sasaran masih berdiri dengan kaki lainnya masih di dudukan. Jika tidak (kecuali jika sasaran dijepit karena kondisi angin), sasaran yang terkena tembakan tidak boleh dinilai sebagai "X" kecuali sasaran tersebut terjatuh dan/atau terlepas dari dudukannya akibat tembakan yang dilepaskan oleh peserta ke sasaran tersebut.
Jika sasaran terjatuh atau tertiup sebelum ditembak oleh peserta, sasaran yang tersisa akan ditembak secara berurutan. Jika peserta memiliki satu atau lebih dari lima tembakan yang tersisa setelah menembak setiap sasaran yang tersedia, tembakan yang tersisa ini akan ditembakkan sebagai alibi. Lihat BAGIAN VI.G "Alibi", di bawah.

Semua perbedaan skor harus diselesaikan segera sebelum penembak atau pencatat skor meninggalkan titik tembak, sebelum pemasangan sasaran, dan sebelum dimulainya serangkaian tembakan berikutnya.

Pencatat skor adalah orang lain selain penembak. Pencatat skor membantu wasit dalam memverifikasi bahwa:
- entri yang benar dibuat pada kartu skor.
- peserta mematuhi peraturan dan batas waktu.
- peserta melepaskan tidak lebih dari lima tembakan per rentetan.
- ketika angin kencang, dibedakan antara target yang tertembak dan yang tertembak oleh angin.

G. Alibis

The only alibi permitted in an IMSSU match is when a target is not available because it fell before it was engaged.

If enough targets are not available to complete the five shot string on the competitor's bank or the adjacent banks, the competitor's entire bank of targets will be reset and the alibi shots will be shot in a normal left-to-right sequence, regardless of which targets fell causing the alibi.

The competitor will be given a loading period and a firing period per alibi shot to complete the five shot string. The values of the loading and firing periods appear in each Special Technical Rule.

Firearm malfunctions and faulty ammunition shall not be cause for an alibi or the allowance of extra firing time. Should a firearm fail to function during an event, another firearm of the correct type may be substituted to complete the event.

This rule is not intended to imply that competitors may use more than one firearm to complete a given event, unless their primary firearm has been damaged or broken, and the Match Director or a line officer has examined said firearm and authorized its replacement. Under no circumstances shall the malfunction of a competitor's firearm or equipment be allowed to delay the progress of a match. Targets not fired on due to equipment failure or malfunction is judged lost targets and cannot be shot as alibis.

Satu-satunya alibi yang diizinkan dalam pertandingan IMSSU adalah saat target tidak tersedia karena jatuh sebelum dikerahkan.

Jika target yang tersedia tidak cukup untuk melengkapi rangkaian lima tembakan di bank pesaing atau bank yang berdekatan, seluruh bank target pesaing akan diatur ulang dan tembakan alibi akan ditembakkan dalam urutan kiri-ke-kanan yang normal, terlepas dari target mana yang jatuh yang menyebabkan alibi.

Pesaing akan diberikan periode pengisian dan periode penembakan per tembakan alibi untuk melengkapi rangkaian lima tembakan. Nilai periode pengisian dan penembakan muncul di setiap Aturan Teknis Khusus.

Kerusakan senjata api dan amunisi yang salah tidak boleh menjadi alasan untuk alibi atau pemberian waktu penembakan tambahan. Jika senjata api gagal berfungsi selama suatu pertandingan, senjata api lain dengan jenis yang benar dapat diganti untuk melengkapi pertandingan.

Aturan ini tidak dimaksudkan untuk menyiratkan bahwa peserta boleh menggunakan lebih dari satu senjata api untuk menyelesaikan pertandingan tertentu, kecuali senjata api utama mereka rusak atau patah, dan

Pimpinan Pertandingan atau petugas lapangan telah memeriksa senjata api tersebut dan mengesahkan penggantiannya. Dalam keadaan apa pun, kerusakan senjata api atau peralatan peserta tidak boleh dibiarkan menunda jalannya pertandingan. Sasaran yang tidak ditembak karena kerusakan atau kerusakan peralatan dianggap sebagai sasaran yang hilang dan tidak dapat ditembak sebagai alibi

H. Shoot Offs

The Match Director has the option to decide how to break all ties, as long as it is listed in the program or posted at the range prior to the match. If the tie breaker option is not listed or posted, reverse animal count shall be used. In other words, the tied score with the most number of rams would win. If the number of rams is equal, then the most turkeys would win, and so on.

Shooters with identical scores, including individual animal count, can compete in a shoot off to break the tie at the Match Director's option.

At all championship matches, the first, second and third places in all categories, must be decided by shoot offs in the event of tied scores. Other places may be decided by reverse animal count or shoot offs, at the Match Director's option.

Shoot off targets must be visible, steel, official-shaped targets of chickens, pigs, turkeys or rams. Targets may be of any regular size for either pistol or rifle and may be set in any combination of shapes and sizes.

Shoot off targets may be set at any distance, out to a maximum of the actual distance used to set the concerned category rams.

Shoot off targets may be of a different colour than those used in the match.

Shoot offs will be shot in five shot strings, at five targets for each shooter, at the distance(s) agreed upon. Regular loading, firing, and time procedures will be used.

Competitors must use the same firearm used for the original course of fire, unless replaced as per G.ALIBIS.

A “sudden death” shoot off format is not allowed.

For aggregate score ties, reverse animal count shall be used. In the event of a perfect equality, the concerned competitors will be declared of equal merit.

If a score tie occurs between teams, reverse animal count shall be used. If the animal count is equal, the team having the best individual aggregate will win. In the event of a perfect equality, the concerned teams will be declared of equal merit.

Direktur Pertandingan memiliki pilihan untuk memutuskan cara untuk memutuskan semua seri, selama hal tersebut tercantum dalam program atau dipasang di lapangan tembak sebelum pertandingan. Jika pilihan pemecah seri tidak tercantum atau dipasang, penghitungan hewan terbalik akan digunakan. Dengan kata lain, skor seri dengan jumlah domba jantan terbanyak akan menang. Jika jumlah domba jantan sama, maka kalkun terbanyak akan menang, dan seterusnya.

Penembak dengan skor yang sama, termasuk penghitungan hewan perorangan, dapat berkompetisi dalam adu tembak untuk memutuskan seri sesuai pilihan Direktur Pertandingan.

Pada semua pertandingan kejuaraan, tempat pertama, kedua, dan ketiga di semua kategori, harus diputuskan melalui adu tembak jika terjadi seri. Tempat lain dapat diputuskan melalui penghitungan hewan terbalik atau adu tembak, sesuai pilihan Direktur Pertandingan.

Sasaran adu tembak harus berupa sasaran ayam, babi, kalkun, atau domba jantan yang terlihat, terbuat dari baja, dan berbentuk resmi. Sasaran dapat berupa ukuran reguler apa pun untuk pistol atau senapan dan dapat diatur dalam kombinasi bentuk dan ukuran apa pun.

Sasaran tembak dapat ditetapkan pada jarak berapa pun, hingga jarak sebenarnya yang digunakan untuk memasang ram kategori terkait.
Sasaran tembak dapat memiliki warna yang berbeda dari yang digunakan dalam pertandingan.
Adu tembak akan dilakukan dalam lima rentetan tembakan, pada lima sasaran untuk setiap penembak, pada jarak yang disepakati. Prosedur pengisian, penembakan, dan waktu yang teratur akan digunakan.

Peserta harus menggunakan senjata api yang sama dengan yang digunakan untuk lintasan tembak awal, kecuali diganti sesuai dengan G.ALIBIS.
Format tembak "mati mendadak" tidak diperbolehkan.

Untuk skor agregat yang seri, hitungan hewan terbalik akan digunakan. Jika terjadi kesetaraan sempurna, peserta terkait akan dinyatakan memiliki prestasi yang sama.

Jika terjadi skor seri antara tim, hitungan hewan terbalik akan digunakan. Jika jumlah hewan sama, tim dengan agregat individu terbaik akan menang. Jika terjadi kesetaraan sempurna, tim terkait akan dinyatakan memiliki prestasi yang sama.

I. Rule Violation

In the case of open violation of the rules, a warning must first be given so that the shooter may have the opportunity to correct the fault. If the shooter does not correct the fault, disqualification must be imposed.

Warnings should be given between strings of fire. Except for safety reasons, a competitor cannot be interrupted during a 5 shot string.

A warning to the shooter must be expressed in terms that will leave no doubt that it is an official warning.

In the case of concealed violations of the rules, when the fault is deliberately concealed, immediate disqualification must be imposed.
If a shooter impedes another shooter in an unsportsmanlike manner when the latter is shooting, disqualification must be imposed.

Dalam kasus pelanggaran aturan secara terbuka, peringatan harus diberikan terlebih dahulu agar penembak memiliki kesempatan untuk memperbaiki kesalahannya. Jika penembak tidak memperbaiki kesalahannya, diskualifikasi harus diberikan.

Peringatan harus diberikan di antara rentetan tembakan. Kecuali untuk alasan keselamatan, seorang peserta tidak boleh diganggu selama rentetan tembakan ke-5.

Peringatan kepada penembak harus dinyatakan dengan istilah yang tidak akan meninggalkan keraguan bahwa itu adalah peringatan resmi.

Dalam kasus pelanggaran aturan secara tersembunyi, ketika kesalahan sengaja disembunyikan, diskualifikasi langsung harus diberikan.

Jika seorang penembak menghalangi penembak lain dengan cara yang tidak sportif saat penembak tersebut menembak, diskualifikasi harus diberikan.

J. Aggregates

An aggregate score is obtained by adding the scores of all the events of a given category or type of events. The silhouette discipline counts six aggregates:

Skor agregat diperoleh dengan menambahkan skor semua acara dalam kategori atau jenis acara tertentu. Disiplin siluet menghitung enam agregat:

Big Bore Pistol	Small Bore Pistol	Field Pistol	Big Bore Rifle	Small Bore Rifle	Standing
Revolver Production Standing Unlimited	Revolver Production Standing Unlimited	Production Production any sights	Silhouette Hunting	Silhouette Light	Standing BB Pistol Standing SB Pistol Field Production Field any sights

SECTION VII: Trophies - Awards - Prizes

A. Value

No match will be sanctioned by IMSSU where the value of any prize or merchandise award to be competed for exceeds thirty times the basic fee for one entry. Trophy value is not included, although this rule does apply to any merchandise or prize which is awarded in lieu of a trophy.

All donated or bonus prizes, without exception, are to be awarded in a manner whereby all trophy recipients are eligible on an equal basis.

Tidak akan ada pertandingan yang disetujui oleh IMSSU jika nilai hadiah atau barang dagangan yang diperebutkan melebihi tiga puluh kali biaya dasar untuk satu entri. Nilai trofi tidak termasuk, meskipun aturan ini berlaku untuk barang dagangan atau hadiah apa pun yang diberikan sebagai pengganti trofi.

Semua hadiah sumbangan atau bonus, tanpa kecuali, harus diberikan dengan cara yang memungkinkan semua penerima trofi memenuhi syarat secara setara.

B. Trophy Awarding

Trophies will be awarded to:

- the first, second and third shooters for each event.
- the first, second and third shooters for each category aggregate.
- the first, second and third teams for each category aggregate.

A National team is composed of three shooters of the said country for each category aggregate.

Only one National Team per country and category is allowed. Since there are up to six categories shot, a member country may enter up to six teams, one for each category shot.

At the match sponsor's option, special awards may be made for competition.

The host country may enter as many individual shooters as its facilities are capable of handling, provided that all visiting countries' entries are not decreased because of those additional shooters.

Trofi akan diberikan kepada:
- penembak pertama, kedua, dan ketiga untuk setiap pertandingan.
- penembak pertama, kedua, dan ketiga untuk setiap kategori secara keseluruhan.
- tim pertama, kedua, dan ketiga untuk setiap kategori secara keseluruhan.

Tim Nasional terdiri dari tiga penembak dari negara tersebut untuk setiap kategori secara keseluruhan. Hanya satu Tim Nasional yang diperbolehkan per negara dan kategori. Karena ada hingga enam kategori tembakan, negara anggota dapat mengirimkan hingga enam tim, satu untuk setiap kategori tembakan.

Atas pilihan sponsor pertandingan, penghargaan khusus dapat diberikan untuk kompetisi.

Negara tuan rumah dapat mengirimkan penembak individu sebanyak yang dapat ditangani oleh fasilitasnya, dengan ketentuan bahwa semua negara yang berkunjung tidak berkurang karena adanya penembak tambahan tersebut.

SECTION VIII: Protests

All rule interpretation and protests will be handled by the technical jury. All protests must be submitted to the Match Director in writing, accompanied by a fee equal to the amount of one entry fee, within three hours of any alleged violation. The protester and the protested parties have one hour after the technical jury decision to appeal this decision to the jury of appeal.

Should the jury rule in favour of the protesting party, the fee shall be returned to that person. If the jury rules in favour of the protested party, the fee will be paid to that person.

Any firearm may be protested. However, no competitor shall be interrupted during the course of fire. After the completion of firing, the competitor will be asked to make his firearm ready for inspection.

Semua interpretasi peraturan dan protes akan ditangani oleh juri teknis. Semua protes harus diserahkan kepada Direktur Pertandingan secara tertulis, disertai dengan biaya yang setara dengan jumlah satu biaya pendaftaran, dalam waktu tiga jam sejak dugaan pelanggaran. Pihak yang memprotes dan pihak yang diprotes memiliki waktu satu jam setelah keputusan juri teknis untuk mengajukan banding atas keputusan ini kepada juri banding.

Jika juri memutuskan mendukung pihak yang memprotes, biaya tersebut akan dikembalikan kepada orang tersebut. Jika juri memutuskan mendukung pihak yang diprotes, biaya tersebut akan dibayarkan kepada orang tersebut.

Senjata api apa pun dapat diprotes. Namun, tidak ada peserta yang boleh diganggu selama berlangsungnya penembakan. Setelah selesai menembak, peserta akan diminta untuk menyiapkan senjatanya untuk diperiksa.

SECTION IX: Sportsmanship

Good sportsmanship is the responsibility of all competitors, coaches/spotters. Their actions should reflect favourably on the shooting fraternity in general.

Any Match Director shall have the authority to bar any competitor or coach/spotter from a match for unsportsmanlike conduct or acts unbecoming to IMSSU or the sport. Should there be any question regarding this procedure, or any decision made there from, the matter shall be referred to the juries for a final decision.

Sportivitas yang baik merupakan tanggung jawab semua peserta, pelatih/pengawas. Tindakan mereka harus mencerminkan hal yang baik bagi persaudaraan menembak secara umum.

Setiap Direktur Pertandingan berwenang untuk melarang peserta atau pelatih/pengawas dari suatu pertandingan karena perilaku tidak sportif atau tindakan yang tidak pantas bagi IMSSU atau cabang olahraga. Jika ada pertanyaan mengenai prosedur ini, atau keputusan apa pun yang dibuat dari prosedur tersebut, masalah tersebut akan dirujuk ke juri untuk keputusan akhir.

SECTION X: Prohibited behaviour

During the match no competitor may be under influence of alcoholic beverages or illegal drugs (by ISSF rules).

Any shooter violating this provision is subject to immediate disqualification and possible further disciplinary action.

Selama pertandingan, tidak ada peserta yang boleh berada di bawah pengaruh minuman beralkohol atau obat-obatan terlarang (menurut peraturan ISSF).

Setiap penembak yang melanggar ketentuan ini akan langsung didiskualifikasi dan kemungkinan dikenakan tindakan disipliner lebih lanjut.

SECTION XI: Spotter

Each shooter may have one and only spotter with him on the firing line who may advise the competitor where shots are going, keep time and otherwise provide advice.

Said spotter may not handle the shooter's firearm or assist in any physical way once the command “Load” has been given.

Setiap penembak boleh memiliki satu orang Spotter di garis tembak yang dapat memberi tahu peserta ke mana arah tembakan, menjaga waktu, dan memberikan saran lainnya.

Spotter tersebut tidak boleh memegang senjata api penembak atau membantu dengan cara fisik apa pun setelah perintah "Isi" diberikan

GENERAL TECHNICAL RULES
for all handguns categories

SECTION I: Shooting positions

A. Freestyle

Any safe shooting position without artificial support. The firearm may only come in contact with the competitor's body and/or clothing. No part of the firearm may touch the ground or ground cover. No part of the handgun, and its sighting apparatus, and the shooter's hand(s) holding the pistol up to the wrist, are allowed to come in contact with the face of the shooter or the head equipment (cap, shooting glasses, shields, ear muffs,…).
The firearm must be held in such a manner that a match official can easily see that these rules are being complied with and that the firearm is visibly clear of the ground at all times when in the firing position. The shooter's equipment (cap, shields, etc.) must allow a Match Official to easily see that these rules are being complied with at all times when in the firing position.
A competitor placing a shoe or boot sideways on the ground must not place any part of the firearm on the heel. This position will be allowed only if the shooter's hand, or some portion thereof, is placed between the firearm and the heel. Nesting the barrel in the top part of a shoe or boot, or across the sole notch of the heel, constitutes artificial support and is not allowed.

Posisi menembak yang aman tanpa dukungan buatan. Senjata api hanya boleh bersentuhan dengan badan dan/atau pakaian peserta. Tidak ada bagian dari senjata api yang boleh menyentuh tanah atau penutup tanah. Tidak ada bagian dari pistol, dan peralatan pembidiknya, dan tangan penembak yang memegang pistol hingga pergelangan tangan, yang boleh bersentuhan dengan wajah penembak atau perlengkapan kepala (topi, kacamata tembak, perisai, penutup telinga,…).

Senjata api harus dipegang sedemikian rupa sehingga petugas pertandingan dapat dengan mudah melihat bahwa peraturan ini dipatuhi dan senjata api terlihat jelas tidak menyentuh tanah setiap saat dalam posisi menembak. Perlengkapan penembak (topi, perisai, dll.) harus memungkinkan Petugas Pertandingan untuk dengan mudah melihat bahwa peraturan ini dipatuhi setiap saat dalam posisi menembak.
Peserta yang meletakkan sepatu atau sepatu bot menyamping di tanah tidak boleh meletakkan bagian mana pun dari senjata api di tumit. Posisi ini hanya diperbolehkan jika tangan penembak, atau sebagian tangannya, diletakkan di antara senjata api dan tumit. Menempatkan laras di bagian atas sepatu atau sepatu bot, atau di sepanjang lekukan sol tumit, merupakan penyangga buatan dan tidak diperbolehkan

B. Standing

The shooter must assume a safe standing position with the firearm supported only by one or both hands.

No part of the shooter’s body may be artificially supported in any way. No part of either arm, from the shoulder to the wrist, is allowed to come in contact with any other part of the shooter’s anatomy or may be artificially supported in any way.

The shooter’s hands may only contact his/her handgun and sighting apparatus. The shooter’s hands may be in contact one with each other. The handgun and its sighting apparatus may be in contact with the shooter’s hands only.

Nevertheless, for shooters assuming the one handed ISSF shooting stance, the non shooting hand may rest on the waist, in the pocket, in the belt, ..., assuming the spirit of the rules expressed in the former paragraph is enforced.

The firearm must be held in such a manner that a Match Official can easily see that these rules are

being complied with at all times when in the firing position.
The shooter's equipment (cap, shields, etc.) must allow a Match Official to easily see that these rules are being complied with at all times when in the firing position.

Penembak harus berdiri dengan aman dengan senjata api yang hanya ditopang oleh satu atau kedua tangan.

Tidak ada bagian tubuh penembak yang boleh ditopang secara artifisial dengan cara apa pun. Tidak ada bagian dari kedua lengan, dari bahu hingga pergelangan tangan, yang boleh bersentuhan dengan bagian lain dari anatomi penembak atau boleh ditopang secara artifisial dengan cara apa pun.

Tangan penembak hanya boleh menyentuh pistol dan alat bidiknya. Tangan penembak boleh saling bersentuhan. Pistol dan alat bidiknya hanya boleh bersentuhan dengan tangan penembak.

Namun, bagi penembak yang mengambil posisi menembak ISSF dengan satu tangan, tangan yang tidak menembak boleh diletakkan di pinggang, di saku, di ikat pinggang, ..., dengan asumsi semangat aturan yang dinyatakan dalam paragraf sebelumnya ditegakkan.
Senjata api harus dipegang sedemikian rupa sehingga Petugas Pertandingan dapat dengan mudah melihat bahwa aturan ini dipatuhi setiap saat saat berada di posisi menembak. Peralatan penembak (topi, perisai, dll.) harus memungkinkan Panitia Pertandingan dengan mudah melihat bahwa peraturan ini dipatuhi setiap saat ketika dalam posisi menembak.

SECTION II: Production rules

A. Production Pistol

A pistol which conforms to production pistol technical specifications.
Pistol yang sesuai dengan spesifikasi teknis pistol produksi

The pistol may weight no more than 1.814 grams (4 pounds), complete with all sighting equipment and empty magazine. Barrel length not to exceed 273mm (10.75") measured by the Unlimited procedure (revolver barrel measurement will not include cylinder).
The pistol may be of any action type.
The overall length of Production pistols may not be more than 457mm (18") for revolvers and 406mm (16") for other pistol types. Measurements to be “square” or parallel to the centre line of the bore.
The distance between the front and rear sight must not exceed 342mm (13.5"). This distance must be measured from the rear surface of the rear sight blade to the highest point of the front blade or peep. No part of the front sight post or blade (with the exception of a hood) and no part of the optical device (with the exception of a production sun shade) may be located in front of the muzzle of the barrel.

Pistol tidak boleh berbobot lebih dari 1,814 gram (4 pon), lengkap dengan semua peralatan bidik dan magasin kosong. Panjang laras tidak boleh melebihi 273 mm (10,75") yang diukur dengan prosedur Unlimited (pengukuran laras revolver tidak akan mencakup silinder).
Pistol dapat berupa jenis aksi apa pun.
Panjang keseluruhan pistol Produksi tidak boleh lebih dari 457 mm (18") untuk revolver dan 406 mm (16") untuk jenis pistol lainnya. Pengukuran harus "persegi" atau sejajar dengan garis tengah lubang laras.
Jarak antara alat bidik depan dan belakang tidak boleh melebihi 342 mm (13,5"). Jarak ini harus diukur dari permukaan belakang bilah alat bidik belakang ke titik tertinggi bilah depan atau peep. Tidak ada bagian dari tiang atau bilah alat bidik depan (kecuali kap produksi) dan tidak ada bagian dari perangkat optik (kecuali pelindung matahari produksi) yang boleh ditempatkan di depan moncong laras.

Muzzle brakes or any device(s) functioning in a similar manner are not allowed. Barrels threaded at the muzzle are allowed. During shooting the external thread must be covered with same diameter thread protector as what the barrel is. Internal thread must be protected with a plug that has a moderate diameter hole for the bullet. Making the thread may not result in a gun that would otherwise not be Production to come within the rules limits. The length of the thread is limited to 20mm. The threaded section must be covered by a solid screw-on cap which must follow the contour of the barrel. The cap will be included in the weight of the barrel. The cap may not be used to extend the sight radius.

Muzzle brakes atau perangkat apa pun yang berfungsi dengan cara serupa tidak diperbolehkan. Barel yang dipasang di moncongnya diperbolehkan. Selama pengambilan gambar, ulir luar harus ditutup dengan pelindung ulir berdiameter sama dengan larasnya. Benang bagian dalam harus dilindungi dengan sumbat yang memiliki lubang berdiameter sedang untuk peluru. Pembuatan benang tidak boleh menghasilkan senjata yang tidak diproduksi sesuai dengan batasan aturan. Panjang benang dibatasi hingga 20mm. Bagian berulir harus ditutup dengan tutup sekrup padat yang harus mengikuti kontur laras. Tutupnya akan dimasukkan ke dalam berat laras. Tutupnya tidak boleh digunakan untuk memperluas radius penglihatan.

The firearm must be complete at all times in form and mechanical functions.

For safety reasons, the width of the trigger, including an eventual trigger shoe, must not exceed the trigger guard width.

The grips must be conventional in that they do not allow support of the firearm with parts of the body other than the shooter's hands, and do not extend behind the shooter's wrist joints. No part of the grip or accessories may encircle the hand. The heel rest must extend at an angle of not less than 90° to the grip. (See Figure A) Any upward curvature of the heel and/or thumb rest and/or a downward curvature of the side opposite the thumb are prohibited. The thickness of the grip cannot exceed 64mm (2.5"), as measured in figure A.
As measured in figure B, the distance between points A and B must not be longer than 40 mm (1.57"), action uncocked.

Senjata api harus selalu lengkap baik bentuk maupun fungsi mekanisnya.

Untuk alasan keamanan, lebar pelatuk, termasuk sepatu pelatuk, tidak boleh melebihi lebar pelindung pelatuk.

Genggamannya harus konvensional karena tidak memungkinkan senjata api ditopang oleh bagian tubuh selain tangan penembak, dan tidak meluas ke belakang sendi pergelangan tangan penembak. Tidak ada bagian pegangan atau aksesori yang boleh melingkari tangan. Sandaran tumit harus memanjang dengan sudut tidak kurang dari 90° terhadap pegangan. (Lihat Gambar A) Dilarang melakukan lengkungan ke atas pada tumit dan/atau sandaran ibu jari dan/atau lengkungan ke bawah pada sisi yang berlawanan dengan ibu jari. Ketebalan pegangan tidak boleh melebihi 64 mm (2,5"), sebagaimana diukur pada gambar A.
Sebagaimana diukur dalam gambar B, jarak antara titik A dan B tidak boleh lebih panjang dari 40 mm (1,57"), tindakan tidak dikokang.




Figure A





Figure B

However, curved surfaces on the grips or frame, including the heel and/or thumb rest in the longitudinal direction of the firearm are permitted. The centre line of the bore must pass above the web (between thumb and forefinger) of the hand holding the pistol in the normal firing position (see figure C).

Namun, permukaan lengkung pada pegangan atau rangka, termasuk tumit dan/atau sandaran ibu jari pada arah memanjang senjata api, diperbolehkan. Garis tengah lubang harus melewati bagian atas (antara ibu jari dan telunjuk) tangan yang memegang pistol pada posisi menembak normal (lihat gambar C).

Figure C




No adjustable grips are allowed. All adjustable grip parts provided by the manufacturer must be removed.
Replacement of grips with aftermarket grips is allowed. These grips must be catalogue items readily available to the general public and must be manufactured for that firearm. All grips (factory or after market) must be complete at all times in form and finish as manufactured.

Replacement of sights with aftermarket sights is allowed. Adaptor blocks for aftermarket sights are allowed. The height between the centerline of the bore and the center of the front sight or the highest point of a blade may not be more than 50 mm. Drilling and taping for sights or adaptor blocks is allowed. No part of the rear sight, including the sunshade or hood, may extend beyond the rear of the pistol, actions uncocked (refer to the drawing).

Pegangan yang dapat disesuaikan tidak diperbolehkan. Semua bagian pegangan yang dapat disesuaikan yang disediakan oleh pabrikan harus dilepas.

Penggantian grip dengan grip aftermarket diperbolehkan. Pegangan ini harus merupakan item katalog yang tersedia untuk masyarakat umum dan harus diproduksi untuk senjata api tersebut. Semua grip (pabrik atau pasar purna jual) harus selalu lengkap dalam bentuk dan hasil akhir sesuai produksi.
Penggantian pemandangan dengan pemandangan aftermarket diperbolehkan. Blok adaptor untuk pemandangan purnajual diperbolehkan. Ketinggian antara garis tengah lubang dan bagian tengah pandangan depan atau titik tertinggi bilah tidak boleh lebih dari 50 mm. Pengeboran dan perekaman untuk pemandangan atau blok adaptor diperbolehkan. Tidak ada bagian dari pandangan belakang, termasuk kerai atau kap mesin, yang boleh melampaui bagian belakang pistol, tindakan tidak dikokang (lihat gambar).



The sights may be painted or smoked to suit the competitor. This includes painting of sight setting marks.


Diopters are not allowed on pistols used in Production events for the Big Bore Pistol categories (Revolver, Production and Standing), as well as in the Small Bore Production and Revolver categories and the Field Pistol Production category.

The only sight apparatus allowed for these categories are a notched leaf type rear sight associated to a solid front sight, giving a sight picture similar to the following drawings:

Alat bidik dapat dicat atau diasapi agar sesuai dengan keinginan peserta. Ini termasuk mengecat tanda pengaturan alat bidik.

Diopter tidak diperbolehkan pada pistol yang digunakan dalam acara Produksi untuk kategori Pistol Big Bore (Revolver, Produksi, dan Berdiri), serta dalam kategori Produksi dan Revolver Small Bore dan kategori Produksi Pistol Lapangan.

Satu-satunya alat bidik yang diperbolehkan untuk kategori ini adalah alat bidik belakang tipe daun berlekuk yang dikaitkan dengan alat bidik depan yang kokoh, yang menghasilkan gambar bidik yang mirip dengan gambar berikut:



Diopters are allowed only in the Small Bore Standing category and the Field Pistol Any Sights category.

Dioptri hanya diperbolehkan dalam kategori Small Bore Standing dan kategori Field Pistol Any Sights.

1°) Non-functional embellishments such as engraving, inlays or inscriptions are allowed on the pistol but not on the grips or sights.

2°) Drilling and tapping for a scope mount is allowed. Such a pistol can be used in any Big Bore, Small Bore or Field Production category with the scope mount (no rings) on it as long as the mount is not used as a shooting aid. When no scope mount is left on the pistol, the holes must be fitted with plug screws.

A trigger job may be performed on any Big Bore, Field or Small Bore firearm. A trigger job consists of smoothing or stoning the burrs off the sear and hammer notch to achieve a smooth and safe release. The return spring and/or hammer spring can be cut or reshaped or replaced by aftermarket springs. No other internal modification is allowed.

A double action revolver MUST be able to fire double action.

A revolver cylinder MUST rotate without any help from the shooter other than cocking the hammer (single action mode) or pulling the trigger (double action mode).

A revolver or semi-automatic pistol used in any event (except unlimited) must be loaded with five rounds and fired as such.

1°) Hiasan non-fungsional seperti ukiran, tatahan atau prasasti diperbolehkan pada pistol tetapi tidak pada pegangan atau penglihatan.

2 °) Pengeboran dan penyadapan untuk dudukan teropong diperbolehkan. Pistol semacam itu dapat digunakan dalam kategori Big Bore, Small Bore atau Field Production dengan dudukan scope (tanpa cincin) di atasnya selama dudukan tidak digunakan sebagai alat bantu menembak. Jika tidak ada dudukan teropong yang tersisa pada pistol, lubang harus dipasang dengan sekrup steker.

Pekerjaan pemicu dapat dilakukan pada senjata api Big Bore, Field atau Small Bore apa pun. Pekerjaan pemicu terdiri dari menghaluskan atau merajam gerinda dari bakar dan takik palu untuk mendapatkan pelepasan yang mulus dan aman. Pegas balik dan/atau pegas palu dapat dipotong atau dibentuk ulang atau diganti dengan pegas aftermarket. Tidak ada modifikasi internal lainnya yang diperbolehkan.

Revolver aksi ganda HARUS dapat menembakkan aksi ganda.

Silinder revolver HARUS berputar tanpa bantuan apa pun dari penembak selain memiringkan palu (mode aksi tunggal) atau menarik pelatuk (mode aksi ganda).

Revolver atau pistol semi-otomatis yang digunakan dalam acara apa pun (kecuali tidak terbatas) harus dimuat dengan lima peluru dan ditembakkan seperti itu.

B. Production Pistol Scope Mount

A scope mount which is or has been a catalogue item readily available to the general public. It must be complete at all times in form and finish as manufactured.

The distance between the axis of the optical device and the axis of the bore cannot exceed 76mm (3").

Dudukan teropong yang merupakan atau pernah menjadi item katalog yang tersedia untuk masyarakat umum. Dudukan tersebut harus selalu lengkap dalam bentuk dan hasil akhir seperti saat diproduksi.

Jarak antara sumbu perangkat optik dan sumbu lubang tidak boleh melebihi 76 mm (3").

C. Production Scope

A scope which is or has been a catalogue item readily available to the general public. It must be complete at all times in form and finish as manufactured. Adjustment knob caps can be removed. Any kind of scope or optical device is allowed, except Laser beam devices.

Lingkup yang merupakan atau pernah menjadi item katalog yang tersedia untuk masyarakat umum. Lingkup tersebut harus selalu lengkap dalam bentuk dan hasil akhir seperti saat diproduksi. Tutup kenop penyetelan dapat dilepas. Semua jenis lingkup atau perangkat optik diperbolehkan, kecuali perangkat sinar laser.

D. Cartridges

a) Big Bore:

Any self-contained centre fire cartridge meeting the following requirements. A cartridge must fit a chambering available to the general public. For cartridges for which no cases are available on a commercial basis, reloading dies must be catalogue items readily available to the general public. There are no other limitations

b) Small Bore:

Any manufactured 22 Short, 22 Long or 22 Long Rifle self contained rimfire cartridge.

a) Big Bore:
Setiap kartrid self-contained center fire yang memenuhi persyaratan berikut. Agar dapat diproduksi, kartrid harus sesuai dengan ruang peluru yang tersedia di senjata api Produksi berdasarkan katalog (tidak ada ruang peluru khusus). Untuk kartrid yang tidak memiliki selongsong peluru yang tersedia secara komersial, alat pengisian ulang harus berupa barang katalog yang tersedia untuk masyarakat umum.
Tidak ada batasan lain

b) Small Bore:
Setiap kartrid rimfire self-contained 22 Short, 22 Long atau 22 Long Rifle yang diproduksi.

c) Field Pistol:

Any Big Bore cartridge with a case no longer than the 22 Hornet case nominal length (1.403" or 35.64mm). Rimfire cartridges are not allowed.

Kartrid Big Bore apa pun dengan panjang wadah yang tidak melebihi panjang nominal wadah 22 Hornet (1,403" atau 35,64 mm). Kartrid Rimfire tidak diperbolehkan.

SECTION III: Unlimited

A. Unlimited Pistol

A pistol with maximum barrel length and sight radius of 381mm (15") and a maximum weight limit of 2.041 grams (4.5 pounds), unloaded with magazine. The sight radius to be measured from the rear surface of the rear sight blade to the highest point of the front blade or peep. The overall length of all sighting apparatus including hoods, covers, tubes, sunshades, extensions or whatever, shall not exceed 457mm (18").

Barrel length is measured by inserting a rod down the barrel until it makes contact with the bolt or breech face, then a straight edge placed horizontally across the muzzle of the highest part of the crown. The distance between the bolt face or breech and the top of the crown, thus measured, is the official barrel length.

The overall length of Unlimited firearms may not be more than 635mm (25"), measurement to be «square» or parallel to centre line of bore.

Pistol dengan panjang laras maksimum dan radius bidik 381 mm (15") dan batas berat maksimum 2,041 gram (4,5 pon), tanpa peluru. Radius bidik diukur dari permukaan belakang bilah bidik belakang hingga titik tertinggi bilah bidik depan atau peep. Panjang keseluruhan semua peralatan bidik termasuk kap, penutup, tabung, pelindung matahari, ekstensi, atau apa pun, tidak boleh melebihi 457 mm (18").

Panjang laras diukur dengan memasukkan batang ke dalam laras hingga menyentuh baut atau muka sungsang, lalu penggaris lurus diletakkan secara horizontal di moncong

bagian tertinggi mahkota. Jarak antara muka baut atau sungsang dan bagian atas mahkota, yang diukur dengan cara ini, adalah panjang laras resmi.

Panjang keseluruhan senjata api Unlimited tidak boleh lebih dari 635mm (25"), diukur dengan ukuran "persegi" atau sejajar dengan garis tengah lubang laras.

Muzzle brakes or any device(s) functioning in a similar manner are not allowed. Barrels threaded at the muzzle are allowed. During shooting the external thread must be covered with same diameter thread protector as what the barrel is. Internal thread must be protected with a plug that has a moderate diameter hole for the bullet. Making the thread may not result in a gun that would otherwise not be Production to come within the rules limits. The length of the thread is limited to 20mm. The threaded section must be covered by a solid screw-on cap which must follow the contour of the barrel. The cap will be included in the weight of the barrel. The cap may not be used to extend the sight radius.

Muzzle brakes atau perangkat apa pun yang berfungsi dengan cara serupa tidak diperbolehkan. Barel yang dipasang di moncongnya diperbolehkan. Selama pengambilan gambar, ulir luar harus ditutup dengan pelindung ulir berdiameter sama dengan larasnya. Benang bagian dalam harus dilindungi dengan sumbat yang memiliki lubang berdiameter sedang untuk peluru. Pembuatan benang tidak boleh menghasilkan senjata yang tidak diproduksi sesuai dengan batasan aturan. Panjang benang dibatasi hingga 20mm. Bagian berulir harus ditutup dengan tutup sekrup padat yang harus mengikuti kontur laras. Tutupnya akan dimasukkan ke dalam berat laras. Tutupnya tidak boleh digunakan untuk memperluas radius penglihatan.

A revolver or semi-automatic pistol used in an Unlimited event may be loaded and fired single-shot at the option of the competitor.

Revolver atau pistol semi-otomatis yang digunakan dalam acara Unlimited dapat diisi dan ditembakkan dengan sekali tembak sesuai pilihan peserta

B. Unlimited Cartridges

a) Big bore:

Any self-contained centre fire cartridge. For the Unlimited event, which is shot on ½ scale targets, the minimum calibre is 6mm (0.243").

b) Small Bore:

Any manufactured 22 Short, 22 Long or 22 Long Rifle self contained rimfire cartridge.

a) Big Bore:

Setiap kartrid self-contained center fire. Untuk acara Unlimited, yang ditembakkan pada target skala ½, kaliber minimum adalah 6mm (0,243").

b) Small Bore:

Setiap kartrid rimfire self-contained 22 Short, 22 Long atau 22 Long Rifle yang diproduksi.

SECTION IV: ALLOWED - NOT ALLOWED

A. Allowed

The following equipment/accessories/attitudes are allowed:

Peralatan/aksesoris/sikap berikut ini diizinkan:

a) Shooting mat:

A flat shooting mat or ground cover of a thickness not to exceed 25.4mm (1"). This mat must be of uniform thickness and cannot be folded or used to gain any support.

Alas tembak datar atau penutup tanah dengan ketebalan tidak melebihi 25,4 mm (1"). Alas ini harus memiliki ketebalan yang seragam dan tidak dapat dilipat atau digunakan untuk mendapatkan dukungan apa pun.

b) Elbow protection:

Athletic elbow pads or other such material used to protect a shooter's elbow of a thickness not to exceed 25.4mm (1"). Such protection shall not be excessively padded or stiff, so as to be used as a shooting aid or artificial support.

Pelindung siku atletik atau bahan lain semacam itu yang digunakan untuk melindungi siku penembak dengan ketebalan tidak melebihi 25,4 mm (1"). Pelindung tersebut tidak boleh terlalu empuk atau kaku, sehingga tidak boleh digunakan sebagai alat bantu menembak atau penyangga buatan.

c) Gloves:
Shooting gloves, so long as they are not excessively padded or stiff so as to be used as a shooting aid.

Sarung tangan menembak, asalkan tidak terlalu empuk atau kaku sehingga tidak bisa digunakan sebagai alat bantu menembak.

d) Shields:
Blast shields used in the freestyle position if used for protection only and not as a shooting aid.
Perisai ledakan yang digunakan dalam posisi gaya bebas hanya digunakan untuk perlindungan dan bukan sebagai alat bantu menembak.

e) Auxiliary lenses:
Auxiliary lenses and/or loupes as long as they are attached to the eye-glass lens or frame. Said lens and/or loupe may not extend more than 25.4mm (1") beyond the eyeglass frame.

Lensa tambahan dan/atau kaca pembesar asalkan terpasang pada lensa atau bingkai kacamata. Lensa dan/atau kaca pembesar tersebut tidak boleh memanjang lebih dari 25,4 mm (1") di luar bingkai kacamata.

f) Sun glasses:
Clip-on sun glasses over prescription glasses.
Kacamata hitam jepit di atas kacamata resep.

g) Iris:
Iris diaphragm attached to the eye-glass lens or frame.
Diafragma iris melekat pada lensa atau bingkai kacamata.

h) Cap:
Shooting cap.
Topi Tembak

i) Handling:
Ammunition and/or clip handling between courses of fire.
Penanganan amunisi dan/atau klip di antara rangkaian tembakan.

B. Not Allowed
The following equipment/accessories/positions are not allowed:
Peralatan/aksesoris/posisi berikut tidak diizinkan:

a) Optical devices:
Scopes or any optical devices (except as allowed for Field Pistol or auxiliary lenses as defined in SECTION IV.A above).
Lingkup atau perangkat optik apa pun (kecuali yang diizinkan untuk Pistol Lapangan atau lensa tambahan sebagaimana didefinisikan dalam BAGIAN IV.A di atas

b) Artificial rests:
Artificial rests or supports, slings, padded or unnecessarily heavy clothing, or any kind of wrist or arm supports or bracelets.
Sandaran atau penyangga buatan, gendongan, pakaian yang terlalu berat atau berlapis, atau segala jenis penyangga atau gelang pada pergelangan tangan atau lengan

c) Shooting shoes:

Shooting shoes especially designed for that purpose.

Sandaran atau penyangga buatan, gendongan, pakaian yang terlalu berat atau berlapis, atau segala jenis penyangga atau gelang pada pergelangan tangan atau lengan

d) Clothes:

Shooting clothes especially designed for that purpose.

Pakaian menembak yang dirancang khusus untuk tujuan itu.

For all standing events:

Commercial type trap and skeet vests (sleeveless) and shotgun shooting shirts are permitted as well as clothing normally suitable for existing climatic conditions. Shooting clothing (vests, pants, shoes, etc) is not allowed.

Unnecessarily heavy clothing, or anything on the person that would provide artificial support, such as clothing having excess padding or stiffening material, or is excessively tight or which restricts or support the body in the shooting position (including accessories worn under the clothing), may not be worn.

Vests or clothes that may be considered or construed to be unnecessarily heavy, or tight, or to provide artificial support are permitted if they can be closed over a gauge made of 101.6 mm (4") thin wall PVC pipe, not less than 762 mm (30") in length, passed through the entire length of the garment. The garment must also be opened or vented from the bottom edge to a point 50.8 mm (2") above the summit of the crest of the hipbone.

Untuk semua acara yang berlangsung:

Rompi perangkap dan skeet jenis komersial (tanpa lengan) dan baju tembak senapan diperbolehkan serta pakaian yang biasanya sesuai untuk kondisi iklim yang ada. Pakaian tembak (rompi, celana, sepatu, dll.) tidak diperbolehkan.

Pakaian yang terlalu berat, atau apa pun pada orang yang dapat memberikan dukungan buatan, seperti pakaian yang memiliki bantalan atau bahan pengaku berlebih, atau terlalu ketat atau yang membatasi atau menopang tubuh dalam posisi menembak (termasuk aksesori yang dikenakan di bawah pakaian), tidak boleh dikenakan.

Rompi atau pakaian yang dapat dianggap atau ditafsirkan terlalu berat, atau ketat, atau memberikan dukungan buatan diperbolehkan jika dapat ditutup di atas pengukur yang terbuat dari pipa PVC berdinding tipis 101,6 mm (4"), panjangnya tidak kurang dari 762 mm (30"), yang melewati seluruh panjang pakaian. Pakaian tersebut juga harus dibuka atau diberi ventilasi dari tepi bawah ke titik 50,8 mm (2") di atas puncak tulang pinggul.

e) Adhesives and padding:

Adhesive materials or padding used on the shooter's clothing or on any part of his firearm.

Bahan perekat atau bantalan yang digunakan pada pakaian penembak atau pada bagian mana pun dari senjata apinya.

f) Triggers:

Triggers which function on the release.

Pemicu yang berfungsi saat pelepasan.

g) Programmed aiming devices:

Any aiming device programmed to activate the firing mechanism.

Perangkat bidik apa pun yang diprogram untuk mengaktifkan mekanisme penembakan.

h) Checkering:

Checkering the front end of forends (Unlimited firearms)..

Memeriksa ujung depan forend (Senjata api tak terbatas).

i) Forends (Production and Unlimited firearms):


"Funny forends" with wedges or melon slices cut out of one or both sides with the idea of providing a contour effect to fit the shooter's leg or some other part of his anatomy as a shooting aid. All these and any other variations are violating the artificial rest rule. Match Directors and juries have the authority to rule on any funny forend at any match. If, in their opinion, any of these funny forends violates either the artificial rest rule, the spirit of the rule, or both, they have the authority to refuse the entry of any such firearm in any IMSSU match

No part of the forend may protrude in a direction which in not parallel to the bore's axis. Examples of

forbidden forends which illustrate the spirit of the rule:

"Funny forends" dengan irisan atau potongan melon di salah satu atau kedua sisinya dengan tujuan memberikan efek kontur agar pas dengan kaki penembak atau bagian lain dari anatominya sebagai alat bantu menembak. Semua ini dan variasi lainnya melanggar aturan sandaran buatan. Direktur pertandingan dan juri berwenang untuk memutuskan funny forend apa pun di pertandingan mana pun. Jika, menurut pendapat mereka, salah satu dari funny forend ini melanggar aturan sandaran buatan, semangat aturan, atau keduanya, mereka berwenang untuk menolak masuknya senjata api tersebut dalam pertandingan IMSSU mana pun

Tidak ada bagian dari forend yang boleh menonjol ke arah yang tidak sejajar dengan sumbu lubang laras. Contoh forend terlarang yang menggambarkan semangat aturan:



It is not allowed to hold a pistol by slipping the fingers or any part of the hand between the barrel and the forend, freestyle or standing.


Tidak diperkenankan memegang pistol dengan menyelipkan jari atau bagian tangan mana pun di antara laras dan bagian depan, baik gaya bebas maupun berdiri.

The distance between the upper side of the barrel and the underside of the forend (taken at the middle of the barrel) cannot exceed 55 mm.

Drawing not to scale:

Jarak antara sisi atas laras dan sisi bawah forend (diambil di bagian tengah laras) tidak boleh melebihi 55 mm.

Gambar tidak berskala



j) Rests:
Hooking a thumb or fingers in pockets and/or grasping objects in the pockets, inside or out, or otherwise using such means or objects as a rest or reference point.

Memasukkan ibu jari atau jari-jari lainnya ke dalam saku dan/atau memegang benda di dalam saku, baik bagian dalam maupun luar, atau dengan cara lain menggunakan sarana atau benda tersebut sebagai tumpuan atau titik acuan

k) Extractor.
All handguns must be equipped with a device which partially or totally extracts the empty cases or an unfired cartridge from the chamber. Pistols without such a device are not allowed.

Semua pistol genggam harus dilengkapi dengan alat yang dapat mengeluarkan sebagian atau seluruh selongsong peluru kosong atau selongsong peluru yang belum ditembakkan dari bilik. Pistol tanpa alat tersebut tidak diperbolehkan

Section V: Shooting events procedures and competition rules

A. Loading, firing and alibi periods

The loading period is 30 seconds. The
firing period is 2 minutes.
A tolerance of plus one second is allowed for these time periods. Thus, the loading period must be between 30" and 31" and the firing period must be between 2' and 2'01".

The alibi period is 30 seconds for loading and 24 seconds for each alibi shot with the same tolerance.

Periode pengisian adalah 30 detik. Periode penembakan adalah 2 menit.
Toleransi plus satu detik diperbolehkan untuk periode waktu ini. Jadi, periode pengisian harus antara 30" dan 31" dan periode penembakan harus antara 2' dan 2'01".
Periode alibi adalah 30 detik untuk pengisian dan 24 detik untuk setiap tembakan alibi dengan toleransi yang sama.

B. Events order

Competitors can choose the order they wish to shoot the different events. For a given relay, they can make their choice at firearm certification, or before. This choice must comply with the rules (i.e. when shooting the Production event with a revolver, one must shoot the Revolver event before the Production event).

The organizers can impose some shooting order to the competitors only to allow for range configuration.

Peserta dapat memilih urutan yang mereka inginkan untuk menembak pada berbagai acara. Untuk estafet tertentu, mereka dapat menentukan pilihan pada sertifikasi senjata api, atau sebelumnya. Pilihan ini harus mematuhi peraturan (misalnya saat menembak pada acara Produksi dengan revolver, seseorang harus menembak pada acara Revolver sebelum acara Produksi).

Penyelenggara dapat memberlakukan beberapa urutan menembak kepada peserta hanya untuk menyesuaikan konfigurasi jarak tembak.

C. Shooting procedure

The closest targets are shot first and so on.
Target yang paling dekat ditembak terlebih dahulu, dan seterusnya

D. Firearms transportation

A box with no lid or with a transparent lid is **mandatory to place and transport the handgun between each string of fire**. The host club must provide enough boxes to lend or rent to the shooters who have no boxes of their own.

Kotak tanpa tutup atau dengan tutup transparan wajib digunakan untuk menempatkan dan mengangkut pistol di antara setiap rentetan tembakan. Klub tuan rumah harus menyediakan cukup banyak kotak untuk dipinjamkan atau disewakan kepada penembak yang tidak memiliki kotak sendiri

SPECIAL TECHNICAL RULES
for the Big bore Pistol category

A. Events

Competition will be in four events:

Events	Shooting positions	Pistols used
Revolver	Freestyle	Production Revolver
Production	Freestyle	Any Production handgun
Unlimited	Freestyle	Unlimited handgun
Standing	Standing	Any Production handgun

See General Technical Rules for all handguns categories: SECTION I (Shooting positions), SECTION II (Production rules) and SECTION III (Unlimited).

The events are ranked as Revolver, Production and Unlimited, with Unlimited being the highest.

Any Production gun can be fired in a "higher" event after it is fired in its own event.

The Standing event may be shot at any time, with one exception: if a competitor chooses to use the standing position in a Production freestyle event and wishes to enter the Standing event using the same handgun, the Standing event must be fired first.

Lihat Aturan Teknis Umum untuk semua kategori pistol genggam: BAGIAN I (Posisi menembak), BAGIAN II (Aturan produksi) dan BAGIAN III (Tidak terbatas).

Pertandingan diberi peringkat sebagai Revolver, Produksi, dan Tidak Terbatas, dengan Tidak Terbatas sebagai yang tertinggi.

Setiap senjata Produksi dapat ditembakkan dalam pertandingan yang "lebih tinggi" setelah ditembakkan dalam pertandingannya sendiri.

Pertandingan Berdiri dapat dilakukan kapan saja, dengan satu pengecualian: jika seorang peserta memilih untuk menggunakan posisi berdiri dalam pertandingan gaya bebas Produksi dan ingin memasuki pertandingan Berdiri menggunakan pistol genggam yang sama, pertandingan Berdiri harus ditembakkan terlebih dahulu

B. Targets Specifications

Targets shall be full scale per official IMSSU scale templates.

The official Big Bore templates are scaled on 25.4 mm (1") square grids. See General Technical Rules, Section III : Target standards.

Steel thickness:

- Chicken and pig: 12mm (1/2").
- Turkey and ram: 10mm (3/8").

STR Big Bore Pistol

For safety, use of T1 steel or equivalent is highly recommended and mandatory for championship matches. Use of T1 steel or equivalent is mandatory for the chickens.

Dimensions of the “feet”:
- Chicken: 75mm x 100mm (3"x 4").
- Pig: 50mm x 100mm (2"x 4").
- Turkey: 75mm x 200mm (3"x 8").
- Ram: 100mm x 125mm (4"x 5").

Old turkey's silhouettes with 75mm x 150mm (3"x 6") feet may be used. Material used for the feet must

be the same as the silhouette targets.
For the Unlimited event, ½ scale (Field Pistol) targets will be used.

Sasaran harus berskala penuh sesuai templat skala IMSSU resmi.

Templat Big Bore resmi diskalakan pada kisi persegi 25,4 mm (1"). Lihat Aturan Teknis Umum, Bagian III: Standar target.


Ketebalan baja:
- Ayam dan babi: 12 mm (1/2"). - Kalkun dan domba jantan: 10mm (3/8").


Demi keselamatan, penggunaan baja T1 atau yang setara sangat disarankan dan wajib untuk pertandingan kejuaraan. Penggunaan baja T1 atau yang setara wajib untuk ayam.


Dimensi "kaki":
- Ayam: 75mm x 100mm (3"x 4").
- Babi: 50mm x 100mm (2"x 4").
- Kalkun: 75mm x 200mm (3"x 8").
- Domba jantan: 100mm x 125mm (4"x 5").


Siluet kalkun tua dengan kaki 75mm x 150mm (3"x 6") dapat digunakan. Bahan yang digunakan untuk kaki harus sama dengan target siluet.
Untuk acara Unlimited, target skala ½ (Field Pistol) akan digunakan

BIG BORE PISTOL









C. Targets Setting

The range will have rams at 200 metres; turkeys at 150 metres; pigs at 100 metres; and chickens at 50 metres. A five (5) metres plus or minus variation in actual distance from the firing point to each individual silhouette is allowed.

IMSSU will sanction matches held at ranges that have a maximum distance of 183 metres (200 yards) due to range construction. This is provided that all shoot announcements state that the 200 metre rams will be shot at 200 yards.

Lapangan tembak akan memiliki domba jantan pada jarak 200 meter; kalkun pada jarak 150 meter; babi pada jarak 100 meter; dan ayam pada jarak 50 meter. Variasi jarak sebenarnya dari titik tembak ke setiap siluet individu diperbolehkan, plus atau minus lima (5) meter.

IMSSU akan menyetujui pertandingan yang diadakan di lapangan tembak yang memiliki jarak maksimum 183 meter (200 yard) karena konstruksi lapangan tembak. Ini dengan ketentuan bahwa semua pengumuman menembak menyatakan bahwa domba jantan 200 meter akan ditembak pada jarak 200 yard.

D. Rams

This rule does not apply to ½ scale rams used for the Unlimited event.
Each ram shall be set so that the centre of gravity is no more than 25.4mm (1") for 3/8" ram thickness or 22mm for 10mm ram thickness from the topple point. These are **maximum values**. If possible, it is recommended that the rams be set below these values.

As a simple explanation, the official width of a ram's feet is 100mm (4 "). The ram should be moved carefully backward on its stand with the feet overhanging the back edge until the topple point is achieved. From that point it may be moved forward to achieve stability but, as the rule state, not more than 25.4mm or 22mm (according to the ram thickness) forward of this topple point. It is suggested that some method be employed that prevents the ram from being set forward of the determined setting by the target setters. If the ram is not stable at the 25.4mm (or 22mm) forward set because of wind conditions, then the ram should be clamped. At no time may a ram be set full foot, shimmed, etc, to prevent it from falling due to wind conditions. During championship matches, ram settings should be verified by the referees before the first relay of each day.

Optional ram topple rule: A ram will be legally set if 19mm (3/4") is removed from the back edge of both feet of a regulation IMSSU ram for 3/8" ram thickness (22mm for 10mm ram thickness). The ram must then be set full foot with the back edge of the feet flush with the back edge of a level steel stand.

Sebagai penjelasan sederhana, lebar resmi kaki ram adalah 100mm (4"). Ram harus digeser dengan hati-hati ke belakang pada dudukannya dengan kaki menjorok ke tepi belakang hingga titik tumbang tercapai. Dari titik tersebut, ram dapat digeser ke depan untuk mencapai kestabilan, tetapi, seperti yang dinyatakan dalam aturan, tidak lebih dari 25,4mm atau 22mm (sesuai ketebalan ram) ke depan dari titik tumbang ini. Disarankan agar beberapa metode digunakan untuk mencegah ram dimajukan dari pengaturan yang ditentukan oleh pembuat target. Jika ram tidak stabil pada pengaturan maju 25,4mm (atau 22mm) karena kondisi angin, maka ram harus dijepit. Ram tidak boleh dimajukan dengan kaki penuh, diganjal, dll., untuk mencegahnya jatuh karena kondisi angin. Selama pertandingan kejuaraan, pengaturan ram harus diverifikasi oleh wasit sebelum estafet pertama setiap hari.

Aturan opsional tentang tumbangnya ram: Ram akan dimajukan secara sah jika 19mm (3/4") dilepas dari tepi belakang kedua kaki ram IMSSU yang sesuai untuk ketebalan ram 3/8" (22mm untuk ketebalan ram 10mm). Ram kemudian harus dipasang dengan kaki penuh dengan tepi belakang kaki sejajar dengan tepi belakang dudukan baja yang datar

E. Scopes

No scopes or other optical devices are allowed in any event.

Dalam keadaan apa pun, tidak diperbolehkan menggunakan teropong atau alat optik lainnya

F. Classification

Classes	Unlimited	Revolver and Production	Standing
B	0 to 20	0 to 20	0 to 10
A	20 to 30	21 to 30	11 to 22
INT	30 to 40	31 to 40	23 to 40

SPECIAL TECHNICAL RULES
for the Small Bore Pistol category

A. Events

Competition will be in four events:

Events	Shooting positions	Pistols used
Revolver	Freestyle	Production Revolver
Production	Freestyle	Any Production handgun
Unlimited	Freestyle	Unlimited handgun
Standing	Standing	Any Production handgun

See General Technical Rules for all handguns categories: SECTION I (Shooting positions), SECTION II (Production rules) and SECTION III (Unlimited).

The events are ranked as Revolver, Production and Unlimited, with Unlimited being the highest.

Any Production gun can be fired in a “higher” event after it is fired in its own event.

The Standing event may be shot at any time, with one exception: if a competitor chooses to use the standing position in a Production freestyle event and wishes to enter the Standing event using the same handgun, the Standing entry must be fired first.

Lihat Aturan Teknis Umum untuk semua kategori pistol genggam: BAGIAN I (Posisi menembak), BAGIAN II (Aturan produksi) dan BAGIAN III (Tidak terbatas).

Pertandingan diberi peringkat sebagai Revolver, Produksi, dan Tidak Terbatas, dengan Tidak Terbatas sebagai yang tertinggi.

Setiap senjata Produksi dapat ditembakkan dalam pertandingan yang "lebih tinggi" setelah ditembakkan dalam pertandingannya sendiri.

Pertandingan Berdiri dapat dilakukan kapan saja, dengan satu pengecualian: jika seorang peserta memilih untuk menggunakan posisi berdiri dalam pertandingan gaya bebas Produksi dan ingin memasuki pertandingan Berdiri menggunakan pistol genggam yang sama, entri Berdiri harus ditembakkan terlebih dahulu.

B. Targets Specifications

Targets shall be 3/8 scale of full size silhouettes as per official IMSSU templates.

The official small bore templates are scaled on 9.52 mm (3/8") square grids. See General Technical Rules, Section III : Target standards.

Steel thickness: 6mm (3/16" or 1/4") Dimensions of the “feet”:
-Chicken, turkey and ram: 40mm x 65mm (1.5" x 2.5").
-Pig: 40mm x 100mm (1.5" x 4").


Material used for the feet must be the same as the silhouette targets. For the Unlimited event, the Small Bore Rifle targets will be used.

Sasaran harus berskala 3/8 dari siluet ukuran penuh sesuai templat resmi IMSSU.

Templat laras kecil resmi diskalakan pada kisi persegi 9,52 mm (3/8"). Lihat Aturan Teknis Umum, Bagian III: Standar sasaran.
Ketebalan baja: 6 mm (3/16" atau 1/4") Dimensi "kaki":
-Ayam, kalkun, dan domba jantan: 40 mm x 65 mm (1,5" x 2,5").
-Babi: 40 mm x 100 mm (1,5" x 4").

Bahan yang digunakan untuk kaki harus sama dengan target siluet. Untuk acara Unlimited, target Senapan Laras Kecil akan digunakan.

SMALL BORE PISTOL



C. Target Setting

The range will have rams at 100 metres or yards; turkeys at 75 metres or yards; pigs at 50 metres or yards; and chickens at 25 metres or yards. A two (2) metres or yards plus or minus variation in actual distance from the firing point to each bank of targets are allowed. All targets must be set by the same unit of measurement (metres or yards). The unit of measurement used should be posted at the match.

Jarak tembak akan mencakup domba jantan pada jarak 100 meter atau yard; kalkun pada jarak 75 meter atau yard; babi pada jarak 50 meter atau yard; dan ayam pada jarak 25 meter atau yard. Jarak sebenarnya dari titik tembak ke setiap kelompok target diperbolehkan bervariasi dua (2) meter atau yard plus atau minus. Semua target harus ditetapkan dengan satuan ukuran yang sama (meter atau yard). Satuan ukuran yang digunakan harus dicantumkan pada saat pertandingan.

D. Scopes

No scopes or other optical devices are allowed in any event.
Dalam keadaan apa pun, tidak diperbolehkan menggunakan teropong atau alat optik lainnya

E. Classification

Classes	Unlimited	Revolver and Production	Standing
B	0 to 20	0 to 20	0 to 10
A	20 to 30	21 to 30	11 to 22
INT	30 to 40	31 to 40	23 to 40

SPECIAL TECHNICAL RULES
for the Field Pistol category

A. Events

Competition will be in two events:

Events	Shooting position	Pistol used
Production	Standing	Any Production handgun as per Big Bore (no diopters)
Production any sights	Standing	Any Production handgun with any kind of sights

See General Technical Rules for all handguns categories: SECTION I (Shooting positions) and SECTION II (Production rules).
The events are ranked as Production and Production any sights, with Production any sights being the highest.
When using the same handgun for both events, and if the Production any sights event is shot with open sights, the Production event must be shot first.

Lihat Aturan Teknis Umum untuk semua kategori pistol genggam: BAGIAN I (Posisi menembak) dan BAGIAN II (Aturan produksi).
Pertandingan diberi peringkat sebagai Produksi dan Produksi dengan alat bidik, dengan Produksi dengan alat bidik menjadi yang tertinggi.
Saat menggunakan pistol genggam yang sama untuk kedua pertandingan, dan jika pertandingan Produksi dengan alat bidik ditembakkan dengan alat bidik terbuka, pertandingan Produksi harus ditembakkan terlebih dahulu.

B. Targets Specifications

Targets shall be 1/2 scale of full size silhouettes as per official IMSSU templates.
The official Field Pistol templates are scaled on 12.7mm (1/2") square grids.
See General Technical Rules, Section III : Target standards.

Use of T1 steel or equivalent is mandatory.
Steel thickness: 10mm or 12mm (3/8" or 1/2"). Dimensions of the “feet”: 50mm x 100mm (2" x 4").

The feet of the pigs may be a single piece of metal measuring 50mm x 150mm (2"x 6").

Material used for the feet must be the same as the silhouette targets.


Sasaran harus memiliki skala 1/2 dari siluet ukuran penuh sesuai templat IMSSU resmi.
Templat Pistol Lapangan resmi memiliki skala pada kisi persegi 12,7 mm (1/2"). Lihat Aturan Teknis Umum, Bagian III: Standar target.


Penggunaan baja T1 atau yang setara adalah wajib
.Ketebalan baja: 10 mm atau 12 mm (3/8" atau 1/2"). Dimensi "kaki": 50 mm x 100 mm (2" x 4").


Kaki babi dapat berupa sepotong logam berukuran 50 mm x 150 mm (2" x 6"). Bahan yang digunakan


untuk kaki harus sama dengan target siluet.

FIELD PISTOL









C. Target Setting

The range will have rams at 100 metres or yards; turkeys at 75 metres or yards; pigs at 50 metres or yards; and chickens at 25 metres or yards. A two (2) metres or yards plus or minus variation in actual distance from the firing point to each bank of targets are allowed. All targets must be set by the same unit of measurement (metres or yards). The unit of measurement used should be posted at the match.

Jarak tembak akan mencakup domba jantan pada jarak 100 meter atau yard; kalkun pada jarak 75 meter atau yard; babi pada jarak 50 meter atau yard; dan ayam pada jarak 25 meter atau yard. Jarak sebenarnya dari titik tembak ke setiap kelompok target diperbolehkan bervariasi dua
(2) meter atau yard plus atau minus. Semua target harus ditetapkan dengan satuan ukuran yang sama (meter atau yard). Satuan ukuran yang digunakan harus dicantumkan pada saat pertandingan.

D. Weight

In the Production Scoped event, the pistol weight, unloaded with magazine, shall not exceed 2.041 grams (4.5 pounds). Open sights may be removed to fit a scope mount. Hammer extensions are allowed on scoped pistols only.

Dalam acara Produksi Bercakup, berat pistol, tanpa magasin, tidak boleh melebihi 2,041 gram (4,5 pon). Pembidik terbuka dapat dilepas agar sesuai dengan dudukan teropong. Ekstensi palu hanya diperbolehkan pada pistol bercakup.

E. Scopes and Mounts

No scopes or other optical devices are allowed in Field Pistol Production event. Scopes and mounts used in Production Scoped event must be Production items.

Tidak diperbolehkan menggunakan teropong atau perangkat optik lainnya dalam acara Produksi Pistol Lapangan. Teropong dan dudukan yang digunakan dalam acara Produksi Teropong harus merupakan barang Produksi

F. Classification

Classes	Field Production	Field Scoped
B	0 to 10	0 to 10
A	11 to 22	11 to 22
INT	23 to 40	23 to 40

GENERAL TECHNICAL RULES
for all rifles categories

SECTION I: Shooting positions

A. Standing position

Any safe standing position without artificial support. The rifle will be supported by the hands and one shoulder only. One hand must be forward of the pistol grip. Either the cheek must be in contact with the side of the butt stock or the chin may rest on top of the comb.

Posisi berdiri yang aman tanpa penyangga buatan. Senapan akan disangga oleh tangan dan satu bahu saja. Satu tangan harus berada di depan pegangan pistol. Pipi harus menyentuh sisi popor atau dagu dapat diletakkan di atas sisir.

SECTION II: Sighter shots

Refer to IMSSU ”General technical rules“ SECTION VI: Shooting events procedures and competition rules; D. Sighter shots.

Lihat "Aturan teknis umum" IMSSU BAGIAN VI: Prosedur pertandingan menembak dan aturan kompetisi; D. Tembakan pengintai.

SECTION III: Allowed - Not allowed

A. Allowed

a) Spotting scopes:

The use of spotting scopes by the coach/spotter is permitted.
Penggunaan teleskop pengintai oleh pelatih/pengintai diperbolehkan.

b) Gloves:

May not be worn except when required for warmth. Conditions permitting use of gloves will be determined by the Jury. Padded or unnecessarily heavy gloves may not be worn.

Tidak boleh dipakai kecuali jika diperlukan untuk menghangatkan tubuh. Kondisi yang memperbolehkan penggunaan sarung tangan akan ditentukan oleh Juri. Sarung tangan yang berlapis atau terlalu berat tidak boleh dipakai.

c) Clothing:

Commercial type trap and skeet vests (sleeveless) and shotgun shooting shirts are permitted as well as clothing normally suitable for existing climatic conditions. Shooting clothing (vests, pants, shoes, etc) is not allowed.
Unnecessarily heavy clothing, or anything on the person that would provide artificial support, such as clothing having excess padding or stiffening material, or is excessively tight or which restricts or support the body in the shooting position (including accessories worn under the clothing), may not be worn.

Vests or clothes that may be considered or construed to be unnecessarily heavy, or tight, or to provide artificial support are permitted if they can be closed over a gauge made of 101.6 mm (4") thin wall PVC pipe, not less than 762 mm (30") in length, passed through the entire length of the garment. The garment must also be opened or vented from the bottom edge to a point 50.8 mm (2") above the summit of the crest of the hipbone.

Rompi perangkap dan skeet jenis komersial (tanpa lengan) dan baju penembak senapan diperbolehkan serta pakaian yang biasanya sesuai untuk kondisi iklim yang ada. Pakaian penembak (rompi, celana, sepatu, dll.) tidak diperbolehkan.
Pakaian yang terlalu berat, atau apa pun pada orang yang dapat memberikan dukungan buatan, seperti pakaian yang memiliki bantalan atau bahan pengaku berlebih, atau terlalu ketat atau yang membatasi atau menopang tubuh dalam posisi menembak (termasuk aksesori yang dikenakan di bawah pakaian), tidak boleh dikenakan.
Rompi atau pakaian yang dapat dianggap atau ditafsirkan terlalu berat, atau ketat, atau memberikan dukungan buatan diperbolehkan jika dapat ditutup di atas pengukur yang terbuat dari pipa PVC berdinding tipis 101,6 mm (4"), panjangnya tidak kurang dari 762 mm (30"), yang melewati seluruh panjang pakaian. Pakaian tersebut juga harus dibuka atau diberi ventilasi dari tepi bawah ke titik 50,8 mm (2") di atas puncak tulang pinggul.

d) Barrels : barrels threaded at the muzzle are allowed. Maximum length of thread : 20 mm. When not in use, the threaded section must be covered by a solid screw on cap which must follow the contour of the barrel. The cap will be included in the weight of the rifle.

Barel : barel yang dipasang pada moncongnya diperbolehkan. Panjang maksimum benang : 20 mm. Bila tidak digunakan, bagian berulir harus ditutup dengan sekrup padat pada tutup yang harus mengikuti kontur laras. Tutupnya akan dimasukkan ke dalam berat senapan.

B. Not allowed

a) Palm rest: Not permitted.
Sandaran tangan: Tidak diizinkan

b) Butt plates and cheek pieces:
A butt or butt plate having a curved rear surface in which the depth of the curve exceeds 12.7 mm (½") when measured from a straight line drawn from the top to the bottom of the butt plate is prohibited. Butt plates must be centred. Adjustable cheek pieces must be fixed and sealed in place.

b) Pelat pantat dan bagian pipi:
Pantat atau pelat pantat yang memiliki permukaan belakang melengkung dengan kedalaman lengkungan melebihi 12,7 mm (½") saat diukur dari garis lurus yang ditarik dari atas ke bawah pelat pantat dilarang. Pelat pantat harus berada di tengah. Bagian pipi yang dapat disesuaikan harus dipasang dan disegel di tempatnya.

c) Compensators and muzzle brakes:
The use of compensators, muzzle brakes and barrel porting is prohibited.

c) Kompensator dan rem moncong:
Penggunaan kompensator, rem moncong, dan porting laras dilarang.

d) Equipment general:

All devices or equipment which may facilitate shooting, and which are not mentioned in these rules, or which are contrary to the spirit of these rules are forbidden.

d) Peralatan umum:

Semua perangkat atau peralatan yang dapat memudahkan penembakan, yang tidak disebutkan dalam peraturan ini, atau yang bertentangan dengan semangat peraturan ini dilarang.

SECTION IV: Loading, firing and alibi periods

The loading period is 30 seconds.
The firing period is two and a half (2'½) minutes.
A plus one second tolerance is allowed for these time periods. Thus, the loading period must be between 30" and 31" and the firing period must be between 2' 30" and 2' 31".
The alibi period is 30 seconds for loading and 30 seconds for each alibi shot with the same tolerance.

Periode pengisian peluru adalah 30 detik.
Periode penembakan adalah dua setengah (2'½) menit.
Toleransi plus satu detik diperbolehkan untuk periode waktu ini. Jadi, periode pengisian peluru harus antara 30" dan 31" dan periode penembakan harus antara 2' 30" dan 2' 31".
Periode alibi adalah 30 detik untuk pengisian peluru dan 30 detik untuk setiap tembakan alibi dengan toleransi yang sama.

SECTION V: Shooting procedures

Organisers may squad competition for rifles as desired. The order to be shot, if decided by the organisers, will be advertised prior to the commencement of competition.
At International Championships, the recommended method of running Rifle Metallic Silhouette matches is:
Rifle shooters shall be called to the firing line in relays, which shall consist of the number of shooters for which there are firing points and targets available. All shooters in a relay will fire two 5 shot strings. On completion of the two 5 shot strings, the range will be cleared, the targets reset and the next relay shall be called to the line. This continues until all shooters have fired their first relay of the match. The first relay is then recalled to the firing line and the process is repeated until the entire match is shot. Shooters may be rostered to commence their 5 shot strings on any bank of targets, whether chickens, pigs, turkeys or rams and will proceed through the match in that order.

If no 500 meters range is available in the Member Country sponsoring the World Championships, a substitute event will be organized for the Big Bore Rifle on the 200 meters Big Bore Pistol range. The Big Bore Rifle events will be shot by the Big Bore Rifle Rules except that ½ scale (Field Pistol size) silhouettes will be used at the following distances:

- Chickens set at 100 meters.
- Pigs set at 150 meters.
- Turkey set at 200 meters.
- Rams set at 200 meters.

Panitia dapat membagi regu dalam perlombaan senapan sesuai keinginan. Urutan tembakan, jika diputuskan oleh panitia, akan diiklankan sebelum dimulainya perlombaan.
Pada Kejuaraan Internasional, metode yang direkomendasikan untuk menjalankan pertandingan Senapan Metalik Siluet adalah:


Penembak senapan akan dipanggil ke garis tembak secara estafet, yang terdiri dari jumlah penembak yang memiliki titik tembak dan target yang tersedia. Semua penembak dalam estafet akan menembakkan dua rentetan tembakan sebanyak 5 kali. Setelah menyelesaikan dua rentetan tembakan sebanyak 5 kali, jarak tembak akan dikosongkan, target diatur ulang, dan estafet berikutnya akan dipanggil ke garis tembak. Ini berlanjut hingga semua penembak telah menembakkan estafet pertama mereka dalam pertandingan. Relai pertama kemudian dipanggil kembali ke garis tembak dan proses ini diulang hingga seluruh pertandingan selesai ditembakkan. Penembak dapat dijadwalkan untuk memulai rentetan tembakan sebanyak 5 kali pada target mana pun, baik ayam, babi, kalkun, atau domba jantan dan akan melanjutkan pertandingan dalam urutan tersebut.

Jika tidak ada jarak tembak 500 meter di Negara Anggota yang mensponsori Kejuaraan Dunia, acara pengganti akan diselenggarakan untuk Senapan Big Bore di jarak tembak Pistol Big Bore 200 meter. Acara Senapan Big Bore akan dilakukan sesuai dengan Aturan Senapan Big Bore kecuali bahwa siluet skala ½ (ukuran Pistol Lapangan) akan digunakan pada jarak berikut:

- Ayam ditetapkan pada jarak 100 meter.
- Babi ditetapkan pada jarak 150 meter.
- Kalkun ditetapkan pada jarak 200 meter.
- Domba jantan ditetapkan pada jarak 200 meter.

ALLOWABLE DIMENSIONS FOR SILHOUETTE HIGH POWER AND SMALLBORE RIFLE

CENTER OF COMB (IN VERTICAL PLANE THROUGH CENTER OF BORE) MUST BE BELOW CENTER OF BORE. MONTE CARLO OR ROLLOVER MAY NOT EXCEED 1/2" or 12.7 MM ABOVE CENTER LINE ON THE OFF SIDE.



MAXIMUM TOTAL WEIGHT WITH SIGHTS
4.6 KILOGRAMS (10lb 2oz 109 grs)

Courtesy of the National Rifle Association

SPECIAL TECHNICAL RULES
for the Big Bore Rifle category

SECTION I: Big Bore Rifle events

Competition will be in two events:

Events	Shooting positions	Rifles used
Silhouette	Standing	Silhouette rifle
Hunting	Standing	Hunting rifle

A. Silhouette rifle

Fired with a silhouette type rifle that must be 6 mm (.243") or larger calibre meeting the following specifications:

Ditembakkan dengan senapan jenis siluet yang harus berkaliber 6 mm (.243") atau lebih besar yang memenuhi spesifikasi berikut:

a) Maximum weight:

4.6 kg (10lb 2oz 109 grs) including sights.

4,6 kg (10lb 2oz 109 gr) termasuk alat bidik.

b) Sights:

Any sights may be used. Any sighting device programmed to activate the firing mechanism is prohibited.

Semua alat bidik dapat digunakan. Semua alat bidik yang diprogram untuk mengaktifkan mekanisme penembakan dilarang.

c) Trigger:

Any trigger not subject to accidental discharge. Triggers which function on release are not permitted. In the event of accidental discharge, the Range Officer shall require trigger adjustment or replacement of the rifle.

Pemicu apa pun yang tidak dapat dilepaskan secara tidak sengaja. Pemicu yang berfungsi saat dilepaskan tidak diizinkan. Jika terjadi pelepasan secara tidak sengaja, Petugas Lapangan Tembak harus meminta penyesuaian pemicu atau penggantian senapan.

d) trigger guard:

Must be present and may not vary from conventional configuration for the purpose of providing added thumb or palm support. It shall be no deeper than 35 mm (1" $^{3}/_{8}$) below the bottom line of the fore-end.

Harus ada dan tidak boleh berbeda dari konfigurasi konvensional untuk tujuan memberikan dukungan tambahan pada ibu jari atau telapak tangan. Kedalamannya tidak boleh lebih dari 35 mm (1" 3/8) di bawah garis dasar bagian depan

e) Stock:

The fore-end (that portion of the stock forward of the trigger guard), including the trigger guard mounts and screws, shall not exceed 57 mm (2" ¼) wide, and 57 mm (2" ¼) deep measured from the centre-line of the bore. The fore-end shall extend a minimum of 203 mm (8") forward of the forward edge of the receiver ring. The comb shall not extend above the centre-line of the bore, but the Monte Carlo roll may rise 12.7 mm (½") on the off side. The toe of the stock including butt plate or recoil pad shall be no more than 178 mm (7") below the centre-line of the bore. Butt plate or recoil pad may not extend below the lower line of the stock. Attachments, either removable or permanent, which do not cause any portion of the rifle to exceed the weight or dimensions as listed are permitted provided they do not extend past the end of the barrel.

Swivels and slings are permitted, but slings may not be used for arm support in shooting.

Bagian depan (bagian popor di depan pelindung pelatuk), termasuk dudukan dan sekrup pelindung pelatuk, tidak boleh melebihi lebar 57 mm (2" ¼), dan kedalaman 57 mm (2" ¼) diukur dari garis tengah lubang laras. Bagian depan harus memanjang minimal 203 mm (8") ke depan dari tepi depan cincin penerima. Sisir tidak boleh memanjang di atas garis tengah lubang laras, tetapi gulungan Monte Carlo dapat naik 12,7 mm (½") di sisi luar. Ujung popor termasuk pelat popor atau bantalan rekoil tidak boleh lebih dari 178 mm (7") di bawah garis tengah lubang laras. Pelat popor atau bantalan rekoil tidak boleh memanjang di bawah garis bawah popor. Pemasangan, baik yang dapat dilepas maupun permanen, yang tidak menyebabkan bagian mana pun dari senapan melebihi berat atau dimensi yang tercantum diizinkan asalkan tidak memanjang melewati ujung laras.

Putar dan sling diperbolehkan, tetapi sling tidak boleh digunakan untuk menyokong lengan saat menembak.

f) Barrel:

May not be longer than 762 mm (30") including any sleeve or attachment, as measured from the face of the closed bolt to the end of the barrel.

A rifle which fits into the Big Bore Hunting Rifle event may also be used in the Big Bore Silhouette Rifle event, even if this rifle does not meet the dimensional specifications required for the Silhouette event.

Tidak boleh lebih panjang dari 762 mm (30") termasuk selongsong atau dudukan, diukur dari muka baut yang tertutup hingga ujung laras.

Senapan yang sesuai dengan acara Big Bore Hunting Rifle juga dapat digunakan dalam acara Big Bore Silhouette Rifle, meskipun senapan ini tidak memenuhi spesifikasi dimensi yang diperlukan untuk acara Silhouette.

B. Hunting rifle

Fired with a hunting style rifle of 6 mm (.243") or larger calibre. Non bolt action single- shot rifles must have a separate butt stock and fore-end. All other types of rifle must be repeating types and be fired by loading all cartridges from magazine or clip into rifle chamber.

- Magazines or clips holding at least 5 cartridges:
- must be loaded with 5 cartridges.
- Magazines or clips holding less than 5 cartridges:
- must be loaded to their full capacity, and then reloaded with the required number of cartridges to finish firing the current 5 shot string.

It is the intent of the rule to describe a common hunting rifle that is built by major arms manufacturers and that is, or was, readily available to the general public over the counter. It is the competitor's responsibility to provide any documentation which may be required to establish conformance of a rifle to the rules. Custom made rifles are prohibited. The following specifications must be met:

Ditembakkan dengan senapan berburu kaliber 6 mm (.243") atau lebih besar. Senapan sekali tembak non-bolt action harus memiliki popor dan fore-end yang terpisah. Semua jenis senapan lainnya harus merupakan jenis berulang dan ditembakkan dengan mengisi semua kartrid dari magasin atau klip ke dalam ruang senapan.

- Magazin atau klip yang menampung sedikitnya 5 kartrid:
- harus diisi dengan 5 kartrid.
- Magazin atau klip yang menampung kurang dari 5 kartrid:
- harus diisi hingga kapasitas penuh, lalu diisi ulang dengan jumlah kartrid yang diperlukan untuk menyelesaikan penembakan rangkaian 5 tembakan saat ini.

Maksud dari aturan ini adalah untuk menjelaskan senapan berburu umum yang dibuat oleh produsen senjata besar dan yang tersedia, atau pernah tersedia, untuk masyarakat umum secara bebas. Merupakan tanggung jawab peserta untuk memberikan dokumentasi apa pun yang mungkin diperlukan untuk menetapkan kesesuaian senapan dengan aturan. Senapan yang dibuat khusus dilarang. Spesifikasi berikut harus dipenuhi:

a) Maximum weight:

4.2 kg (9lb 4oz 67grs) including sights.
4,2 kg (9lb 4oz 67grs) termasuk alat bidik.

b) Sights:

Any sights may be used. Scopes may not be more than 38 mm (1" ½) above the rifle, as measured from the top of the receiver to the underside of the scope tube, nor may the scope be offset from the centre-line of the bore. Any sighting device programmed to activate the firing mechanism is prohibited. Where telescopic sights have been fitted, factory metallic sights may be removed from the firearm.

Semua alat bidik dapat digunakan. Lingkup bidik tidak boleh lebih dari 38 mm (1" ½) di atas senapan, diukur dari bagian atas penerima ke bagian bawah tabung bidik, dan juga tidak boleh menyimpang dari garis tengah lubang. Semua perangkat bidik yang diprogram untuk mengaktifkan mekanisme penembakan dilarang. Jika alat bidik teleskopik telah dipasang, alat bidik logam pabrik dapat dilepas dari senjata api.

c) Trigger:

May be adjusted but may not be replaced with a custom trigger. Minimum trigger pull of .907 kg (2 pounds). Triggers which function on release are not permitted. In the event of accidental discharge, the Range Officer shall require trigger adjustment or replacement of the rifle. Rifle must be equipped with a functional safety.

Dapat disesuaikan tetapi tidak dapat diganti dengan picu khusus. Tarikan picu minimum 0,907 kg (2 pon). Picu yang berfungsi saat dilepaskan tidak diizinkan. Jika terjadi pelepasan yang tidak disengaja, Petugas Lapangan Tembak harus meminta penyesuaian picu atau penggantian senapan. Senapan harus dilengkapi dengan pengaman yang berfungsi.

d) Stock:

Must conform to the factory stock which came with the rifle. Attachments, either removable or permanent, are not permitted. Swivels and slings are permitted, but slings may not be used for arm support in shooting. The stock may not be hollowed out externally. No thumbhole stocks are permitted. Bedding and the addition of any standard non-target type recoil pad and butt spacers is allowed. Stocks may be shortened or lengthened as required.

Harus sesuai dengan stok pabrik yang disertakan dengan senapan. Aksesori, baik yang dapat dilepas maupun permanen, tidak diizinkan. Putar dan sling diizinkan, tetapi sling tidak boleh digunakan untuk menyangga lengan saat menembak. Stok tidak boleh dilubangi di bagian luar. Stok lubang jempol tidak diizinkan. Alas dan penambahan bantalan rekoil standar jenis non-target dan spacer popor diperbolehkan. Stok dapat diperpendek atau diperpanjang sesuai kebutuhan.

e) Barrel:

Will be that of a hunting style rifle. Any replacement barrel shall conform to the dimensions of the factory original. No non-factory chambering will be permitted. Re-crowning or re-chambering of barrels is permitted, as is the removal of a section of barrel to correct damage to the muzzle or chamber, provided that the removal of that section of barrel does not alter the weight of a rifle to the extent of allowing it to fit into a weight class that it would not otherwise fit, had the barrel length not been altered.

Akan menjadi senapan berburu. Laras pengganti apa pun harus sesuai dengan dimensi, konfigurasi, dan bahan asli pabrik. Tidak ada laras yang bukan buatan pabrik. Penggantian laras diperbolehkan. Pemotongan ulang laras diperbolehkan, seperti halnya penghilangan bagian laras untuk memperbaiki kerusakan pada moncong, asalkan penghilangan bagian laras tersebut tidak mengubah berat senapan hingga membuatnya masuk ke dalam kelas berat yang tidak akan muat jika panjang laras tidak diubah

f) Magazines:

If a magazine deeper than the trigger guard is used, it cannot be used by the shooter to support the rifle.

Jika magasin yang lebih dalam dari pelindung pelatuk digunakan, maka magasin tersebut tidak dapat digunakan oleh penembak untuk menyokong senapan

C. Ammunition:

Any centre-fire self contained ammunition having a projectile (bullet) of 6 mm (.243”) or larger calibre.
No armour-piercing or tracer types are allowed.
The use of any other type of ammunition may be prohibited by the local range or tournament regulations. Loads that create holes or excessive cratering of more than ¼ of the thickness of the plate may be disallowed by the Match Director.

Amunisi yang dapat menembak dari tengah dengan proyektil (peluru) kaliber 6 mm (.243”) atau lebih besar.
Tidak diperbolehkan menggunakan jenis peluru penembus lapis baja atau peluru pelacak.
Penggunaan jenis amunisi lain mungkin dilarang oleh peraturan lapangan tembak atau turnamen setempat. Muatan yang membuat lubang atau kawah yang berlebihan lebih dari ¼ ketebalan pelat dapat dilarang oleh Direktur Pertandingan

SECTION II: Target specifications

Targets shall be full scale per official IMSSU scale templates.
The official Big Bore templates are scaled on 25.4 mm (1") square grids. Refer to IMSSU "General Technical Rules" SECTION III: Target Standards.

Steel thickness:
- Chicken and pig: 12 mm (½").
- Turkey and ram: 10 mm (3/8").

Sasaran harus berskala penuh sesuai dengan templat skala resmi IMSSU. Templat Big Bore resmi diskalakan pada kisi persegi 25,4 mm (1"). Lihat "Aturan Teknis Umum" IMSSU BAGIAN III: Standar Sasaran.

Ketebalan baja:
- Ayam dan babi: 12 mm (½").
- Kalkun dan domba jantan: 10 mm (3/8").

For safety, use of T1 steel or equivalent is highly recommended, and mandatory for championship matches. Use of T1 steel or equivalent is mandatory for the chickens. Refer to IMSSU General Technical Rules SECTION III: Target Standards; B. Material.

Dimensions of the feet:
- Chickens: 75 mm x 100 mm (3" x 4").
- Pigs: 50 mm x 100 mm (2" x 4").
- Turkeys: 75 mm x 200 mm (3" x 8").
- Rams: 100 mm x 125 mm (4" x 5").

Material used for the feet must be the same as the silhouette targets. Old turkey's silhouettes with

75mm x 150mm (3"x 6") feet may be used.


For the Big Bore Rifle substitute events shot on ½ size targets, steel sheets up to 15 mm thick may be used for all targets, at the organizers will.


Demi keselamatan, penggunaan baja T1 atau yang setara sangat disarankan, dan wajib untuk pertandingan kejuaraan. Penggunaan baja T1 atau yang setara wajib untuk ayam. Lihat Aturan Teknis Umum IMSSU BAGIAN III: Standar Sasaran; B. Material.


Dimensi kaki:
- Ayam: 75 mm x 100 mm (3" x 4").
- Babi: 50 mm x 100 mm (2" x 4").
- Kalkun: 75 mm x 200 mm (3" x 8").
- Domba jantan: 100 mm x 125 mm (4" x 5").


Material yang digunakan untuk kaki harus sama dengan target siluet. Siluet kalkun tua dengan kaki 75 mm x 150 mm (3"x 6") dapat digunakan.
Untuk acara pengganti Senapan Big Bore yang ditembakkan pada target ukuran ½, lembaran baja setebal 15 mm dapat digunakan untuk semua target, sesuai keinginan penyelenggara.

BIG BORE RIFLE









SECTION III: Target setting

The range will have rams at 500 metres, turkeys at 385 metres, pigs at 300 metres and chickens at 200 metres. A plus or minus 1% variation in actual distance from the firing point to all banks of the same silhouette is permissible.

It is desirable to have all stands not less than 150 mm (6”) above the ground.

For rifle silhouettes, it is recommended that the feet of the targets and the top of the stands be the same size, with a maximum variation of 10%. Where solid rails are used, pads for each silhouette should be used and the pads will be considered to be the stand.

Targets should be placed a minimum of one target width apart, but no more than 3 ½ widths tail to head.

Jarak tembak akan memiliki domba jantan pada jarak 500 meter, kalkun pada jarak 385 meter, babi pada jarak 300 meter, dan ayam pada jarak 200 meter. Variasi jarak sebenarnya dari titik tembak ke semua tepian dengan siluet yang sama diperbolehkan sebesar plus atau minus 1%.

Sebaiknya semua dudukan tidak kurang dari 150 mm (6”) di atas tanah.

Untuk siluet senapan, disarankan agar kaki target dan bagian atas dudukan berukuran sama, dengan variasi maksimum 10%. Jika menggunakan rel padat, bantalan untuk setiap siluet harus digunakan dan bantalan akan dianggap sebagai dudukan.

Target harus ditempatkan dengan jarak minimal satu lebar target, tetapi tidak lebih dari 3 ½ lebar ekor ke kepala.

SECTION IV: Classifications

Individual classification:

Classes	Big Bore Silhouette	Big Bore Hunting
International	32 - 40	29 - 40
Master	24 - 31	22 - 28
A	16 - 23	14 - 21
B	0 - 15	0 - 13

SECTION V: Shoot offs

The Match Director has the option to decide how to break all ties, as long as it is listed in the program or posted at the range prior to the match.

The recommended shoot off procedure is as follows:

International class shooters:	5 turkeys at 385 metres in 2½ minutes. Master class shooters: 5 rams at 500 metres in 2½ minutes.
A class shooters:	5 chickens at 200 metres in 2½ minutes.
B class shooters:	5 pigs at 300 metres in 2½ minutes.

Direktur Pertandingan memiliki pilihan untuk memutuskan cara memutus semua seri, asalkan tercantum dalam program atau dipasang di lapangan tembak sebelum pertandingan.

Prosedur tembak yang direkomendasikan adalah sebagai berikut:
Penembak kelas internasional: 5 kalkun pada jarak 385 meter dalam 2½ menit. Penembak kelas master: 5 domba jantan pada jarak 500 meter dalam 2½ menit.
Penembak kelas A: 5 ayam pada jarak 200 meter dalam 2½ menit. Penembak kelas B: 5 babi pada jarak 300 meter dalam 2½ menit.

SPECIAL TECHNICAL RULES
for the Small Bore Rifle category

SECTION I: Small Bore Rifle events

Competition will be in two events:

Events	Shooting positions	Rifles used
Silhouette	Standing	Silhouette rifle
Light	Standing	Light rifle

A. Silhouette rifle

Fired with a silhouette type rifle identical to the description of the Big Bore Silhouette Rifle, except the rifle shall be chambered for only .22 calibre short, long or long-rifle rimfire cartridges.

Ditembakkan dengan senapan jenis siluet yang identik dengan deskripsi Senapan Siluet Big Bore, kecuali senapan tersebut harus diisi hanya dengan peluru kaliber .22 pendek, panjang atau peluru rimfire senapan panjang.

a) Maximum weight:

4.6 kg (10lb 2oz 109grs) including sights.
4,6 kg (10lb 2oz 109gr) termasuk alat bidik

b) Sights:

Any sights may be used. Any sighting device programmed to activate the firing mechanism is prohibited.

Semua alat bidik dapat digunakan. Semua alat bidik yang diprogram untuk mengaktifkan mekanisme penembakan dilarang

c) Trigger:

Any trigger not subject to accidental discharge. Triggers which function on release are not permitted. In the event of accidental discharge, the Range Officer shall require trigger adjustment or replacement of the rifle.

Pemicu apa pun yang tidak dapat dilepaskan secara tidak sengaja. Pemicu yang berfungsi saat dilepaskan tidak diizinkan. Jika terjadi pelepasan secara tidak sengaja, Petugas Lapangan Tembak harus meminta penyesuaian pemicu atau penggantian senapan.

d) trigger guard:

Must be present and may not vary from conventional configuration for the purpose of providing added thumb or palm support. It shall be no deeper than 35 mm (1” $^{6}/_{16}$) below the bottom line of the fore-end.

Harus ada dan tidak boleh berbeda dari konfigurasi konvensional untuk tujuan memberikan dukungan tambahan pada ibu jari atau telapak tangan Kedalamannya tidak boleh lebih dari 35 mm (1” 6/16) di bawah garis dasar bagian depan

e) Stock:

The fore-end (that portion of the stock forward of the trigger guard), including the trigger guard mounts and screws, shall not exceed 57 mm (2” ¼) wide, and 57 mm (2” ¼) deep measured from the centre-line of the bore. The fore-end shall extend a minimum of 203 mm (8”) forward of the forward edge of the receiver ring. The comb shall not extend above the centre-line of the bore, but the Monte Carlo roll may rise 12.7 mm (¼”) on the off side. The toe of the stock including butt plate or recoil pad shall be no more than 178 mm (7”) below the centre-line of the bore. Butt plate or recoil pad may not extend below the lower line of the stock. Attachments, either removable or permanent, which do not cause any portion of the rifle to exceed the weight or dimensions as listed are permitted provided they do not extend past the end of the barrel.

Swivels and slings are permitted, but slings may not be used for arm support in shooting.

Bagian depan (bagian popor di depan pelindung pelatuk), termasuk dudukan dan sekrup pelindung pelatuk, tidak boleh melebihi lebar 57 mm (2” ¼), dan kedalaman 57 mm (2” ¼) diukur dari garis tengah lubang laras. Bagian depan harus memanjang minimal 203 mm (8”) ke depan dari tepi depan cincin penerima. Sisir tidak boleh memanjang di atas garis tengah lubang laras, tetapi gulungan Monte Carlo dapat naik 12,7 mm (¼”) di sisi luar. Ujung popor termasuk pelat popor atau bantalan rekoil tidak boleh lebih dari 178 mm (7”) di bawah garis tengah lubang laras. Pelat popor atau bantalan rekoil tidak boleh memanjang di bawah garis bawah popor. Pemasangan, baik yang dapat dilepas maupun permanen, yang tidak menyebabkan bagian mana pun dari senapan melebihi berat atau dimensi yang tercantum diizinkan asalkan tidak memanjang melewati ujung laras.

Putar dan sling diperbolehkan, tetapi sling tidak boleh digunakan untuk menyokong lengan saat menembak

f) Barrel:

May not be longer than 762 mm (30") including any sleeve or attachment, as measured from the face of the closed bolt to the end of the barrel.

A rifle which fits into the Small Bore Light Rifle event may also be used in the Small Bore Silhouette Rifle event, even if this rifle does not meet the dimensional specifications required for the Silhouette event.

Panjangnya tidak boleh lebih dari 762 mm (30") termasuk selongsong atau pelengkapnya, diukur dari muka baut yang tertutup hingga ujung laras

Senapan yang sesuai dengan ajang Small Bore Light Rifle juga dapat digunakan dalam ajang Small Bore Silhouette Rifle, meskipun senapan ini tidak memenuhi spesifikasi dimensi yang dipersyaratkan untuk ajang Silhouette

B. Light rifle

Fired with a sporting rifle identical to the description of the Big Bore Hunting Rifle, except that:
Ditembakkan dengan senapan olahraga yang identik dengan deskripsi Senapan Berburu Big Bore, kecuali:

a) Weight:

The weight shall not exceed 3.855 kg (8lb 8oz) including sights.
Berat tidak boleh melebihi 3,855 kg (8lb 8oz) termasuk alat penglihatan.

b) Caliber:

The rifle shall be chambered for only .22 calibre short, long or long-rifle rimfire cartridges.
Senapan tersebut harus menggunakan Chamber peluru kaliber .22 untuk peluru pendek, panjang, atau peluru rimfire senapan panjang.

c) Type:

Any commercially available single shot or repeating type rifle may be used.
Repeating rifles must be fired by loading all cartridges from magazine or clip into rifle chamber.
-Magazines or clips holding at least 5 cartridges:
-must be loaded with 5 cartridges.
-Magazines or clips holding less than 5 cartridges:
-must be loaded to their full capacity, and then reloaded with the required number of cartridges to finish firing the current 5 shot string.

Senapan jenis tembakan tunggal atau berulang yang tersedia secara komersial dapat digunakan.
Senapan berulang harus ditembakkan dengan mengisi semua kartrid dari magasin atau klip ke dalam ruang senapan.
-Magasin atau klip yang menampung setidaknya 5 kartrid:
-harus diisi dengan 5 kartrid.
-Magasin atau klip yang menampung kurang dari 5 kartrid:
-harus diisi hingga kapasitas penuh, lalu diisi ulang dengan jumlah kartrid yang diperlukan untuk menyelesaikan penembakan rangkaian 5 tembakan saat ini.

d) Barrel:

Will be that of a sporting rifle as supplied originally by the factory. Any replacement barrel must be an original factory barrel manufactured for that model rifle. Recrowning of barrels is permitted, as is the removal of a section of barrel to correct damage to the muzzle, provided that the removal of that section of barrel does not alter the weight of a rifle to the extent of allowing it to fit into a weight class that it would not otherwise fit, had the barrel length not been altered.

Akan menjadi senapan olahraga sebagaimana yang disediakan pabrik pada awalnya. Laras pengganti harus merupakan laras asli yang diproduksi pabrik untuk senapan model tersebut. Pencangkokan ulang laras diperbolehkan, seperti halnya pelepasan bagian laras untuk memperbaiki kerusakan pada moncong, asalkan pelepasan bagian laras tersebut tidak mengubah berat senapan hingga memungkinkannya masuk ke dalam kelas berat yang tidak akan muat jika panjang laras tidak diubah

C. Ammunition

Any commercially available .22 calibre short, long or long-rifle rimfire ammunition will be permitted.

Semua amunisi kaliber .22 yang tersedia secara komersial, baik amunisi pendek, panjang, maupun amunisi rimfire senapan panjang akan diizinkan.

SECTION II: Target specifications

Targets shall be one fifth scale of full size silhouettes as per official IMSSU scale templates.
The official Small Bore templates are scaled on 5.08 mm ($^1/_5$”) square grids. Refer to IMSSU General Technical Rules SECTION III: Target Standards. The hole between the horn and the head is optional.
Steel thickness: 6 mm (¼”).


Dimensions of the feet: all feet should be 25 mm (1”) wide by 50 mm (2”) long. The feet of the rams may be a single piece of metal measuring 25mm x 125mm (1"x 5").


Material used for the feet must be the same as the silhouette targets.


Sasaran harus berukuran seperlima dari siluet ukuran penuh sesuai dengan templat skala resmi IMSSU.
Templat Small Bore resmi diskalakan pada kisi persegi 5,08 mm (1/5”). Lihat Aturan Teknis Umum IMSSU BAGIAN III: Standar Sasaran. Lubang antara tanduk dan kepala bersifat opsional.
Ketebalan baja: 6 mm (¼”).


Dimensi kaki: semua kaki harus lebar 25 mm (1”) dan panjang 50 mm (2”). Kaki ram dapat berupa sepotong logam berukuran 25 mm x 125 mm (1"x 5").
Material yang digunakan untuk kaki harus sama dengan target siluet.

SMALL BORE RIFLE









125 mm

SECTION III: Target setting

The range will have rams at 100 metres, turkeys at 77 metres, pigs at 60 metres and chickens at 40 metres. A plus or minus 1% variation in actual distance from the firing point to all banks of the same silhouette is permissible.

Targets should be placed a minimum of one target width apart, but no more than 3 ½ widths tail to head.

Jarak tembak akan mencakup domba jantan pada jarak 100 meter, kalkun pada jarak 77 meter, babi pada jarak 60 meter, dan ayam pada jarak 40 meter. Variasi jarak sebenarnya dari titik tembak ke semua tepian dengan siluet yang sama sebesar plus atau minus 1% diperbolehkan.

Sasaran harus ditempatkan dengan jarak minimal satu lebar sasaran, tetapi tidak lebih dari 3 ½ lebar ekor ke kepala

SECTION IV: Classifications

Individual classification:

Classes	Small Bore Silhouette	Small Bore Light
International	34 - 40	32 - 40
Master	27 - 33	25 - 31
A	20 - 26	18 - 24
B	0 - 19	0 - 17

SECTION V: Shoot offs

The Match Director has the option to decide how to break all ties, as long as it is listed in the program or posted at the range prior to the match.

The recommended shoot off procedure is as follows:

International class shooters:	5 turkeys at 77 metres in 2½ minutes.
Master class shooters:	5 rams at 100 metres in 2½ minutes.
A class shooters:	5 chickens at 40 metres in 2½ minutes.
B class shooters:	5 pigs at 60 metres in 2½ minutes.

Direktur Pertandingan memiliki pilihan untuk memutuskan cara memutus semua seri, asalkan tercantum dalam program atau dipasang di lapangan tembak sebelum pertandingan.

Prosedur tembak yang direkomendasikan adalah sebagai berikut:
Penembak kelas internasional: 5 kalkun pada jarak 77 meter dalam 2½ menit. Penembak kelas master: 5 domba jantan pada jarak 100 meter dalam 2½ menit.
Penembak kelas A: 5 ayam pada jarak 40 meter dalam 2½ menit. Penembak kelas B: 5 babi pada jarak 60 meter dalam 2½ menit.

SECTION VI: Non mandatory Small Bore Rifle events

These events are at the will of the organizers.

Competition will be in two events:

Events	Shooting	Rifles used
Silhouette Open Sights	Standing	Silhouette rifle
Light Open sights	Standing	Light rifle

When organized, these two events include the establishment of two more aggregates:

- Small Bore Rifle Open Sight Aggregate.
- Small Bore Rifle All Sights Aggregate (consisting of the current Small Bore Rifle Aggregate plus the Small Bore Rifle Open Sight Aggregate).

Bila diorganisasikan, kedua acara ini mencakup pembentukan dua agregat lagi:

- Agregat Pembidik Terbuka Senapan Bore Kecil.
- Agregat Pembidik Terbuka Senapan Bore Kecil (terdiri dari Agregat Senapan Bore Kecil saat ini ditambah Agregat Pembidik Terbuka Senapan Bore Kecil).

A Open Sights Silhouette Rifle

Fired with a silhouette type rifle identical to the description of the Small Bore Silhouette Rifle.

a) Sights:

All telescopic sights are prohibited. All kinds of rear sights (notched, peep) and front sights (blade, ring) are allowed.

Ditembakkan dengan senapan jenis siluet yang identik dengan deskripsi Senapan Siluet Lubang Kecil.

a) Alat bidik:

Semua alat bidik teleskopik dilarang. Peralatan bidik yang diizinkan untuk kategori ini adalah alat bidik belakang jenis daun berlekuk yang dikaitkan dengan alat bidik depan yang kokoh, yang memberikan gambar bidik yang mirip dengan gambar berikut:

A rifle which fits into the Small Bore Open Sights Light Rifle event may also be used in the Small Bore Open Sights Silhouette Rifle event, even if this rifle does not meet the dimensional specifications required for the Silhouette event.


Senapan yang sesuai dengan event Small Bore Open Sights Light Rifle juga dapat digunakan dalam event Small Bore Open Sights Silhouette Rifle, meskipun senapan ini tidak memenuhi spesifikasi dimensi yang diperlukan untuk event Silhouette

B. Open sights Light Rifle
Fired with a sporting rifle identical to the description of the Small Bore Light Rifle.

a) Sights:
All telescopic sights are prohibited The sight apparatus allowed for these categories are a notched leaf type rear sight associated to a solid front sight, giving a sight picture similar to the following drawings:

Ditembakkan dengan senapan olahraga yang identik dengan deskripsi Senapan Ringan Berbore kecil.

a) Alat bidik:
Semua alat bidik teleskopik dilarang. Peralatan bidik yang diizinkan untuk kategori ini adalah alat bidik belakang tipe daun berlekuk yang dikaitkan dengan alat bidik depan yang kokoh, yang memberikan gambar bidik yang mirip dengan gambar berikut:



C. Ammunition
Any commercially available 22 caliber short, long or long-rifle rimfire ammunition will be permitted.

Semua amunisi kaliber 22 yang tersedia secara komersial, baik amunisi pendek, panjang, maupun amunisi rimfire senapan panjang akan diizinkan

D. Targets Specifications
Targets shall be identical to Small Bore Pistol targets.

Sasaran harus sama dengan sasaran Pistol Kaliber Kecil.

E. Target Setting
dentical to Small Bore Pistol targets settings.

Identik dengan pengaturan target Pistol Bore Kecil.

F. Classes

Class	Small Bore Rifle Silhouette Open Sight	Small Bore Rifle Light Open Sight
International	34 - 40	32 - 40
Master	27 - 33	25 - 31
A	20 - 26	18 - 24
B	0 - 19	0 - 17

AIRGUN RULES

Usable pistols and rifles:

- Production Pistol with classic post and notch sighting apparatus. No diopters, no scopes or other optical devices.
- Production Rifle. Any sights may be used. Adjustable buttplates must be centered. Adjustable combs may be raised no more than 1" (25.4 mm) above the lowest position. Forend palm rests cannot be used.

- Pistol Produksi dengan alat bidik klasik. Tidak ada diopter, tidak ada teropong atau perangkat optik lainnya.
- Senapan Produksi. Semua alat bidik dapat digunakan. Pelat pantat yang dapat disesuaikan harus berada di tengah. Sisir yang dapat disesuaikan dapat dinaikkan tidak lebih dari 1" (25,4 mm) di atas posisi terendah. Sandaran telapak tangan di bagian depan tidak dapat digunakan.

Production pistols and rifles:
Any 4.5 mm (.177") pistol or rifle which conforms to the criteria and specifications of the ISSF rules.
Pistol atau senapan 4,5 mm (.177") apa pun yang sesuai dengan kriteria dan spesifikasi aturan ISSF

Ammunitions:
4.5 mm (.177) lead pellets.

Shooting positions:

- Pistol:
  - Standing.

- Rifle:
  - Standing.

Events:

- Production pistol Standing.
- Production rifle Standing.

Targets:
Chickens and pigs should be made from 4mm and turkeys and rams from 3mm or nearest equivalent steel plate. Their size is 1/10th of full size targets.

Ayam dan babi harus dibuat dari pelat baja 4 mm dan kalkun serta domba jantan dari pelat baja 3 mm atau yang setara. Ukurannya 1/10 dari target ukuran penuh

Size of the feet:
Chicken, Pig and Turkey: width ¾" or 19mm, length 1" or 25mm. Ram: width ¾" or 19mm, length 2" or 50mm.

Ayam, Babi, dan Kalkun: lebar ¾" atau 19mm, panjang 1" atau 25mm. Domba jantan: lebar ¾" atau 19mm, panjang 2" atau 50mm.

Shooting distances:

- Handguns:
  - Chickens: 10 m.
  - Pigs: 12 m.
  - Turkeys: 15 m.
  - Rams: 18 m.

  - *Ayam: 10m.*
  - *Babi: 12m.*
  - *Kalkun: 15m.*
  - *Domba jantan: 18m*

- Rifles:
  - Chickens: 18 m.
  - Pigs: 27 m.
  - Turkeys: 33 m.
  - Rams: 41 m.

  Senapan:
  - Ayam: 18 m.
  - Babi: 27 m.
  - Kalkun: 33 m.
  - Domba jantan: 41 m.

A tolerance of plus or minus 2.5 % is allowed.
Toleransi plus atau minus 2,5% diizinkan

The storage of reservoir tanks for either compressed air or CO2 is prohibited on the firing line or in adjacent spectator areas.
All others IMSSU Sporting rules apply.

The organization of air gun matches is not mandatory during Continental and World hampionships. Organizers can organize air gun competitions as side events at their will.

Penyimpanan tangki penyimpanan untuk udara bertekanan atau CO2 dilarang di jalur tembak atau di area penonton yang berdekatan.
Semua aturan Olahraga IMSSU lainnya berlaku.

Penyelenggaraan pertandingan senapan angin tidak wajib selama Kejuaraan Kontinental dan Dunia. Penyelenggara dapat menyelenggarakan kompetisi senapan angin sebagai acara sampingan sesuai keinginan mereka

MODIFICATIONS WITH REGARD TO THE 1993 RULES

GENERAL TECHNICAL RULES FOR ALL SHOOTING CATEGORIES

SECTION VI (Shooting events procedures and competition rules)

Paragraph C (Shooting procedures):
The general shooting procedure (5 shot strings) is made explicit.

Paragraph H (Shoot Offs):
Aggregates tie breaks rules were completed.

Paragraf C (Prosedur menembak):
Prosedur menembak umum (5 rentetan tembakan) dijelaskan secara eksplisit.

Paragraf H (Adu Tembakan):
Aturan tie break agregat telah diselesaikan

SECTION VII (Trophies - Awards - Prizes)

Paragraph B (Trophy Awarding):
The sentence about competitor's sponsorship was cancelled.

Paragraf B (Pemberian Trofi):
Kalimat tentang pensponsoran pesaing dibatalkan

GENERAL TECHNICAL RULES FOR ALL HANDGUNS CATEGORIES

SECTION I (Shooting positions)

Paragraph B (Standing):
The text was modified to bar any interpretation about this position.

Paragraf B (Tetap Berlaku):
Teks dimodifikasi untuk mencegah adanya interpretasi apa pun tentang posisi ini.

SECTION II (Production rules)

Paragraph A (Production Pistol):
Production trigger shoes are allowed if their width does not exceed the trigger guard width. The trigger width must not exceed the trigger guard width.

No part of the front sight post or blade (excluded an eventual production hood) and no part of the optical device (excluded an eventual production sun shade) may be located in front of the muzzle of the barrel.

A small bore pistol barrel may be drilled and tapped to allow the fitting of a scope mount.

The holes of a barrel drilled and taped for a scope mount must be fitted with plug screws when the scope mount is not present.

Paragraph E (Unavailability of parts for discontinued handguns):
If spare parts for a discontinued handgun are not available, they can be conditionally replaced by newly made ones.

Paragraf A (Pistol Produksi):
Sepatu picu produksi diperbolehkan jika lebarnya tidak melebihi lebar pelindung picu. Lebar picu tidak boleh melebihi lebar pelindung picu.

Tidak ada bagian dari tiang bidik depan atau bilah (kecuali kap produksi akhir) dan tidak ada bagian dari perangkat optik (kecuali pelindung matahari produksi akhir) yang boleh ditempatkan di depan moncong laras.

Laras pistol dengan lubang kecil dapat dibor dan disadap untuk memungkinkan pemasangan dudukan teropong.

Lubang laras yang dibor dan disadap untuk dudukan teropong harus dipasang dengan sekrup sumbat saat dudukan teropong tidak ada.

Paragraf E (Tidak tersedianya suku cadang untuk pistol genggam yang dihentikan produksinya):
Jika suku cadang untuk pistol genggam yang dihentikan produksinya tidak tersedia, suku cadang tersebut dapat diganti dengan suku cadang baru secara bersyarat

MODIFICATIONS WITH REGARD TO THE 1993 RULES

SECTION V (Shooting events procedures and competition rules)

Paragraph A (Loading, firing and alibi periods):
A tolerance was determined for these periods. Paragraph B (Events order):
Unless material impossibility, competitors can choose the order they wish to shoot the different events.

Paragraph C (Shooting procedure):
The handgun shooting procedure is made explicit (from the chickens to the rams).

Paragraph D (Firearms transportation):
A box is mandatory to place and transport handguns between shooting strings. The hosting club must provide such boxes (to lend or rent) to the shooters who have no boxes.

Paragraf A (Periode pengisian, penembakan, dan alibi):
Toleransi ditetapkan untuk periode ini.

Paragraf B (Urutan acara):
Kecuali jika tidak memungkinkan, peserta dapat memilih urutan yang mereka inginkan untuk menembak berbagai acara.

Paragraf C (Prosedur penembakan):
Prosedur penembakan pistol dibuat eksplisit (dari ayam hingga domba jantan).

Paragraf D (Pengangkutan senjata api):
Kotak wajib disediakan untuk menempatkan dan mengangkut pistol di antara rangkaian penembakan. Klub tuan rumah harus menyediakan kotak tersebut (untuk dipinjamkan atau disewa) kepada penembak yang tidak memiliki kotak

SPECIAL TECHNICAL RULES FOR THE FIELD PISTOL CATEGORY

Paragraph A (Events):
It is now possible to shoot the scoped event with an unscoped pistol.

Paragraf A (Evet):
Sekarang dimungkinkan untuk menembak peristiwa yang tercakup dengan pistol yang tidak tercakup.

GENERAL TECHNICAL RULES FOR ALL RIFLE CATEGORIES

SECTION IV (Loading, firing and alibi periods)

A tolerance was fixed for these periods.
Toleransi ditetapkan untuk periode-periode ini.

SECTION V (Shooting procedures)
The rifle shooting procedure was made explicit.
Prosedur menembak senapan dibuat lebih rinci

SPECIAL TECHNICAL RULES FOR THE BIG BORE RIFLE CATEGORY

SECTION I (Big Bore Rifle events)

Paragraph B (Hunting rifle):
For repeating rifles, magazines or clips must be loaded with five rounds if they can hold them.

Paragraf B (Senapan berburu):
Untuk senapan berulang, magasin atau klip harus diisi dengan lima peluru jika dapat menampungnya

SPECIAL TECHNICAL RULES FOR THE SMALL BORE RIFLE CATEGORY

SECTION I (Small Bore Rifle events)

Paragraph B (Light rifle):
For repeating rifles, magazines or clips must be loaded with five rounds if they can hold them.

Paragraf B (Senapan ringan):
Untuk senapan berulang, magasin atau klip harus diisi dengan lima peluru jika dapat men*ampungnya*

MODIFICATIONS WITH REGARD TO THE 1997 RULES

GENERAL TECHNICAL RULES FOR ALL SHOOTING CATEGORIES

SECTION IV (Range Standards – Target Setup)

Paragraph A (General):
Target setting is more explicit.

Paragraph B (Firing Line):
The firing point must be flat and level.

Paragraph D (Colour):
Silhouette painting is detailed.

Paragraph E (Setting):
Silhouette stands are detailed.

Paragraf A (Umum):
Pengaturan sasaran lebih eksplisit.

Paragraf B (Garis Tembak):
Titik tembak harus datar dan sejajar.

Paragraf D (Warna):
Pengecatan siluet dijelaskan secara rinci.

Paragraf E (Pengaturan):
Dudukan siluet dijelaskan secara rinci.

GENERAL TECHNICAL RULES FOR ALL HANDGUNS CATEGORIES

SECTION II (Production rules)

Paragraph A (Production Pistol):
Fox Ridge barrels may be used in Production on T/C Contender's frames.

Paragraph E (Unavailability of parts for discontinued handguns):
If spare parts for a discontinued handgun are not available, a broken part may be replaced by a newly made one provided that:

-the newly made part is identical in material, form, dimension, configuration and finish to the original.

No main part, except for the barrel, may be duplicated.
Replacement barrels must also be chambered in a calibre originally offered by the manufacturer.

Paragraf A (Pistol Produksi):
Laras Fox Ridge dapat digunakan dalam Produksi pada rangka T/C Contender.

Paragraf E (Tidak tersedianya suku cadang untuk pistol genggam yang dihentikan produksinya):
Jika suku cadang untuk pistol genggam yang dihentikan produksinya tidak tersedia, suku cadang yang rusak dapat diganti dengan yang baru dengan ketentuan:
-suku cadang yang baru dibuat identik dalam hal bahan, bentuk, dimensi, konfigurasi, dan penyelesaian dengan yang asli.
Tidak ada suku cadang utama, kecuali laras, yang boleh diduplikasi.
Laras pengganti juga harus menggunakan kaliber yang awalnya ditawarkan oleh produsen.

SPECIAL TECHNICAL RULES FOR THE BIG BORE PISTOL CATEGORY

Paragraph B (Target Specifications):
Dimensions of the «feet»:
-Turkey: 75mm x 200mm (3"x 8").
Old turkey's silhouettes with 75mm x 150mm (3"x 6") feet may be used.

Paragraf B (Spesifikasi Target):
Dimensi "kaki":
- Kalkun: 75mm x 200mm (3"x 8").
Siluet kalkun tua dengan kaki berukuran 75mm x 150mm (3"x 6") dapat digunakan

SPECIAL TECHNICAL RULES FOR THE FIELD PISTOL CATEGORY

Paragraph A (Events):
Production scoped is now called Production any sights

When using the same handgun for both events, and if the Production any sights event is shot with open sights, the Production event must be shot first.

Produksi yang dibidik sekarang disebut Produksi dengan alat bidik

Saat menggunakan pistol yang sama untuk kedua peristiwa, dan jika peristiwa Produksi dengan alat bidik ditembakkan dengan alat bidik terbuka, peristiwa Produksi harus ditembakkan terlebih dahulu.

GENERAL TECHNICAL RULES FOR ALL RIFLE CATEGORIES

SECTION V (Shooting procedures)
Competition squading is recommended and described.

Direkomendasikan dan dijelaskan mengenai regu kompetisi.

Modifications

SPECIAL TECHNICAL RULES FOR THE BIG BORE RIFLE CATEGORY

SECTION I (Big Bore Rifle events)

Paragraph A (Silhouette rifle):
a) Maximum weight: The Imperial and metric values are now equal
d) Trigger guard: the depth is now 35 mm ($1^3/_8$")

A rifle which fits into the Big Bore Hunting Rifle event may also be used in the Big Bore Silhouette Rifle event.
Paragraph B (Hunting rifle):
a) Maximum weight: The Imperial and metric values are now equal
d) Stock: Bedding and the addition of any standard non-target type recoil pad and butt spacers is allowed. Stocks may be shortened or lengthened as required.
e) Barrel: the reference to so called heavy barrels was suppressed. Any replacement barrel shall conform to the dimensions, configuration and material of the factory original.
Recrowning of barrels is permitted, as is the removal of a section of barrel to correct damage to the muzzle, provided that the removal of that section of barrel does not alter the weight of a rifle to the extent of allowing it to fit into a weight class that it would not otherwise fit, had the barrel length not been altered.
f) Magazines: If a magazine deeper than the trigger guard is used, it cannot be used by the shooter to support the rifle.

Paragraf A (Silhouette rifle):
a) Berat maksimum: Nilai Imperial dan metrik sekarang sama
d) Pelindung pelatuk: kedalamannya sekarang 35 mm (13/8")

Senapan yang sesuai dengan acara Big Bore Hunting Rifle juga dapat digunakan dalam acara Big Bore Silhouette Rifle.

Paragraf B (Senapan berburu):
a) Berat maksimum: Nilai Imperial dan metrik sekarang sama
d) Popor: Alas dan penambahan bantalan rekoil standar jenis non-target dan spacer popor diperbolehkan. Popor dapat diperpendek atau diperpanjang sesuai kebutuhan.
e) Laras: referensi ke laras berat dihapus. Setiap laras pengganti harus sesuai dengan dimensi, konfigurasi, dan bahan asli pabrik. Pemotongan ulang laras diperbolehkan, seperti halnya penghilangan sebagian laras untuk memperbaiki kerusakan pada moncong, dengan ketentuan bahwa penghilangan sebagian laras tersebut tidak mengubah berat senapan hingga memungkinkannya masuk ke dalam kelas berat yang tidak akan muat jika panjang laras tidak diubah.
f) Magazin: Jika magasin yang lebih dalam dari pelindung pelatuk digunakan, magasin tersebut tidak dapat digunakan oleh penembak untuk menyangga senapan.

SECTION II (Target Specifications)

Dimensions of the feet:
-Turkeys: 75 mm x 200 mm (3" x 8").
Old turkey's silhouettes with 75mm x 150mm (3"x 6") feet may be used.

Dimensi kaki:
- Kalkun: 75 mm x 200 mm (3" x 8").
Siluet kalkun tua dengan kaki berukuran 75 mm x 150 mm (3"x 6") dapat digunakan.

SPECIAL TECHNICAL RULES FOR THE SMALL BORE RIFLE CATEGORY

SECTION I (Small Bore Rifle events)

Paragraph A (Silhouette rifle):
a) Maximum weight: The Imperial and metric values are now equal
d) Trigger guard: the depth is now 35 mm ($1^3/_8$”).

A rifle which fits into the Small Bore Light Rifle event may also be used in the Small Bore Silhouette Rifle event.

Paragraph B (Light rifle):
a) Maximum weight: The Imperial and metric values are now equal
d) Barrel: Will be that of a sporting rifle as supplied originally by the factory. No replacement barrels will be permitted. Recrowning of barrels is permitted, as is the removal of a section of barrel to correct damage to the muzzle, provided that the removal of that section of barrel does not alter the weight of a rifle to the extent of allowing it to fit into a weight class that it would not otherwise fit, had the barrel length not been altered.

Paragraph C (Ammunition):
The reference to so called high velocity ammunitions is suppressed.

Paragraf A (Senapan Silhouette):
a) Berat maksimum: Nilai Imperial dan metrik sekarang sama
d) Pelindung pelatuk: kedalamannya sekarang 35 mm (13/8”).

Senapan yang sesuai dengan acara Senapan Ringan Bore Kecil juga dapat digunakan dalam acara Senapan Siluet Bore Kecil.

Paragraf B (Senapan ringan):
a) Berat maksimum: Nilai Imperial dan metrik sekarang sama
d) Laras: Akan menjadi senapan olahraga seperti yang disediakan awalnya oleh pabrik. Laras pengganti tidak akan diizinkan. Pencangkokan ulang laras diizinkan, seperti halnya pelepasan bagian laras untuk memperbaiki kerusakan pada moncong, asalkan pelepasan bagian laras tersebut tidak mengubah berat senapan hingga memungkinkannya masuk ke dalam kelas berat yang tidak akan sesuai, jika panjang laras tidak diubah.

Paragraf C (Amunisi):
Referensi terhadap apa yang disebut amunisi kecepatan tinggi ditekan.

MISCELLANEOUS

Automatic target setting

The principle of an optional automatic target setting system (on the basis of swivelling targets or another system) was adopted. If such a system is designed, made and adopted in the future, it will be possible to use it without modifications of the current rules.

Prinsip sistem pengaturan target otomatis opsional (berdasarkan target yang berputar atau sistem lain) diadopsi. Jika sistem seperti itu dirancang, dibuat, dan diadopsi di masa mendatang, sistem tersebut dapat digunakan tanpa modifikasi aturan saat ini.

Modifications

Vocabulary

Harmonization of the vocabulary used in the metallic silhouette **discipline**:

The shooting **categories** are:

Big bore pistol	Big bore rifle
Small bore pistol	Small bore rifle
Field pistol	

The shooting **events** in each category are:

Revolver	Silhouette
Production	Hunting
Production scoped	Light
Standing	
Unlimited	

Harmonisasi kosakata yang digunakan dalam disiplin siluet metalik: Kategori penembakan adalah:
Pistol kaliber besar Senapan kaliber besar
Pistol kaliber kecil Senapan kaliber kecil Pistol lapangan

Acara penembakan di setiap kategori adalah:
Revolver Silhouette
Produksi Berburu
Produksi Teropong Ringan Berdiri
Tidak terbatas

MODIFICATIONS WITH REGARD TO THE 2001 RULES

GENERAL TECHNICAL RULES FOR ALL SHOOTING CATEGORIES

SECTION I (General)

Paragraph D (Classes):

The classes system is not applied at the World Championships.

Paragraf D (Kelas):

Sistem kelas tidak diterapkan di Kejuaraan Dunia.

SECTION VI: (Shooting events procedures and competition rules)

Paragraph J (Aggregates):

An aggregate score is obtained by adding the scores of all the events of a given category **or type of events**. The silhouette discipline counts **six** aggregates:

Paragraf J (Agregat):

Nilai agregat diperoleh dengan menambahkan nilai semua acara dari kategori atau jenis acara tertentu. Disiplin siluet menghitung enam agregat:

Big Bore Pistol	Small Bore Pistol	Field Pistol	Big Bore Rifle	Small Bore Rifle	Standing
Revolver Production Standing Unlimited	Revolver Production Standing Unlimited	Production Production any sights	Silhouette Hunting	Silhouette Light	**Standing BB Pistol Standing SB Pistol Field Production Field any sights**

Since there are up to **six** categories shot, a member country may enter up to **six** teams, one for each category shot.

Karena terdapat hingga enam kategori foto, maka negara anggota boleh mengirimkan hingga enam tim, satu tim untuk setiap kategori foto.

Modifications


GENERAL TECHNICAL RULES FOR ALL HANDGUNS CATEGORIES

SECTION II (Production rules)

Paragraph A (Production pistol):

1°) Any older firearm may be brought up to current factory specifications using only factory catalogue accessories.
All brands of replacement barrels are allowed for the T/C Contenders and G2 plus longer genuine T/C barrels cut back to 10", provided that they conform to the same materials, twist rate and profile.

3°) **Replacement of sights with aftermarket sights is allowed. Adaptor blocks for aftermarket sights are allowed. The height between the centreline of the bore and the centre of the front sight or the highest point of a blade may not be more than 50 mm. Drilling and taping for sights or adaptor blocks is allowed. No part of the rear sight, including the sunshade or hood, may extend beyond the rear of the pistol, actions uncocked (refer to the drawing).** The sights may be painted or smoked to suit the competitor. This includes painting of sight setting marks.
Diopters are not allowed on pistols used in Production events for the Big Bore Pistol categories (Revolver, Production and Standing). The only sight apparatus allowed for these categories are a notched leaf type rear sight associated to a solid front sight, giving a sight picture similar to the following drawings:



Diopters are allowed only on Small Bore and Field pistols.

Paragraf A (Pistol produksi):

1°) Senjata api lama apa pun dapat ditingkatkan ke spesifikasi pabrik terkini hanya dengan menggunakan aksesori katalog pabrik.
Semua merek laras pengganti diperbolehkan untuk Peserta T/C dan G2 plus laras T/C asli yang lebih panjang yang dipotong menjadi 10", asalkan sesuai dengan bahan, tingkat puntiran, dan profil yang sama

3°) Penggantian alat bidik dengan alat bidik purnajual diperbolehkan. Blok adaptor untuk alat bidik purnajual diperbolehkan. Ketinggian antara garis tengah lubang dan bagian tengah alat bidik depan atau titik tertinggi bilah tidak boleh lebih dari 50 mm. Pengeboran dan perekatan untuk alat bidik atau blok adaptor diperbolehkan. Tidak ada bagian dari alat bidik belakang, termasuk pelindung matahari atau kap, yang boleh melampaui bagian belakang pistol, tindakan tidak dikokang (lihat gambar). Alat bidik dapat dicat atau diasapi agar sesuai dengan peserta. Ini termasuk pengecatan tanda pengaturan alat bidik.
Diopter tidak diperbolehkan pada pistol yang digunakan dalam acara Produksi untuk kategori Pistol Lubang Besar (Revolver, Produksi, dan Berdiri). Satu-satunya peralatan bidik yang diperbolehkan untuk kategori ini adalah alat bidik belakang tipe daun berlekuk yang dikaitkan dengan alat bidik depan yang kokoh, yang memberikan gambar bidik yang mirip dengan berikut ini gambar:

Diopter hanya diperbolehkan pada pistol kaliber kecil dan pistol lapangan

MODIFICATIONS WITH REGARD TO THE 2001 RULES

SPECIAL TECHNICAL RULES for the Big Bore Rifle category

SECTION I: Big Bore Rifle events

A. Silhouette rifle

A rifle which fits into the Big Bore Hunting Rifle event may also be used in the Big Bore Silhouette Rifle event, **even if this rifle does not meet the dimensional specifications required for the Silhouette event.**

Senapan yang sesuai dengan acara Big Bore Hunting Rifle juga dapat digunakan dalam acara Big Bore Silhouette Rifle, **meskipun senapan ini tidak memenuhi spesifikasi dimensi yang diperlukan untuk acara Silhouette**

SPECIAL TECHNICAL RULES for the Small Bore Rifle category

SECTION I: Small Bore Rifle events

A. Silhouette rifle

A rifle which fits into the Small Bore Light Rifle event may also be used in the Small Bore Silhouette Rifle event, **even if this rifle does not meet the dimensional specifications required for the Silhouette event.**

Senapan yang sesuai dengan ajang Small Bore Light Rifle juga dapat digunakan dalam ajang Small Bore Silhouette Rifle, meskipun senapan ini tidak memenuhi spesifikasi dimensi yang dipersyaratkan untuk ajang Silhouette

B. Light rifle

d) Barrel:
Will be that of a sporting rifle as supplied originally by the factory. **Any replacement barrel must be an original factory barrel manufactured for that model rifle.** Recrowning of barrels is permitted, as is the removal of a section of barrel to correct damage to the muzzle, provided that the removal of that section of barrel does not alter the weight of a rifle to the extent of allowing it to fit into a weight class that it would not otherwise fit, had the barrel length not been altered.

Akan menjadi senapan olahraga sebagaimana yang disediakan pabrik pada awalnya. Laras pengganti harus merupakan laras asli yang diproduksi pabrik untuk senapan model tersebut. Pencangkokan ulang laras diperbolehkan, seperti halnya pelepasan bagian laras untuk memperbaiki kerusakan pada moncong, asalkan pelepasan bagian laras tersebut tidak mengubah berat senapan hingga memungkinkannya masuk ke dalam kelas berat yang tidak akan muat jika panjang laras tidak diubah.

MODIFICATIONS WITH REGARD TO THE 2005 RULES

GENERAL TECHNICAL RULES for all handguns categories

SECTION II: Production rules

E. Unavailability of parts for discontinued handguns

If the actual composition of the material of the original part is either unknown or is unavailable through normal commercial channels then a replacement part may be manufactured from material that is of the nearest composition to the original part. For example, if the original part was a cast alloy then it could be replaced with a part manufactured from aluminium.

Jika komposisi material komponen asli tidak diketahui atau tidak tersedia melalui jalur komersial normal, komponen pengganti dapat dibuat dari material yang komposisinya paling mendekati komponen asli. Misalnya, jika komponen asli terbuat dari paduan cor, komponen tersebut dapat diganti dengan komponen yang terbuat dari aluminium

GENERAL TECHNICAL RULES for all rifles categories

SECTION III: Allowed - Not allowed

A. Allowed

c) Clothing:

Commercial type trap and skeet vests (sleeveless) and shotgun shooting shirts are permitted as well as clothing normally suitable for existing climatic conditions. Shooting clothing (vests, pants, shoes, etc) is not allowed.

Unnecessarily heavy clothing, or anything on the person that would provide artificial support, such as clothing having excess padding or stiffening material, or is excessively tight or which restricts or support the body in the shooting position (including accessories worn under the clothing), may not be worn.

Vests or clothes that may be considered or construed to be unnecessarily heavy, or tight, or to provide artificial support are permitted if they can be closed over a gauge made of 101.6 mm (4”) thin wall PVC pipe, not less than 762 mm (30”) in length, passed through the entire length of the garment. The garment must also be opened or vented from the bottom edge to a point 50.8 mm (2”) above the summit of the crest of the hipbone.

Rompi perangkap dan skeet jenis komersial (tanpa lengan) dan baju penembak senapan diperbolehkan serta pakaian yang biasanya sesuai untuk kondisi iklim yang ada. Pakaian penembak (rompi, celana, sepatu, dll.) tidak diperbolehkan. Pakaian yang terlalu berat, atau apa pun pada orang yang dapat memberikan dukungan buatan, seperti pakaian yang memiliki bantalan atau bahan pengaku berlebih, atau terlalu ketat atau yang membatasi atau menopang tubuh dalam posisi menembak (termasuk aksesori yang dikenakan di bawah pakaian), tidak boleh dikenakan.

Rompi atau pakaian yang dapat dianggap atau ditafsirkan terlalu berat, atau ketat, atau memberikan dukungan buatan diperbolehkan jika dapat ditutup di atas pengukur yang terbuat dari pipa PVC berdinding tipis 101,6 mm (4”), panjangnya tidak kurang dari 762 mm (30”), yang melewati seluruh panjang pakaian. Pakaian tersebut juga harus dibuka atau diberi ventilasi dari tepi bawah ke titik 50,8 mm (2”) di atas puncak tulang pinggul

GENERAL TECHNICAL RULES for all handguns categories

SECTION IV: ALLOWED - NOT ALLOWED

B. Not Allowed

d) Clothes:

Shooting clothes especially designed for that purpose.

For all standing events:
Commercial type trap and skeet vests (sleeveless) and shotgun shooting shirts are permitted as well as clothing normally suitable for existing climatic conditions. Shooting clothing (vests, pants, shoes, etc) is not allowed.
Unnecessarily heavy clothing, or anything on the person that would provide artificial support, such as clothing having excess padding or stiffening material, or is excessively tight or which restricts or support the body in the shooting position (including accessories worn under the clothing), may not be worn.
Vests or clothes that may be considered or construed to be unnecessarily heavy, or tight, or to provide artificial support are permitted if they can be closed over a gauge made of 101.6 mm (4") thin wall PVC pipe, not less than 762 mm (30") in length, passed through the entire length of the garment. The garment must also be opened or vented from the bottom edge to a point 50.8 mm (2") above the summit of the crest of the hipbone.

Pakaian menembak yang dirancang khusus untuk tujuan tersebut.

Untuk semua acara yang berdiri:
Rompi perangkap dan skeet jenis komersial (tanpa lengan) dan baju tembak senapan diperbolehkan serta pakaian yang biasanya sesuai untuk kondisi iklim yang ada. Pakaian menembak (rompi, celana, sepatu, dll.) tidak diperbolehkan.
Pakaian yang terlalu berat, atau apa pun pada orang yang dapat memberikan dukungan buatan, seperti pakaian yang memiliki bantalan atau bahan pengaku berlebih, atau terlalu ketat atau yang membatasi atau menopang tubuh dalam posisi menembak (termasuk aksesori yang dikenakan di bawah pakaian), tidak boleh dikenakan.
Rompi atau pakaian yang dapat dianggap atau ditafsirkan terlalu berat, atau ketat, atau memberikan dukungan buatan diperbolehkan jika dapat ditutup di atas pengukur yang terbuat dari pipa PVC berdinding tipis 101,6 mm (4"), panjangnya tidak kurang dari 762 mm (30"), yang melewati seluruh panjang pakaian. Pakaian tersebut juga harus dibuka atau diberi lubang udara dari tepi bawah hingga titik 50,8 mm (2") di atas puncak tulang pinggul.

SPECIAL TECHNICAL RULES for the Small Bore Rifle category

SECTION I: Small Bore Rifle events

B. Light rifle

a) Weight:

The weight shall not exceed 3.855 kg (8lb 8oz) including sights.

Berat tidak boleh melebihi 3,855 kg (8lb 8oz) termasuk alat penglihatan

MODIFICATIONS 2010

Enforced by 01/01/2011

1°) *GENERAL TECHNICAL RULES for all handguns categories*
SECTION I: Shooting positions
A. Freestyle
No part of the handgun, and its sighting apparatus, and the shooter's hand(s) holding the pistol up to the wrist, are allowed to come in contact with the face of the shooter or the head equipment (cap, shooting glasses, shields, ear muffs,…).

At the end of the paragraph. *The firearm must be held in such a manner that a Match Official can easily see that these rules are being complied with and that the firearm is visibly clear of the ground at all times, when in the firing position.*
The shooter's equipment (cap, shields, etc.) must allow a Match Official to easily see that these rules are being complied with at all times when in the firing position.

Tidak ada bagian dari pistol, dan peralatan pembidiknya, dan tangan penembak yang memegang pistol hingga pergelangan tangan, yang boleh bersentuhan dengan wajah penembak atau perlengkapan kepala (topi, kacamata tembak, perisai, penutup telinga,…).

Di akhir paragraf. Senjata api harus dipegang sedemikian rupa sehingga Petugas Pertandingan dapat dengan mudah melihat bahwa peraturan ini dipatuhi dan senjata api terlihat jelas tidak menyentuh tanah setiap saat, saat dalam posisi menembak.
Peralatan penembak (topi, perisai, dll.) harus memungkinkan Petugas Pertandingan untuk dengan mudah melihat bahwa peraturan ini dipatuhi setiap saat saat dalam posisi menembak

2°) *GENERAL TECHNICAL RULES for all handguns categories SECTION I: Shooting positions*
B. Standing
At the end of the paragraph. *The firearm must be held in such a manner that a Match Official can easily see that these rules are being complied with at all times when in the firing position.*
The shooter's equipment (cap, shields, etc.) must allow a Match Official to easily see that these rules are being complied with at all times when in the firing position.

Di akhir paragraf. Senjata api harus dipegang sedemikian rupa sehingga Petugas Pertandingan dapat dengan mudah melihat bahwa peraturan ini dipatuhi setiap saat ketika berada di posisi menembak.
Perlengkapan penembak (topi, perisai, dll.) harus memungkinkan Petugas Pertandingan untuk dengan mudah melihat bahwa peraturan ini dipatuhi setiap saat ketika berada di posisi menembak

3°) *GENERAL TECHNICAL RULES for all handguns categories Section IV: Allowed – not allowed*
A. Allowed
a)Shooting mat.
A flat shooting mat or ground cover of a thickness not to exceed 25.4mm (1"). This mat must be of uniform thickness and cannot be folded or used to gain any support.

Alas tembak datar atau penutup tanah dengan ketebalan tidak melebihi 25,4 mm (1"). Alas ini harus memiliki ketebalan yang seragam dan tidak dapat dilipat atau digunakan untuk mendapatkan dukungan apa pun.

4°) *B. Not allowed*

i)~~Shaped~~ forends *(Production and Unlimited firearms)**:***


"Funny forends" with wedges or melon slices cut out of one or both sides with the idea of providing a contour effect to fit the shooter's leg or some other part of his anatomy as a shooting aid. All these and any other variations are violating the artificial rest rule. Match Directors and Juries have the authority to rule on any funny forend at any match. If, in their opinion, any of these funny forends violates either the artificial rest rule, the spirit of the rule, or both, they have the authority to refuse the entry of any such firearm in any IMSSU match ~~(Unlimited firearms).~~

No part of the forend may protrude in a direction which in not parallel to the bore's axis.

Funny forends" dengan irisan atau potongan melon di salah satu atau kedua sisinya dengan tujuan memberikan efek kontur agar pas dengan kaki penembak atau bagian lain dari anatominya sebagai alat bantu menembak. Semua ini dan variasi lainnya melanggar aturan sandaran buatan. Direktur Pertandingan dan Juri berwenang untuk memutuskan funny forend apa pun di pertandingan mana pun. Jika, menurut pendapat mereka, salah satu dari funny forend ini melanggar aturan sandaran buatan, semangat aturan, atau keduanya, mereka berwenang untuk menolak masuknya senjata api tersebut dalam pertandingan IMSSU (~~Senjata api tak terbatas).~~

Tidak ada bagian dari forend yang boleh menonjol ke arah yang tidak sejajar dengan sumbu lubang laras.

Examples of forbidden forends which illustrate the spirit of the rule:




It is not allowed to hold a pistol by slipping the fingers or any part of the hand between the barrel and the forend, freestyle or standing.

The distance between the upper side of the barrel and the underside of the forend (taken at the middle of the barrel) cannot exceed 55 mm.

Modifications
Tidak diperbolehkan memegang pistol dengan menyelipkan jari atau bagian tangan mana pun di antara laras dan bagian depan, baik secara bebas maupun berdiri.

Jarak antara sisi atas laras dan sisi bawah bagian depan (diambil di bagian tengah laras) tidak boleh melebihi 55 mm

Drawing not to scale:



5°) *GENERAL TECHNICAL RULES for all handguns categories Section IV: Allowed – not allowed*
B. Not allowed
k) Extractor.
All handguns must be equipped with a device which partially or totally extracts the empty cases or an unfired cartridge from the chamber. Pistols without such a device are not allowed.

Semua pistol genggam harus dilengkapi dengan alat yang dapat mengeluarkan sebagian atau seluruh selongsong peluru kosong atau selongsong peluru yang belum ditembakkan dari bilik. Pistol tanpa alat tersebut tidak diperbolehkan.

Enforced by 01/01/2013

6°) STR for the Field Pistol category
A - Events
Competition will be in two events:

Events	Shooting position	Pistol used
Production	Standing	Any Production handgun as per Big Bore (no diopters)
Production any sights	Standing	Any Production ~~**scoped or not scoped**~~ handgun with any kind of sights

MODIFICATIONS 2013

Modification of the "General Technical Rules for all handguns categories", "Section II: Production rules", paragraph "A. Production Pistol":

A. Production Pistol

The following sentence:

"A pistol which has been in Production for at least one year and is or was a catalogue item readily available to the general public, with a proven manufacture of at least 30, with open/aperture sights."

Is replaced by:

"A pistol which, with its technical specifications, is readily available to the general public."

Modification of the "General Technical Rules for all handguns categories", "Section II: Production rules":

Diopters are not allowed on pistols used in Production events for the Big Bore Pistol categories (Revolver, Production and Standing), as well as in the Small Bore Production and Revolver categories and the Field Pistol Production category.

Diopters are allowed only in the Small Bore Standing category and the Field Pistol Any Sights category.

Modification of the "General Technical Rules for all handguns categories", "Section II: Production rules":

All brands of replacement barrels are allowed for the T/C Contenders, the G2, the Encore and the Encore Pro Hunter, plus longer genuine or after market T/C barrels cut back to 10" ¾, provided that they conform to the same materials, twist rate and profile. Anschütz Exemplars with 10 inches and 14 inches barrels can be shortened to 7.5 inches to be used in Production categories.

Modification of the "General Technical Rules for all handguns categories", "Section III: Unlimited", paragraph "B: Unlimited cartridges":

Kalimat berikut:

"Pistol yang telah Diproduksi selama setidaknya satu tahun dan merupakan atau pernah menjadi item katalog yang tersedia untuk masyarakat umum, dengan produksi yang terbukti setidaknya 30, dengan alat bidik terbuka/aperture."

Diganti dengan:

"Pistol yang, dengan spesifikasi teknisnya, tersedia untuk masyarakat umum."

Modifikasi "Aturan Teknis Umum untuk semua kategori pistol", "Bagian II: Aturan produksi":

Diopter tidak diperbolehkan pada pistol yang digunakan dalam acara Produksi untuk kategori Pistol Big Bore (Revolver, Produksi, dan Standing), serta dalam kategori Produksi dan Revolver Small Bore dan kategori Produksi Pistol Lapangan.

Diopter hanya diperbolehkan dalam kategori Small Bore Standing dan kategori Field Pistol Any Sights.

Modifikasi "Aturan Teknis Umum untuk semua kategori pistol", "Bagian II: Aturan produksi": Semua merek laras pengganti diperbolehkan untuk T/C Contenders, G2, Encore *dan Encore Pro Hunter, ditambah laras T/C asli atau aftermarket yang lebih panjang yang dipotong menjadi 10" ¾, asalkan sesuai dengan bahan, tingkat putaran, dan profil yang sama. Anschütz Exemplars dengan laras 10 inci dan 14 inci dapat dipersingkat menjadi 7,5 inci untuk digunakan dalam kategori Produksi.*

Modifikasi "Aturan Teknis Umum untuk semua kategori pistol", "Bagian III: Tidak Terbatas", paragraf "B: Kartrid tidak terbatas":

MODIFICATIONS 2013

B. Unlimited Cartridges

a)Big bore:

The sentence "*No other limitations*" is replaced by "*For the Unlimited event, which is shot on ½ scale targets, the minimum calibre is 6mm (0.243")*".

Modification of the "Special Technical Rules for the Big Bore Pistol Category", paragraph "B: Targets specifications":
The following sentence is added.
"For the Unlimited event, ½ scale (Field Pistol) targets will be used".

Modification of the "Special Technical Rules for the Big Bore Pistol Category", paragraph "D: Rams":
The following sentence is added.
"This rule does not apply to ½ scale rams used for the Unlimited event".

Modification of the "Special Technical Rules for the Small Bore Pistol Category", paragraph "B: Target specifications":
The following sentence is added.
"For the Unlimited event, the Small Bore Rifle targets will be used".

Special Technical Rules for the Field Pistol category

a)Big bore:
Kalimat "Tidak ada batasan lain" diganti dengan "Untuk acara Unlimited, yang ditembakkan pada target skala ½, kaliber minimum adalah 6mm (0,243")".

Modifikasi "Aturan Teknis Khusus untuk Kategori Pistol Big Bore", paragraf "B: Spesifikasi target":
Kalimat berikut ditambahkan.
"Untuk acara Unlimited, target skala ½ (Pistol Lapangan) akan digunakan".

Modifikasi "Aturan Teknis Khusus untuk Kategori Pistol Big Bore", paragraf "D: Ram":
Kalimat berikut ditambahkan.
"Aturan ini tidak berlaku untuk ram skala ½ yang digunakan untuk acara Unlimited".

Modifikasi "Aturan Teknis Khusus untuk Kategori Pistol Small Bore", paragraf "B: Spesifikasi target":
Kalimat berikut ditambahkan.
"Untuk acara Unlimited, target Small Bore Rifle akan digunakan".

A - Events
Competition will be in two events:

Events	Shooting position	Pistol used
Production	Standing	Any Production handgun as per Big Bore (no diopters)
Production any sights	Standing	Any Production handgun with any kind of sights

The following paragraph will be added to the "General Technical Rules for all rifle events" in "Section V: Shooting procedures":
If no 500 metres range is available in the Member Country sponsoring the World Championships, a substitute event will be organized for the Big Bore Rifle on the 200 meters Big Bore Pistol range. The Big Bore Rifle events will be shot by the Big Bore Rifle Rules except that ½ scale (Field Pistol) silhouettes will be used at the following distances:

- *Chickens set at 100 meters.*
- *Pigs set at 150 meters.*
- *Turkey set at 200 meters.*
- *Rams set at 200 meters.*

Special Technical Rules for Big Bore Rifle/Section II: Targets specifications:
For the Big Bore Rifle substitute events shot on ½ size targets, steel sheets up to 15 mm thick may be used for all targets, at the organizers will.

- Rams set at 200 meters.

Special Technical Rules for Big Bore Rifle/Section II: Targets specifications: For the Big Bore Rifle substitute events shot on ½ size targets, steel sheets up to 15 mm thick may be used for all targets, at the organizers will.

Paragraf berikut akan ditambahkan ke "Aturan Teknis Umum untuk semua pertandingan menembak senapan" di "Bagian V: Prosedur menembak": Jika tidak ada lapangan tembak 500 meter di Negara Anggota yang mensponsori Kejuaraan Dunia, pertandingan pengganti akan diselenggarakan untuk Senapan Big Bore di lapangan tembak Pistol Big Bore 200 meter. Pertandingan Senapan Big Bore akan dilaksanakan dengan Aturan Senapan Big Bore kecuali bahwa siluet skala ½ (Pistol Lapangan) akan digunakan pada jarak berikut:

- *Ayam ditetapkan pada jarak 100 meter.*
- *Babi ditetapkan pada jarak 150 meter.*
- *Kalkun ditetapkan pada jarak 200 meter.*
- *Domba jantan ditetapkan pada jarak 200 meter.*

Aturan Teknis Khusus untuk Senapan Big Bore/Bagian II: Spesifikasi target: Untuk pertandingan pengganti Senapan Big Bore yang dilaksanakan pada target ukuran ½, lembaran baja setebal hingga 15 mm dapat digunakan untuk semua target, sesuai keinginan penyelenggara

MODIFICATIONS 2017

Modification of the "General Technical Rules for all metallic silhouette discipline shooting categories ", "Section I: General ":

E. Junior Category

A Junior category is included in the following disciplines to be included in the program at International Competitions:

6 Four Match Small Bore Pistol Aggregate (Production; Revolver; Standing and Unlimited. No Field Pistol or Big Bore Pistol)
7 Two Match Small Bore Rifle Aggregate (Light and Silhouette. No Big Bore Rifle)
8 A Junior is defined as someone up to and including the year they attain 20 years of age.
9 Juniors will compete in the overall competition and if they are placed either 1-2-3 outright in the overall competition aggregate for Small Bore Pistol or Small Bore Rifle they will not be eligible for awards in the Junior category.
10 There are no Classes/Grades in the Junior Category

Modification of the "Special Technical Rules for the Big Bore Rifle category

Kategori Junior termasuk dalam disiplin ilmu berikut untuk diikutsertakan dalam program di Kompetisi Internasional:

6 Agregat Pistol Bor Kecil Empat Pertandingan (Produksi; Revolver; Berdiri dan Tidak Terbatas. Tanpa Pistol Lapangan atau Pistol Bor Besar)
7 Agregat Senapan Bore Kecil Dua Pertandingan (Ringan dan Siluet. Tanpa Senapan Bore Besar)
8 Junior didefinisikan sebagai seseorang yang umurnya sampai dengan 20 tahun.
9 Junior akan bersaing dalam kompetisi keseluruhan dan jika mereka ditempatkan 1-2-3 secara langsung dalam agregat kompetisi keseluruhan untuk Small Bore Pistol atau Small Bore Rifle, mereka tidak akan memenuhi syarat untuk mendapatkan penghargaan dalam kategori Junior.
10 Tidak ada Kelas/Kelas pada Kategori Junior

Modifikasi “Peraturan Teknis Khusus kategori Big Bore Rifle

SECTION I: Big Bore Rifle events

B) Hunting rifle

e) Barrel:

Will be that of a hunting style rifle. Any replacement barrel shall conform to the dimensions of the factory original. No non-factory chambering will be permitted. Re- crowning or re-chambering of barrels is permitted, as is the removal of a section of barrel to correct damage to the muzzle or chamber, provided that the removal of that section of barrel does not alter the weight of a rifle to the extent of allowing it to fit into a weight class that it would not otherwise fit, had the barrel length not been altered.

Modification of the "Special Technical Rules for the Small Bore Rifle category

Akan menjadi senapan gaya berburu. Setiap barel pengganti harus sesuai dengan dimensi asli pabrik. Tidak ada ruang non-pabrik yang diizinkan. Penobatan ulang atau penataan ulang laras diperbolehkan, begitu pula pelepasan sebagian laras untuk memperbaiki kerusakan pada moncong atau ruang, dengan ketentuan bahwa pelepasan bagian laras tersebut tidak mengubah berat senapan hingga memungkinkannya masuk ke dalam kelas berat yang tidak dapat ditampungnya, seandainya panjang laras tidak diubah.

Modifikasi “Aturan Teknis Khusus Kategori Senapan Bor Kecil

SECTION VI: Non mandatory Small Bore Rifle events

These events are at the will of the organizers. Competition

will be in two events:

Events	Shooting	Rifles used
Silhouette Open Sights	Standing	Silhouette rifle
Light Open sights	Standing	Light rifle

When organized, these two events include the establishment of two more aggregates:

- Small Bore Rifle Open Sight Aggregate.
- Small Bore Rifle All Sights Aggregate (consisting of the current Small Bore Rifle Aggregate plus the Small Bore Rifle Open Sight Aggregate).

Bila diorganisasikan, kedua acara ini mencakup pembentukan dua agregat lagi:

- *Agregat Pembidik Terbuka Senapan Bore Kecil.*
- *Agregat Pembidik Terbuka Senapan Bore Kecil (terdiri dari Agregat Senapan Bore Kecil saat ini ditambah Agregat Pembidik Terbuka Senapan Bore Kecil).*

A Open Sights Silhouette Rifle

Fired with a silhouette type rifle identical to the description of the Small Bore Silhouette Rifle.

a) Sights:


All telescopic sights are prohibited. All kinds of rear sights (notched, peep) and front sights (blade, ring) are allowed.

A rifle which fits into the Small Bore Open Sights Light Rifle event may also be used in the Small Bore Open Sights Silhouette Rifle event, even if this rifle does not meet the dimensional specifications required for the Silhouette event.

Ditembakkan dengan senapan jenis siluet yang identik dengan deskripsi Senapan Siluet Lubang Kecil.

a) Alat bidik:

Semua alat bidik teleskopik dilarang. Peralatan bidik yang diizinkan untuk kategori ini adalah alat bidik belakang jenis daun berlekuk yang dikaitkan dengan alat bidik depan yang kokoh, yang memberikan gambar bidik yang mirip dengan gambar berikut



B. Open sights Light Rifle

Fired with a sporting rifle identical to the description of the Small Bore Light Rifle.

Ditembakkan dengan senapan olahraga yang identik dengan deskripsi Senapan Ringan Kaliber Kecil


MODIFICATIONS 2017

a) Sights:

All telescopic sights are prohibited The sight apparatus allowed for these categories are a notched leaf type rear sight associated to a solid front sight, giving a sight picture similar to the following drawings:

a) Alat bidik:

Semua alat bidik teleskopik dilarang. Peralatan bidik yang diizinkan untuk kategori ini adalah alat bidik belakang tipe daun berlekuk yang dihubungkan dengan alat bidik depan yang kokoh, yang menghasilkan gambar bidik yang mirip dengan gambar berikut:



C. Ammunition

Any commercially available 22 caliber short, long or long-rifle rimfire ammunition will be permitted.

Semua amunisi kaliber 22 yang tersedia secara komersial, baik amunisi pendek, panjang, maupun amunisi rimfire senapan panjang akan diizinkan

C. Targets Specifications

Targets shall be identical to Small Bore Pistol targets.

Sasaran harus sama dengan sasaran Pistol Kaliber Kecil.

D. Target Setting

Identical to Small Bore Pistol targets settings.

Identik dengan pengaturan target Pistol Bore Kecil.

E. Classes

Class	Small Bore Rifle Silhouette Open Sight	Small Bore Rifle Light Open Sight
International	34 - 40	32 - 40
Master	27 - 33	25 - 31
A	20 - 26	18 - 24
B	0 - 19	0 - 17

MODIFICATIONS 2023

SECTION III : Allowed – Not allowed

A Allowed

d) Barrels : barrels threaded for noise suppressors are allowed. Maximum length of thread : 20 mm. When no suppressor is used, the threaded section must be covered by a solid screw on cap which must follow the contour of the barrel. The cap will be included in the weight of the rifle.

Barel : barel berulir untuk peredam kebisingan diperbolehkan. Panjang ulir maksimum : 20 mm. Jika tidak ada penekan yang digunakan, bagian berulir harus ditutup dengan sekrup padat pada tutup yang harus mengikuti kontur laras. Tutupnya akan dimasukkan ke dalam berat senapan.

MODIFICATIONS 2025

The changes in the rules as voted in at the 2024 General Assembly come into effect on 1 January 2025

Modifications to GENERAL TECHNICAL RULES for all handguns categories

Perubahan peraturan yang diputuskan pada Sidang Umum Tahun 2024 mulai berlaku pada tanggal 1 Januari 2025

Modifikasi PERATURAN TEKNIS UMUM untuk semua kategori pistol

SECTION II: Production Rule

A. Production Pistol

The wording

"*A pistol which, with its technical specifications, is readily available to the general public"*

is replaced by

"*A pistol which conforms to technical specifications below*:"

The wording

"No part of the front sight post or blade (with the exception of a production hood) and no part of the optical device (with the exception of a production sun shade) may be located in front of the muzzle of the barrel"

is replaced by

"No part of the front sight post or blade (with the exception of a hood) and no part of the optical device (with the exception of a production sun shade) may be located in front of the muzzle of the barrel".

The wording

"The firearm must be complete at all times in form and mechanical functions as manufactured, and only parts which are manufacturer's catalogue items may be used for repair or replacement except as stated below"

is replaced by

"The firearm must be complete at all times in form and mechanical functions".

The wording

"For safety reasons, the width of the trigger, including an eventual production trigger shoe (manufactured for the concerned pistol and catalogue item readily available to the general public), must not exceed the trigger guard width"

is replaced by

"For safety reasons, the width of the trigger, including an eventual trigger shoe, must not exceed the trigger guard width.".

Kata-katanya

"Pistol yang, dengan spesifikasi teknisnya, sudah tersedia untuk masyarakat umum"

digantikan oleh

"Pistol yang sesuai dengan spesifikasi teknis di bawah ini:"

Kata-katanya

"Tidak ada bagian dari tiang atau bilah penglihatan depan (dengan pengecualian tudung produksi) dan tidak ada bagian dari perangkat optik (dengan pengecualian pelindung matahari produksi) yang boleh ditempatkan di depan moncong laras"

digantikan oleh

"Tidak ada bagian dari tiang atau bilah penglihatan depan (dengan pengecualian tudung) dan tidak ada bagian dari perangkat optik (dengan pengecualian pelindung matahari produksi) yang boleh ditempatkan di depan moncong laras".

Kata-katanya

"Senjata api harus selalu lengkap dalam bentuk dan fungsi mekanis seperti yang diproduksi, dan hanya suku

cadang yang merupakan item katalog pabrikan yang boleh digunakan untuk perbaikan atau penggantian kecuali sebagaimana dinyatakan di bawah"

digantikan oleh
"Senjata api harus selalu lengkap baik bentuk maupun fungsi mekanisnya".
Kata-katanya
"Untuk alasan keamanan, lebar pelatuk, termasuk sepatu pelatuk produksi akhir (diproduksi untuk pistol terkait dan item katalog yang tersedia untuk masyarakat umum), tidak boleh melebihi lebar pelindung pelatuk"
digantikan oleh
"Untuk alasan keamanan, lebar pelatuk, termasuk sepatu pelatuk, tidak boleh melebihi lebar pelindung pelatuk.".

The Section
The pistol shall have no visible external modifications except as follows:
1) Any older firearm may be brought up to current factory specifications using only factory catalogue accessories.
All brands of replacement barrels are allowed for the T/C Contenders and G2 plus longer genuine T/C barrels cut back to 10" ¾, provided that they conform to the same materials, twist rate and profile.
All brands of replacement barrels are allowed for the T/C Contenders, the G2, the Encore and the Encore Pro Hunter, plus longer genuine or after market T/C barrels cut back to 10" ¾, provided that they conform to the same materials, twist rate and profile.Anschütz Exemplars with 10 inches and 14 inches barrels can be shortened to 7 inches to be used in Production categories.
2) Replacement of grips with aftermarket grips is allowed. These grips must be catalogue items readily available to the general public and must be manufactured for that firearm. All grips (factory or after market) must be complete at all times in form and finish as manufactured.
3) Replacement of sights with aftermarket sights is allowed. Adaptor blocks for aftermarket sights are allowed. The height between the centerline of the bore and the center of the front sight or the highest point of a blade may not be more than 50 mm. Drilling and taping for sights or adaptor blocks is allowed. No part of the rear sight, including the sunshade or hood, may extend beyond the rear of the pistol, actions uncocked (refer to the drawing).

Bagian
Pistol tidak boleh mempunyai modifikasi luar yang terlihat kecuali sebagai berikut:
1) Senjata api lama apa pun dapat dibawa ke spesifikasi pabrik saat ini hanya dengan menggunakan aksesori katalog pabrik.
Semua merek barel pengganti diperbolehkan untuk T/C Contenders dan G2 plus barel T/C asli yang lebih panjang dan dipotong hingga 10" ¾, asalkan sesuai dengan bahan, kecepatan putaran, dan profil yang sama.
Semua merek barel pengganti diperbolehkan untuk T/C Contenders, G2, Encore, dan Encore Pro Hunter, ditambah barel T/C asli atau after market yang lebih panjang dipotong menjadi 10" ¾, asalkan sesuai dengan bahan, laju putaran, dan profil yang sama. Contoh Anschütz dengan barel 10 inci dan 14 inci dapat dipersingkat menjadi 7 inci untuk digunakan dalam kategori Produksi.

2) Penggantian grip dengan grip aftermarket diperbolehkan. Pegangan ini harus merupakan item katalog yang tersedia untuk masyarakat umum dan harus diproduksi untuk senjata api tersebut. Semua grip (pabrik atau pasar purna jual) harus selalu lengkap dalam bentuk dan hasil akhir sesuai produksi.
3) Penggantian alat bidik dengan alat bidik purnajual diperbolehkan. Blok adaptor untuk pemandangan purnajual diperbolehkan. Ketinggian antara garis tengah lubang dan bagian tengah pandangan depan atau titik tertinggi bilah tidak boleh lebih dari 50 mm. Pengeboran dan perekaman untuk pemandangan atau blok adaptor diperbolehkan. Tidak ada bagian dari pandangan belakang, termasuk kerai atau kap mesin, yang boleh melampaui bagian belakang pistol, tindakan tidak dikokang (lihat gambar).

is replaced by
Replacement of grips with aftermarket grips is allowed. These grips must be catalogue items readily available to the general public and must be manufactured for that firearm. All grips (factory or after market) must be complete at all times in form and finish as manufactured.

Modifications

Replacement of sights with aftermarket sights is allowed. Adaptor blocks for aftermarket sights are allowed. The height between the centerline of the bore and the center of the front sight or the highest point of a blade may not be more than 50 mm. Drilling and taping for sights or adaptor blocks is allowed. No part of the rear sight, including the sunshade or hood, may extend beyond the rear of the pistol, actions uncocked (refer to the drawing).

digantikan oleh
Penggantian grip dengan grip aftermarket diperbolehkan. Pegangan ini harus merupakan item katalog yang tersedia untuk masyarakat umum dan harus diproduksi untuk senjata api tersebut. Semua grip (pabrik atau pasar purna jual) harus selalu lengkap dalam bentuk dan hasil akhir sesuai produksi.
Penggantian pemandangan dengan pemandangan aftermarket diperbolehkan. Blok adaptor untuk pemandangan purnajual diperbolehkan. Ketinggian antara garis tengah lubang dan bagian tengah pandangan depan atau titik tertinggi bilah tidak boleh lebih dari 50 mm. Pengeboran dan perekaman untuk pemandangan atau blok adaptor diperbolehkan. Tidak ada bagian dari pandangan belakang, termasuk kerai atau kap mesin, yang boleh melampaui bagian belakang pistol, tindakan tidak dikokang (lihat gambar).

The wording
"A trigger job may be performed on a Production firearm. A trigger job consists of smoothing or stoning the burrs off the sear and hammer notch to achieve a smooth (but safe) release. The return spring and/or hammer spring can be cut or reshaped or replaced by aftermarket springs. These springs must be catalogue items readily available to the general public and must be manufactured for that firearm. No other internal modification is allowed"
is replaced by
"A trigger job may be performed on any Big Bore, Field or Small Bore firearm. A trigger job consists of smoothing or stoning the burrs off the sear and hammer notch to achieve a smooth and safe release. The return spring and/or hammer spring can be cut or reshaped or replaced by aftermarket springs. No other internal modification is allowed"
The wording
"A revolver or semi-automatic pistol used in any Production event must be loaded with five rounds and fired as such"
is replaced by
"A revolver or semi-automatic pistol used in any event (except Unlimited events) must be loaded with five rounds and fired as such"

Kata-katanya
"Pekerjaan pemicu dapat dilakukan pada senjata api Produksi. Pekerjaan pemicu terdiri dari menghaluskan atau melempari gerinda pada luka bakar dan takik palu untuk mencapai pelepasan yang mulus (namun aman). Pegas balik dan/atau pegas palu dapat dipotong atau dibentuk ulang atau diganti dengan pegas purnajual. Pegas ini harus merupakan item katalog yang tersedia untuk masyarakat umum dan harus diproduksi untuk senjata api tersebut. Modifikasi internal lainnya tidak diperbolehkan"
digantikan oleh
"Pekerjaan pemicu dapat dilakukan pada senjata api Big Bore, Field, atau Small Bore. Pekerjaan pemicu terdiri dari menghaluskan atau melempar batu pada gerinda dan takik palu untuk mencapai pelepasan yang mulus dan aman. Pegas balik dan/atau pegas palu dapat dipotong atau dibentuk ulang atau diganti dengan pegas purnajual. Modifikasi internal lainnya tidak diperbolehkan"
Kata-katanya
"Revolver atau pistol semi-otomatis yang digunakan dalam acara Produksi apa pun harus diisi dengan lima peluru dan ditembakkan seperti itu"
digantikan oleh
"Revolver atau pistol semi-otomatis yang digunakan dalam acara apa pun (kecuali acara Tidak Terbatas) harus diisi dengan lima peluru dan ditembakkan seperti itu"

SECTION III: Production Rule

D. Production Cartridges

The wording **"D. Production Cartridges"** is replaced by **"D. Cartridges"**

The wording

"Any self-contained centre fire cartridge meeting the following requirements. To be production a cartridge must fit a chambering available in a Production firearm on a catalogue basis (no custom chambers). For cartridges for which no cases are available on a commercial basis, reloading dies must be catalogue items readily available to the general public. There are no other limitations"

is replaced by

"Any self-contained centre fire cartridge meeting the following requirements. A cartridge must fit a chambering available to the general public. For cartridges for which no cases are available on a commercial basis, reloading dies must be catalogue items readily available to the general public. There are no other limitations"

The wording

c) Field Pistol:

Any Big Bore production cartridge with a case no longer than the 22 Hornet case nominal length (1.403" or 35.64mm). Rimfire cartridges are not allowed.

is replaced by

c) Field Pistol:

Any Big Bore cartridge with a case no longer than the 22 Hornet case nominal length (1.403" or 35.64mm). Rimfire cartridges are not allowed.

Tulisan "D. Production Cartridges" diganti dengan "D. Cartridges"

Kata-katanya

"Setiap selongsong peluru tengah yang memenuhi persyaratan berikut. Agar dapat diproduksi, selongsong peluru harus sesuai dengan ruang yang tersedia dalam senjata api Produksi berdasarkan katalog (tidak ada ruang khusus). Untuk selongsong peluru yang tidak tersedia secara komersial, cetakan isi ulang harus merupakan item katalog yang tersedia untuk masyarakat umum. Tidak ada batasan lain"

digantikan oleh

"Setiap selongsong peluru tengah yang memenuhi persyaratan berikut. Sebuah selongsong peluru harus sesuai dengan ruang yang tersedia untuk masyarakat umum. Untuk selongsong peluru yang tidak tersedia secara komersial, cetakan isi ulang harus merupakan item katalog yang tersedia untuk masyarakat umum. Tidak ada batasan lain"

Kata-katanya

c) Pistol Lapangan:

Kartrid produksi Big Bore apa pun dengan panjang wadah yang tidak melebihi panjang nominal wadah 22 Hornet (1,403" atau 35,64 mm). Kartrid Rimfire tidak diperbolehkan.

digantikan oleh

c) Pistol Lapangan:

Kartrid Big Bore apa pun dengan panjang wadah yang tidak melebihi panjang nominal wadah 22 Hornet (1,403" atau 35,64 mm). Kartrid Rimfire tidak diperbolehkan.

Modifications

E. Unavailability of Parts for Discontinued Handguns

This section

If spare parts for a discontinued handgun are not available, a broken part may be replaced by a newly made one provided that:

-the competitor proves that the handgun is discontinued and that the part is not longer available (letter from the manufacturer or proof that the manufacturer does not exist anymore).

-the newly made part is identical in material, form, dimension, configuration and finish to the original.

-If the actual composition of the material of the original part is either unknown or is unavailable through normal commercial channels then a replacement part may be manufactured from material that is of the nearest composition to the original part. For example, if the original part was a cast alloy then it could be replaced with a part manufactured from aluminium.

No main part, except for the barrel, may be duplicated. Depending of the type of handgun, such main parts are:

- *frame,*
- *slide,*
- *cylinder,*
- *breech,*
- *bolt,*
- *action.*

Replacement barrels must also be chambered in a calibre originally offered by the manufacturer.

is deleted

Bagian ini

Jika suku cadang untuk pistol yang sudah tidak diproduksi lagi tidak tersedia, suku cadang yang rusak dapat diganti dengan suku cadang baru dengan ketentuan:

-peserta membuktikan bahwa pistol tersebut sudah tidak diproduksi lagi dan suku cadangnya sudah tidak ada lagi (surat dari pabrikan atau bukti pabrikannya sudah tidak ada lagi).

-Bagian yang baru dibuat identik dalam bahan, bentuk, dimensi, konfigurasi, dan hasil akhir dengan aslinya.

-Jika komposisi sebenarnya dari bahan suku cadang asli tidak diketahui atau tidak tersedia melalui saluran komersial normal, maka suku cadang pengganti dapat dibuat dari bahan yang komposisinya paling dekat dengan suku cadang aslinya. Misalnya, jika suku cadang aslinya adalah paduan tuang, maka suku cadang tersebut dapat diganti dengan suku cadang yang dibuat dari aluminium.

Tidak ada bagian utama, kecuali laras, yang boleh diduplikasi. Tergantung pada jenis pistolnya, bagian utamanya adalah:

- bingkai,
- menggeser,
- silinder,
- sungsang,
- baut,
- tindakan.

Barel pengganti juga harus dilengkapi dengan kaliber yang awalnya ditawarkan oleh pabrikan.

dihapus

E.Classification Pistol Events

Classes	Unlimited	Revolver and Production	Standing
B	0 to 20	0 to 20	0 to 10
A	20 to 30	21 to 30	11 to 22
INT	30 to 40	31 to 40	23 to 40