

INVOICE
Invoice address: 40062

Brake Parts India PVT. Ltd.
IEC Nr. 0507083229
Village - Rewli
PO Murthal GST 06AAGCA5049Q1Z8
131027 SONEPAT, HARYANA
INDIA

Ordered by: 40062

Brake Parts India PVT. Ltd.
IEC Nr. 0507083229
Village - Rewli
PO Murthal GST 06AAGCA5049Q1Z8
131027 SONEPAT, HARYANA
INDIA



Invoice no. / date: 163606299 / 31.01.2020 Page 1 / 1
Order no. / date: 7157356 / 07.01.2020
Your reference: 60220038845
Contactperson: Corina Hendriks

ROCKWOOL B.V.
P.O. Box 1160
6040 KD Roermond
The Netherlands

Item	Material Material description	Number Unit	Quantity Unit	Price Unit	Amount
10	Lapinus® RB210 bag 20 kg - pallet 500 kg 71797 Customer material number: 057005 Stat. No.: 68061000 Delivery No/Date: 31184118 / 28.01.2020 Container Number: MSCU6370924/BS356175 Country of origin: NL	2.000,00 KG	2.000,00 KG	3.556,35 1.000 KG	7.112,70
20	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919 Stat. No.: 28399000 Delivery No/Date: 31184118 / 28.01.2020 Container Number: MSCU6370924/BS356175 Country of origin: BE	2.100,00 KG	2.100,00 KG	4.431,00 1.000 KG	9.305,10
Amount excl. VAT					16.417,80
Output Tax					0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR 16.417,80

Delivery date: 28.01.2020 -
Terms of delivery: FCA Roermond
Payment term: 60 days end of month on28th

Gross/Nett weight: 4.497 / 4.100 KG
Transp. volume: 31,100 M3

Delivery address: 40062
Brake Parts India PVT. Ltd.
IEC Nr. 0507083229
PO Murthal GST 06AAGCA5049Q1Z8
Sonepat Haryana 131027
India

Lapinus, ROCKWOOL B.V., Postbus 1160, 6040 KD Roermond, Industrieweg 15, 6045 JG Roermond, The Netherlands
T +31 (0) 475 35 35 35, E cs@lapinus.com,
KvK Nederland 13014428 VAT NL0016.96.592.B01 ING BANK N.V. NL87 INGB 0674 2921 11 BIC/SWIFT INGBNL2A

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 7157356

Delivery nr : 31184118

Your order nr : 60220038845

Container nr : MSCU6370924

For: Brake Parts India PVT. Ltd.

IEC Nr. 0507083229

PO Murthal GST 06AAGCA5049Q1Z8

131027 Sonapat, Haryana

India



Shipment nr.: 0005426662

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m' / m ² / kg	Total quantity per item in m' / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB210, bag 20 kg 0,1 2000 Kilogram Promaxon-D, bag 15 kg pallet 210 kg 15,0	kg -pallet 500 kg 0,1 2000 Kilogram pallet 210 kg 2100 Kilogram	1,00 1,00	2000,00 2100,00	2000,000 2100,000	2124,000 2373,000	1200,00 1200,00 1150,00 1150,00
TOTAL:				4100,000 Kgs	4497,000 Kgs	

BS356175

Date: 31-01-2020

240 BAGS PACKED ON 14 PALLETS

For attn of Mr./ Mrs.
Date 03-02-2020

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Brake Parts India PVT. Ltd.
Client-orderno 60220038845
Lapinus orderno 7157356

Product: **Promaxon-D**
 bag 15 kg pallet 210 kg
 Synthetic hydrated calcium silicate
Total order Qty: 2.100 kg
Batch no. Batch Qty: 2004180 - 420 kg
Batch no. Batch Qty: 2003208 - 630 kg
Batch no. Batch Qty: 2004198 - 630 kg
Batch no. Batch Qty: 2004176 - 420 kg

Product: **Lapinus® RB210**
 bag 20 kg - pallet 500 kg

Customer Code: **057005**
Total order Qty: 2.000 kg
Batch no. Batch Qty: 4503041269 - 1.500 kg
Batch no. Batch Qty: 4503036993 - 500 kg

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503208252

article n° 136919

Loading date 28/01/2020

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
20 03 101 1	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 2	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 3	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 4	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 5	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 6	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 191 1	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 2	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 3	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 4	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 5	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 6	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 208 1	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 2	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 3	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 4	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 5	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 6	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 215 1	23-jan-2020	108,00	55,10	0,00	2,02	210
20 03 215 2	23-jan-2020	108,00	55,10	0,00	2,02	210
20 04 159 1	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 2	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 3	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 4	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 5	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 6	22-jan-2020	103,60	51,70	0,05	2,18	210

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503208252
article n° 136919
Loading date 28/01/2020

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
20 04 176 1	23-jan-2020	101,20	54,00	0,00	2,82	210
20 04 176 2	23-jan-2020	101,20	54,00	0,00	2,82	210
20 04 176 3	23-jan-2020	101,20	54,00	0,00	2,82	210
20 04 176 4	23-jan-2020	101,20	54,00	0,00	2,82	210
20 04 180 1	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 2	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 3	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 4	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 5	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 6	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 182 1	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 2	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 3	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 4	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 5	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 6	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 198 1	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 2	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 3	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 4	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 5	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 6	23-jan-2020	104,56	54,40	0,07	2,50	210

Test report Date : 3-9-2019

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 16-8-2019

Product : Lapinus® RB210
bag 20 kg - pallet 500 kg

2. Testresults

Batch no.	Fibre length	Results ()		Limits ()	
		Min.	Max.	Min.	Max.
4503036993		157,00	157,00	125	175

Batch no.	Shotcontent	Results ()		Limits ()	
		Min.	Max.	Max.	
4503036993	Shot > 125 µm	0,05	0,13	0,2	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 17-12-2019

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 30-8-2019

Product : Lapinus® RB210
bag 20 kg - pallet 500 kg

2. Testresults

Batch no.	Fibre length	Results ()		Limits ()	
		Min.	Max.	Min.	Max.
4503041269		155,00	155,00	125	175

Batch no.	Shotcontent	Results ()		Limits ()	
		Min.	Max.	Max.	
4503041269	Shot > 125 µm	0,02	0,10	0,2	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.