View/Print Label

- I. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
- 2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
- 3. Collection and Drop-off:
- $^{\circ}$ If you have a scheduled collection, have your shipment(s) ready for the driver as usual. $^{\circ}$ To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Pointtm HOMERR SERVICEPOINT SHOW ORANJELAAN 73A

KOEKWOND 9045BC


DE KEMPENIER

KOEKWOND 9042E1 KEWbMEG²29

UPS Access PointTM
HUBO MINKENBERG

HEBKENBOSCH 0012VC 47 HOOŁDSŁKY

ьогр неке





Rane Brake Lining Ltd.
Attn. Mr. R. Narayanan
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 Chennai
India
+91 4426250566

Date

Our Reference

Subject

Roermond, 14/04/2021

8065653

Shipping docs

Dear Mr. R. Narayanan,

Please find enclosed the shipping documents of your PO 4800157221;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.

Lapinus

Customer Service Department

Corina Hendriks

ockwool B.V. idustrieweg 15 045 JG Roermond / The Netherlands

hipment nr.: 0006130095

Container nr: TRHU1577260

Your ordernr: 4800157221

Our ordernr: 8065653

Delivery nr : 32192701

For: Rane Brake Lining Ltd. Plot No. 30,

Ambattur Industrial Estate

600050 Chennai



DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ¹ /m ² /kg	Total quantity per item in m ⁴ /m ² /kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensi per pa	Dimensions in m per package	
apinus® RB250, bag 25 kg -pallet 625 kg	kg -pallet 625 k	Ċ						
5,0	100 Bags	1,00 ka	2500,00	2500,000	2575,000	1210,00 1	1000,00 1	1300,00
5,0 175 Bags romaxon-D, bag 15 kg ballet 210 kg	175 Bags ballet 210 kg	1,00	4375,00	4375,000	4506,250	1210,00 1	1000,00 1	1300,00
.5,0	70 Bags	1,00	1050,00	1050,000	1186,500	1150,00 1	1150,00 1	1150,00

late: 13-04-2021

TOTAL:

7925,000 Kgs

8267,750

Kgs



Part of the ROCKWOOL Group

INVOICE

INDIA

Page 1 / 2

Ordered by: 15456 Rane Brake Lining Ltd. Plot No. 30, IEC Number 0488032644 Ambattur Industrial Estate 600050 CHENNAI

Invoice address: 15456 Rane Brake Lining Ltd. Plot No. 30, IEC Number 0488032644 Ambattur Industrial Estate 600050 CHENNAI INDIA

Invoice no. / date:

163720842 / 13.04.2021

Order no. / date:

8065653 / 15.03.2021

Your reference:

4800157221

Contactperson:

Corina Hendriks

Z C	Alaus'
ROCKW P.O. Box	69_B.V.
6040 KP The Neth	oermond erlands

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
10	Lapinus® RB250				
	bag 25 kg - pallet 625 kg				
	29508	2.500,00	2.500,00	2.020,20	5.050,50
		KG	KG	1.000 KG	
	Stat. No.: 68061000				
	Delivery No/Date: 32192701 / 13.04.2021				
	Container Number: TRHU1577260				
	Country of origin: NL				
20	Lapinus® RBC300				
	bag 25 kg - pallet 625 kg				
	58071	4.375,00	4.375,00	850,00	3.718,75
		KG	KG	1.000 KG	

Stat. No.: 68061000

Delivery No/Date: 32192701 / 13.04.2021 Container Number: TRHU1577260

Country of origin: NL

Delivery date: Terms of delivery: Payment term:

13.04.2021 -FCA Roermond 60 days net

Gross/Nett weight:

8.267,750 / 7.925 KG

Transp. volume:

32,175 M3

Delivery address: 15456 Rane Brake Lining Ltd.

Plot No. 30

IEC Number 0488032644 Ambattur Industrial Estate

Chennai 600050

India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592 Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.



Part of the ROCKWOOL Group

INVOICE

Invoice address: 15456 Rane Brake Lining Ltd. Plot No. 30, IEC Number 0488032644 Ambattur Industrial Estate 600050 CHENNAI

INDIA

Invoice no. / date:

163720842 / 13.04.2021

Page 2 / 2



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
30	Promaxon-D				
	bag 15 kg pallet 210 kg				
	Synthetic hydrated calcium silicate				
	136919	1.050,00	1.050,00	3.636,00	3.817,80
		KG	KG	1.000 KG	
	Stat No : 28399000				

Stat. No.: 28399000

Delivery No/Date: 32192701 / 13.04.2021

Container Number: TRHU1577260

Country of origin: BE

 Amount excl. VAT
 12.587,05

 Output Tax
 0,00
 0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR

12.587,05





For attn of

Date 14-04-2021

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client

Rane Brake Lining Ltd.

Client-orderno

4800157221

Lapinus orderno

8065653

Product:

PROMAXON-D

BAG 15 KG PALLET 210 KG

Synthetic hydrated calcium silicate

Total order Qty:

1.050 kg

Batch no. Batch Qty:

2112243 - 420 kg

Batch no. Batch Qty:

2112131 - 210 kg

Batch no. Batch Qty:

2112121 - 420 kg

Product:

Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty:

2.500 kg

Batch no. Batch Qty:

39950859 - 1.875 kg

Batch no. Batch Qty:

39950860 - 625 kg

Product:

Lapinus® RBC300

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty:

4.375 kg

Batch no. Batch Qty:

39484402 - 4.375 kg

Kind regards

Customer Services

Lapinus ROCKWOOL B.V. Industrieweg 15 6045 JG Roermond PO Box 1160 6040 KD Roermond

cs@lapinus.com www.lapinus.com

The Netherlands





Bormstraat 24 B-2830 Tisselt

Belgium T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

ROCKWOOL BV - Lapinus Fibres To:

For Customer: Rockwool BV

Gate B

Energieweg 3 6045 JE Roermond

Nederland

PO 4503625771 article nº 136919 Loading date 08/04/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

BAT	CH NF	₹.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 μ	MOISTURE %	WEIGHT (kg)
21 12	121	1	23-mrt-2021	111,44	53,00	0,20	1,09	210
21 12	121	2	23-mrt-2021	111,44	53,00	0,20	1,09	210
21 12	121	3	23-mrt-2021	111,44	53,00	0,20	1,09	210
21 12	121	4	23-mrt-2021	111,44	53,00	0,20	1,09	210
21 12	121	5	23-mrt-2021	111,44	53,00	0,20	1,09	210
21 12	121	6	23-mrt-2021	111,44	53,00	0,20	1,09	210
21 12	304	3	26-mrt-2021	109,44	48,40	0,34	2,72	210
21 12	304	4	26-mrt-2021	109,44	48,40	0,34	2,72	210
21 12	304	5	26-mrt-2021	109,44	48,40	0,34	2,72	210
21 12	304	6	26-mrt-2021	109,44	48,40	0,34	2,72	210
21 12	304	7	26-mrt-2021	109,44	48,40	0,34	2,72	210
21 12	304	8	26-mrt-2021	109,44	48,40	0,34	2,72	210
21 12	138	1	24-mrt-2021	110,80	48,40	0,00	2,10	210
21 12	138	2	24-mrt-2021	110,80	48,40	0,00	2,10	210
21 12	138	3	24-mrt-2021	110,80	48,40	0,00	2,10	210
21 12	138	4	24-mrt-2021	110,80	48,40	0,00	2,10	210
21 12	138	5	24-mrt-2021	110,80	48,40	0,00	2,10	210
21 12	138	6	24-mrt-2021	110,80	48,40	0,00	2,10	210
21 12	138	7	24-mrt-2021	110,80	48,40	0,00	2,10	210
21 12	138	8	24-mrt-2021	110,80	48,40	0,00	2,10	210
21 12	107	1	23-mrt-2021	113,60	50,30	0,00	2,07	210
21 12	107	2	23-mrt-2021	113,60	50,30	0,00	2,07	210
21 12	107	3	23-mrt-2021	113,60	50,30	0,00	2,07	210
21 12	107	4	23-mrt-2021	113,60	50,30	0,00	2,07	210
21 12	107	5	23-mrt-2021	113,60	50,30	0,00	2,07	210
21 12	107	6	23-mrt-2021	113,60 ag	50,30 e o	0,00	2,07	210





Test report Date

: 15-3-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1..

Prod. Date: 15-3-2021

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results	(micron)	Limits (micron)
		Min.	Max.	Min.	Max.
39950860		113,00	125,00	100	150

Batch no.	Shotcontent	Results Min.	(%wt) Max.	Limits (%wt) Max.
39950860	Shot > 125 µm	0,33	0,76	1.0

- 3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
- Our material is REACH registered and does not contain SVHC substances under REACH > 0.1%.

Site Telephone number Contact Fax number

Roermond +31 475 353354 Customer Service +31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994





Test report Date : 15-3-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date: 14-3-2021

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results	(micron)	Limits ((micron)
		Min.	Max.	Min.	Max.
39950859		113,00	125,00	100	150

Batch no.	Shotcontent	Results Min.	; (%wt) Max.	Limits (%wt) Max.
39950859	Shot > 125 μm	0,43	0,75	1.0

- 3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
- Our material is REACH registered and does not contain SVHC substances under REACH > 0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994





Test report Date

: 25-2-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date: 24-2-2021

Product : Lapinus® RBC300

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ((micron)	Limits (micron)
		Min.	Max.	Min.	Max.
39484402		110,00	110,00	105	200

Batch no.	Shotcontent	Results Min.	(%wt) Max.	Limits (%wt) Max.
39484402	Shot > 125 μm	20,23	23,29	30.0

- 3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
- 4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994