

INVOICE

Invoice address: 40062
 Brake Parts India PVT. Ltd.
 IEC Nr. 0507083229
 Village - Rewli
 PO Murthal GST 06AAGCA5049Q1Z8
 131027 SONEPAT, HARYANA
 INDIA



Ordered by: 40062
 Brake Parts India PVT. Ltd.
 IEC Nr. 0507083229
 Village - Rewli
 PO Murthal GST 06AAGCA5049Q1Z8
 131027 SONEPAT, HARYANA
 INDIA

Invoice no. / date: 163745272 / 05.08.2021 Page 1 / 2
 Order no. / date: 8309583 / 15.06.2021
 Your reference: 60220047168
 Contactperson: Corina Hendriks

Item	Material Material description	Number Unit	Quantity Unit	Price Unit	Amount
10	Lapinus® RB210 bag 20 kg - pallet 500 kg 71797 Customer material number: 057005 Stat. No.: 68061000 Delivery No/Date: 32456071 / 28.07.2021 Container Number: TGBU5612998/BS532669 Country of origin: NL	10.000,00 KG	10.000,00 KG	3.900,00 1.000 KG	39.000,00
20	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919 Stat. No.: 28399000 Delivery No/Date: 32456071 / 28.07.2021 Container Number: TGBU5612998/BS532669 Country of origin: BE	4.200,00 KG	4.200,00 KG	4.500,00 1.000 KG	18.900,00
Amount excl. VAT					57.900,00
Output Tax					0,00

Delivery date: 04.08.2021 -
 Terms of delivery: FCA Roermond
 Payment term: 60 days end of month on28th
 Gross/Nett weight: 15.366 / 14.200 KG
 Transp. volume: 86,200 M3

Delivery address: 40062
 Brake Parts India PVT. Ltd.
 IEC Nr. 0507083229
 PO Murthal GST 06AAGCA5049Q1Z8
 Sonapat Haryana 131027
 India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands
 T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592
 Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE



Invoice address: 40062
Brake Parts India PVT. Ltd.
IEC Nr. 0507083229
Village - Rewli
PO Murthal GST 06AAGCA5049Q1Z8
131027 SONEPAT, HARYANA
INDIA

Invoice no. / date: 163745272 / 05.08.2021 Page 2 / 2

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC				

EUR 57.900,00

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 8309583
Delivery nr : 32456071
Your order nr : 60220047168
Container nr : TGBU5612998

For: Brake Parts India PVT. Ltd.
IEC Nr. 0507083229
PO Murthal GST 06AAGCA5049Q1Z8
131027 Sonapat, Haryana
India



Shipment nr.: 0006318615

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ³ / m ² / kg	Total quantity per item in m ³ / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB210, bag 20 kg	kg -pallet 500 kg	1,00	10000,00	10000,000	10620,000	1200,00 1200,00 1250,00
2,0 0,1 500 Bags		1,00	4200,00	4200,000	4746,000	1150,00 1150,00 1150,00
Promaxon-D, bag 15 kg	pallet 210 kg					
15,0 280 Bags						
TOTAL:			14200,000	Kgs	15366,000	Kgs

BS532669
Date: 05-08-2021

Packed on 40 pallets

For attn of Mr./ Mrs.
Date 09-08-2021

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Brake Parts India PVT. Ltd.
Client-orderno 60220047168
Lapinus orderno 8309583

Product: **Promaxon-D**
 bag 15 kg pallet 210 kg
 Synthetic hydrated calcium silicate

Total order Qty: 4.200 kg
Batch no. Batch Qty: 2122236 - 210 kg
Batch no. Batch Qty: 2120037 - 420 kg
Batch no. Batch Qty: 2119119 - 210 kg
Batch no. Batch Qty: 2120050 - 1.260 kg
Batch no. Batch Qty: 2120128 - 420 kg
Batch no. Batch Qty: 2120224 - 420 kg
Batch no. Batch Qty: 2120030 - 420 kg
Batch no. Batch Qty: 2119194 - 420 kg
Batch no. Batch Qty: 2120103 - 420 kg

Product: **Lapinus® RB210**
 bag 20 kg - pallet 500 kg

Customer Code: **057005**
Total order Qty: 10.000 kg
Batch no. Batch Qty: 4503720214 - 1.000 kg
Batch no. Batch Qty: 4503702550 - 1.000 kg
Batch no. Batch Qty: 4503663191 - 7.000 kg
Batch no. Batch Qty: 4503720217 - 1.000 kg



Part of the ROCKWOOL Group

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994

336



Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503701876
article n° 136919
Loading date 18/06/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 19 119 1	12-mei-2021	108,40	54,50	0,17	1,99	210
21 19 119 2	12-mei-2021	108,40	54,50	0,17	1,99	210
21 19 119 3	12-mei-2021	108,80	54,30	0,32	1,99	210
21 19 119 4	12-mei-2021	108,80	54,30	0,32	1,99	210
21 19 119 5	12-mei-2021	108,80	54,30	0,32	1,99	210
21 19 119 6	12-mei-2021	108,80	54,30	0,32	1,99	210
21 19 119 7	12-mei-2021	108,80	54,30	0,32	1,99	210
21 19 119 8	12-mei-2021	108,80	54,30	0,32	1,99	210
21 19 183 1	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19 183 2	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19 183 3	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19 183 4	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19 183 5	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19 183 6	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19 183 7	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19 183 8	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19 194 1	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19 194 2	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19 194 3	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19 194 4	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19 194 5	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19 194 6	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19 194 7	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19 194 8	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19 207 1	14-mei-2021	112,80	56,10	0,31	2,01	210



Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503701876
article n° 136919
Loading date 18/06/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 19 207 2	14-mei-2021	112,80	56,10	0,31	2,01	210
21 19 207 3	14-mei-2021	112,80	56,10	0,31	2,01	210
21 19 207 4	14-mei-2021	112,80	56,10	0,31	2,01	210
21 19 207 5	14-mei-2021	112,80	56,10	0,31	2,01	210
21 19 207 6	14-mei-2021	112,80	56,10	0,31	2,01	210
21 19 233 1	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19 233 2	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19 233 3	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19 233 4	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19 233 5	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19 233 6	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19 233 7	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19 233 8	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19 221 1	14-mei-2021	112,08	56,40	0,42	1,40	210
21 19 221 2	14-mei-2021	112,08	56,40	0,42	1,40	210
21 19 320 1	15-mei-2021	114,80	48,50	0,34	2,23	210
21 19 320 2	15-mei-2021	114,80	48,50	0,34	2,23	210
21 19 320 3	15-mei-2021	114,80	48,50	0,34	2,23	210
21 19 320 4	15-mei-2021	114,80	48,50	0,34	2,23	210
21 19 320 5	15-mei-2021	114,80	48,50	0,34	2,23	210
21 19 320 6	15-mei-2021	114,80	48,50	0,34	2,23	210
21 19 320 7	15-mei-2021	114,80	48,50	0,34	2,23	210
21 19 320 8	15-mei-2021	114,80	48,50	0,34	2,23	210
						10.080

337



Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503704513
article n° 136919
Loading date 22/06/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 20 002 7	17-mei-2021	112,00	50,80	0,00	1,04	210
21 20 002 8	17-mei-2021	112,00	50,80	0,00	1,04	210
21 20 030 5	17-mei-2021	111,60	49,80	0,34	2,13	210
21 20 030 6	17-mei-2021	111,60	49,80	0,34	2,13	210
21 20 037 1	17-mei-2021	115,00	52,80	0,26	1,79	210
21 20 037 2	17-mei-2021	115,00	52,80	0,26	1,79	210
21 20 037 3	17-mei-2021	115,00	52,80	0,26	1,79	210
21 20 037 4	17-mei-2021	115,00	52,80	0,26	1,79	210
21 20 037 5	17-mei-2021	115,00	52,80	0,26	1,79	210
21 20 037 6	17-mei-2021	115,00	52,80	0,26	1,79	210
21 20 037 7	17-mei-2021	115,00	52,80	0,26	1,79	210
21 20 037 8	17-mei-2021	115,00	52,80	0,26	1,79	210
21 20 050 1	18-mei-2021	107,20	50,70	0,00	2,08	210
21 20 050 2	18-mei-2021	107,20	50,70	0,00	2,08	210
21 20 050 3	18-mei-2021	107,20	50,70	0,00	2,08	210
21 20 050 4	18-mei-2021	107,20	50,70	0,00	2,08	210
21 20 050 5	18-mei-2021	107,20	50,70	0,00	2,08	210
21 20 050 6	18-mei-2021	107,20	50,70	0,00	2,08	210
21 20 087 1	18-mei-2021	108,00	53,10	0,69	2,05	210
21 20 087 2	18-mei-2021	108,00	53,10	0,69	2,05	210
21 20 087 3	18-mei-2021	108,00	53,10	0,69	2,05	210
21 20 087 4	18-mei-2021	108,00	53,10	0,69	2,05	210
21 20 087 5	18-mei-2021	108,00	53,10	0,69	2,05	210
21 20 087 6	18-mei-2021	108,00	53,10	0,69	2,05	210
21 20 103 1	18-mei-2021	112,00	52,10	0,33	1,91	210



Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503704513
article n° 136919
Loading date 22/06/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 20 103 2	18-mei-2021	112,00	52,10	0,33	1,91	210
21 20 103 3	18-mei-2021	112,00	52,10	0,33	1,91	210
21 20 103 4	18-mei-2021	112,00	52,10	0,33	1,91	210
21 20 103 5	18-mei-2021	112,00	52,10	0,33	1,91	210
21 20 103 6	18-mei-2021	112,00	52,10	0,33	1,91	210
21 20 128 1	19-mei-2021	108,00	44,60	0,00	2,04	210
21 20 128 2	19-mei-2021	108,00	44,60	0,00	2,04	210
21 20 128 3	19-mei-2021	108,00	44,60	0,00	2,04	210
21 20 128 4	19-mei-2021	108,00	44,60	0,00	2,04	210
21 20 128 5	19-mei-2021	108,00	44,60	0,00	2,04	210
21 20 128 6	19-mei-2021	108,00	44,60	0,00	2,04	210
21 20 224 1	20-mei-2021	106,40	56,90	0,90	2,10	210
21 20 224 2	20-mei-2021	106,40	56,90	0,90	2,10	210
21 20 224 3	20-mei-2021	106,40	56,90	0,90	2,10	210
21 20 224 4	20-mei-2021	106,40	56,90	0,90	2,10	210
21 20 224 5	20-mei-2021	106,40	56,90	0,90	2,10	210
21 20 224 6	20-mei-2021	106,40	56,90	0,90	2,10	210
21 20 228 1	20-mei-2021	110,00	51,90	0,02	1,93	210
21 20 228 2	20-mei-2021	110,00	51,90	0,02	1,93	210
21 20 228 3	20-mei-2021	110,00	51,90	0,02	1,93	210
21 20 228 4	20-mei-2021	110,00	51,90	0,02	1,93	210
21 20 228 5	20-mei-2021	110,00	51,90	0,02	1,93	210
21 20 228 6	20-mei-2021	110,00	51,90	0,02	1,93	210
						10.080



Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

P340

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503715104
article n° 136919
Loading date 05/07/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 22 232 1	03-jun-2021	107,28	50,50	0,19	1,00	210
21 22 232 2	03-jun-2021	107,28	50,50	0,19	1,00	210
21 22 232 3	03-jun-2021	107,28	50,50	0,19	1,00	210
21 22 232 4	03-jun-2021	107,28	50,50	0,19	1,00	210
21 22 232 5	03-jun-2021	107,28	50,50	0,19	1,00	210
21 22 232 6	03-jun-2021	107,28	50,50	0,19	1,00	210
21 22 236 1	03-jun-2021	110,36	51,40	0,05	1,17	210
21 22 236 2	03-jun-2021	110,36	51,40	0,05	1,17	210
21 22 236 3	03-jun-2021	110,36	51,40	0,05	1,17	210
21 22 236 4	03-jun-2021	110,36	51,40	0,05	1,17	210
21 22 236 5	03-jun-2021	110,36	51,40	0,05	1,17	210
21 22 236 6	03-jun-2021	110,36	51,40	0,05	1,17	210
21 22 240 1	03-jun-2021	111,96	53,80	0,05	0,77	210
21 22 240 2	03-jun-2021	111,96	53,80	0,05	0,77	210
21 22 240 3	03-jun-2021	111,96	53,80	0,05	0,77	210
21 22 240 4	03-jun-2021	111,96	53,80	0,05	0,77	210
21 22 240 5	03-jun-2021	111,96	53,80	0,05	0,77	210
21 22 240 6	03-jun-2021	111,96	53,80	0,05	0,77	210
21 22 240 7	03-jun-2021	111,96	53,80	0,05	0,77	210
21 22 240 8	03-jun-2021	111,96	53,80	0,05	0,77	210
21 22 258 1	04-jun-2021	112,84	54,90	0,00	0,90	210
21 22 258 2	04-jun-2021	112,84	54,90	0,00	0,90	210
21 22 258 3	04-jun-2021	112,84	54,90	0,00	0,90	210
21 22 258 4	04-jun-2021	112,84	54,90	0,00	0,90	210
21 22 258 5	04-jun-2021	112,84	54,90	0,00	0,90	210



Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503715104

article n° 136919

Loading date 05/07/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 22 258 6	04-jun-2021	112,84	54,90	0,00	0,90	210
21 22 456 1	07-jun-2021	114,60	50,70	0,00	2,18	210
21 22 456 2	07-jun-2021	114,60	50,70	0,00	2,18	210
21 22 456 3	07-jun-2021	114,60	50,70	0,00	2,18	210
21 22 456 4	07-jun-2021	114,60	50,70	0,00	2,18	210
21 22 456 5	07-jun-2021	114,60	50,70	0,00	2,18	210
21 22 456 6	07-jun-2021	114,60	50,70	0,00	2,18	210
21 22 456 7	07-jun-2021	114,60	50,70	0,00	2,18	210
21 22 456 8	07-jun-2021	114,60	50,70	0,00	2,18	210
21 23 008 1	07-jun-2021	112,32	45,50	0,00	1,83	210
21 23 008 2	07-jun-2021	112,32	45,50	0,00	1,83	210
21 23 008 3	07-jun-2021	112,32	45,50	0,00	1,83	210
21 23 008 4	07-jun-2021	112,32	45,50	0,00	1,83	210
21 23 008 5	07-jun-2021	112,32	45,50	0,00	1,83	210
21 23 008 6	07-jun-2021	112,32	45,50	0,00	1,83	210
21 23 001 1	07-jun-2021	109,20	48,10	0,22	1,75	210
21 23 001 2	07-jun-2021	109,20	48,10	0,22	1,75	210
21 23 001 3	07-jun-2021	109,20	48,10	0,22	1,75	210
21 23 001 4	07-jun-2021	109,20	48,10	0,22	1,75	210
21 23 001 5	07-jun-2021	109,20	48,10	0,22	1,75	210
21 23 001 6	07-jun-2021	109,20	48,10	0,22	1,75	210
21 23 049 5	08-jun-2021	114,80	49,50	0,15	1,81	210
21 23 049 6	08-jun-2021	114,80	49,50	0,15	1,81	210
						10.080

Test report Date : 13-7-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 28-6-2021

Product : Lapinus® RB210
bag 20 kg - pallet 500 kg

2. Testresults

Batch no.	Fibre length	Results ()		Limits ()	
		Min.	Max.	Min.	Max.
4503702550		137,00	137,00	125	175

Batch no.	Shotcontent	Results ()		Limits ()	
		Min.	Max.	Max.	
4503702550	Shot > 125 µm	0,03	0,03	0,2	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 22-7-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 9-7-2021

Product : Lapinus® RB210
bag 20 kg - pallet 500 kg

2. Testresults

Batch no.	Fibre length	Results ()		Limits ()	
		Min.	Max.	Min.	Max.
4503720214		140,00	140,00	125	175

Batch no.	Shotcontent	Results ()		Limits ()	
		Min.	Max.	Max.	
4503720214	Shot > 125 µm	0,02	0,10	0,2	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 3-8-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 12-7-221

Product : Lapinus® RB210
bag 20 kg - pallet 500 kg

2. Testresults

Batch no.	Fibre length	Results ()		Limits ()	
		Min.	Max.	Min.	Max.
4503720217		135,00	135,00	125	175

Batch no.	Shotcontent	Results ()		Limits ()	
		Min.	Max.	Max.	
4503720217	Shot > 125 µm	0,01	0,08	0,2	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 9-8-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 15-6-2021

Product : Lapinus® RB210
bag 20 kg - pallet 500 kg

2. Testresults

Batch no.	Fibre length	Results ()		Limits ()	
		Min.	Max.	Min.	Max.
4503663191		144,00	144,00	125	175

Batch no.	Shotcontent	Results ()		Limits ()	
		Min.	Max.	Max.	
4503663191	Shot > 125 µm	0,01	0,11	0,02	

- Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
- Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.