

## View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. Collection and Drop-off:
  - If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
  - To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Point™  
HUBO MINKENBERG  
42 HOOFDSTRAAT  
HERKENBOSCH 6075AG

UPS Access Point™  
DE KEMPENIER  
KEMPWEG,56  
ROERMOND 6045EJ

UPS Access Point™  
BALLOONIE  
JULIANALAAN 6  
ROERMOND 6042JG

FOLD HERE

<p>CORINA HENDRIKS 0475353917 ROCKWOOL B.V. LAPINUS DELESTOFFENWEG 2 6045JH ROERMOND NETHERLANDS</p> <p><b>SHIP TO:</b> <b>TO WHOM IT CONCERNS</b> 911302110819 DANBLOK BRAKES INDIA PVT LTD PO - BAHALGARH SONEPAT VILLAGE - JOSHI CHOHAN <b>HARYANA 131021</b> <b>INDIA</b></p>	<p><b>IND 015 7-00</b></p> 	<p><b>UPS SAVER</b></p> <p>TRACKING #: 1Z 187 0WR 04 2220 7378</p>		<p><b>EDI-DOC</b></p> <p>BILLING: P/P DESC: Shipping docs</p> <p>Invoice No.: LF7700254 Purchase No.: LF7700254 XOL 20.10.17</p> <p>ENV 1 OF 1 SHP#: 1870 WR9W G7Z DATE: 21 OCT 2020</p> <p>TM</p>
---	--	--	--	--

Danblock Brakes India PVT Ltd  
Village – Joshi Chohan  
PO – Bahalgarh Sonapat  
131021 Haryana  
India

Date	Reference	Subject
Roermond 21/10/20	7700254	shipping documents

Dear Sir,

Please find enclosed the original shipping documents of order 5200028655:

- Invoice (1 original)
- Detailed packing list (1 original)
- Certificate of analysis (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.  
Lapinus  
**Customer Service Department**



Sonja van der Haar

**INVOICE**

**Invoice address: 37697**  
 Danblock Brakes India PVT LTD  
 Village - Joshi Chohan  
 IEC Number 0507056027  
 PO - Bahalgarh Sonapat  
 131021 HARYANA  
 INDIA

**Ordered by: 37697**  
 Danblock Brakes India PVT LTD  
 Village - Joshi Chohan  
 IEC Number 0507056027  
 PO - Bahalgarh Sonapat  
 131021 HARYANA  
 INDIA

Invoice no. / date: 163658165 / 19.10.2020 Page 1 / 1  
 Order no. / date: 7700254 / 30.09.2020  
 Your reference: 5200028655  
 Contactperson: Corina Hendriks

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres				
10	Lapinus® LFC301 bag 25 kg - pallet 625 kg 90228	25.000,00 KG	25.000,00 KG	682,00 1.000 KG	17.050,00
	Stat. No.: 68061000 Delivery No/Date: 31807824 / 20.10.2020 Container Number: MEDU7641159/BS469108 Country of origin: NL				
	Amount excl. VAT				17.050,00
	Output Tax		0,00		0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC


**Lapinus®**  
 ROCKWOOL B.V.  
 P.O. Box 1160  
 6040 KD Roermond  
 The Netherlands

EUR 17.050,00

Delivery date: 20.10.2020 -  
 Terms of delivery: FCA Roermond  
 Payment term: 60 days net  
 Gross/Nett weight: 25.750 / 25.000 KG  
 Transp. volume: 75 M3

**Delivery address: 37697**  
 Danblock Brakes India PVT LTD  
 Village - Joshi Chohan  
 IEC Number 0507056027  
 PO - Bahalgarh Sonapat  
 Haryana 131021  
 India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands  
 T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01  
 Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

Rockwool B.V.  
Industrieweg 15  
6045 JG Roermond / The Netherlands

Our order nr : 7700254  
Delivery nr : 31807824  
Your order nr : 5200028655  
Container nr : MEDU7641159

For: Danblock Brakes India PVT LTD  
Village - Joshi Chohan  
PO - Bahalgadh Sonapat  
131021 Haryana  
India



DETAILED PACKING LIST

COPY

Shipment nr.: 0005861261

Product and dimensions	Type and number of packages	Contents per package in m <sup>3</sup> / m <sup>2</sup> / kg	Total quantity per item in m <sup>3</sup> / m <sup>2</sup> / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® LFC301, bag 25 kg 1,0 1000 BAGS	25 kg -pallet 625	kg 1,00	25000,00	25000,000	25750,000	1220,00 1020,00 1360,00
TOTAL:			25000,000 Kgs	25750,000 Kgs		

BS469108

Date: 19-10-2020

PACKED ON 40 PALLETS

## EUROPESE GEMEENSCHAP

MRN 20NLKGGMPFALUBWD55

UITVOERGELEIDE DOCUMENT

Afzender / Exporteur(2) Nr. NL001696592  
Rockwool B.V.Industrieweg 15  
6045 JG Roermond  
NLGeadresseerde(8) Nr.  
Danblock Brakes India PVT LTDPO - Bahalgarh Sonapat  
131021 Haryana  
INDIAAangever/Vertegenwoordiger (14) Nr. NL001696592  
Rockwool B.V.  
Industrieweg 15  
6045 JG Roermond  
NL NEDERLAND

(1) AANGEVER

Identiteit en nationaliteit van het vervoermiddel bij vertrek (18)  
truckVervoerswijze aan Plaats van de goederen (30)  
1 de grens (25) 6045 JG 1529 Kantoor van uitgang  
BE101000

## 1 SOORT AANGIFTE

EX A

Formulieren (3) Aang. veil (500)

Artikelen(5) Totaal Colli(6)  
1,0 1000,0Datum van afgifte: 2020-10-19  
Douanekantoor: 0396

Referentie nummer (7) RIT 0005861261

Code betalingswijze vervoerskosten (529)

Code L. verz. / uilv. (15)

Code L. bestemming(17)

a NL

a IN

Code(s) land(en) die deel uitmaken van het vervoerstraject (S13)

Vertegenwoordiger indien er summere aangifte (14b) Nr.

35 Brutomassa (kg)

25.750,000

Verzegelingsnummer (526)

Colli en omschrijving van de goederen(31)

Merken en nummers - Container(s) nr(s) - Aantal en soort

Art.Nr (32) Aantal en soort colli, aantal aantal stuks, merken en nummers van de colli (31/1)

Identiteit van het vervoermiddel bij vertrek (18)

Uniek referentienummer van de zending (7)

Voorgelegde stukken / certificaten (44/1)

Bijzondere vermeldingen (44/2)

UNDG (44/1)

1,0 1000 BG Rit no: 5861261

Y901

Y923

Omschrijving van de goederen (31/2)

Goederencode (33)

Summiere aangifte/voorafgaand document (40)

Nummer(s) van de container(s) (31/3)

Regeling (37)

Soort aangifte (1)

68061000

MEDU7641159

10/00

17405,0

25.750,000

25.000,000

E CONTROLE DOOR HET KANTOOR VAN UITGANG

Uitslag:  
Aangetrochte verzegeling: Aantal  
merken:  
Termijn (uiterste datum):

K CONTROLE DOOR HET KANTOOR VAN UITGANG

Datum van aankomst:  
Controle van de verzegeling

Opmerkingen:

For attn of                      Mr./ Mrs.  
Date                                20-10-2020

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client                             Danblock Brakes India PVT LTD  
Client-orderno                5200028655  
Lapinus orderno               7700254

**Product:**                      **Rockbrake® LFC301**  
                                     **bag 25 kg - pallet 625 kg**

Total order Qty:               25.000 kg  
Batch no. Batch Qty:        37203377 - 19.375 kg  
Batch no. Batch Qty:        36787959 - 5.625 kg

Kind regards

Customer Services

Lapinus  
ROCKWOOL B.V.  
Industrieweg 15  
6045 JG Roermond  
PO Box 1160  
6040 KD Roermond  
The Netherlands

[cs@lapinus.com](mailto:cs@lapinus.com)  
[www.lapinus.com](http://www.lapinus.com)

This document is automatically generated and therefore contains no signature.  
LF007/F03 / June 1994

Test report Date : 5-10-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 4-10-2020

Product : Rockbrake® LFC301  
bag 25 kg - pallet 625 kg

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
37203377		110,00	110,00	105	200

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.	Max.	
37203377	Shot > 125 µm	19,32	29,52	30.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 24-8-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 21-8-2020

Product : Rockbrake® LFC301  
bag 25 kg - pallet 625 kg

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
36787959		110,00	110,00	105	200

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.	Max.	
36787959	Shot > 125 µm	19,36	20,42	30,0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.