

**INVOICE**

**Invoice address: 40062**  
 Brake Parts India PVT. Ltd.  
 IEC Nr. 0507083229  
 Village - Rewli  
 PO Murthal GST 06AAGCA5049Q1Z8  
 131027 SONEPAT, HARYANA  
 INDIA

**Ordered by: 40062**  
 Brake Parts India PVT. Ltd.  
 IEC Nr. 0507083229  
 Village - Rewli  
 PO Murthal GST 06AAGCA5049Q1Z8  
 131027 SONEPAT, HARYANA  
 INDIA

Invoice no. / date: 163719114 / 06.04.2021 Page 1 / 2  
 Order no. / date: 8049709 / 09.03.2021  
 Your reference: 60220045319  
 Contactperson: Corina Hendriks



Item	Material Material description	Number Unit	Quantity Unit	Price Unit	Amount
10	Lapinus® RB210 bag 20 kg - pallet 500 kg 71797 Customer material number: 057005 Stat. No.: 68061000 Delivery No/Date: 32177965 / 06.04.2021 Container Number: MSCU7492357/BS469455 Country of origin: NL	10.000,00 KG	10.000,00 KG	3.900,00 1.000 KG	39.000,00
20	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919 Stat. No.: 28399000 Delivery No/Date: 32177965 / 06.04.2021 Container Number: MSCU7492357/BS469455 Country of origin: BE	4.200,00 KG	4.200,00 KG	4.500,00 1.000 KG	18.900,00
Amount excl. VAT					57.900,00
Output Tax				0,00	0,00

Delivery date: 06.04.2021 -  
 Terms of delivery: FCA Roermond  
 Payment term: 60 days end of month on28th  
 Gross/Nett weight: 15.366 / 14.200 KG  
 Transp. volume: 86,200 M3

**Delivery address: 40062**  
 Brake Parts India PVT. Ltd.  
 IEC Nr. 0507083229  
 PO Murthal GST 06AAGCA5049Q1Z8  
 Sonapat Haryana 131027  
 India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands  
 T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592  
 Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

## INVOICE

Invoice address: 40062  
Brake Parts India PVT. Ltd.  
IEC Nr. 0507083229  
Village - Rewli  
PO Murthal GST 06AAGCA5049Q1Z8  
131027 SONEPAT, HARYANA  
INDIA

Invoice no. / date: 163719114 / 06.04.2021

Page 2 / 2



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC				

EUR 57.900,00



For: Brake Parts India PVT. Ltd.  
IEC Nr. 0507083229  
PO Murthal GST 06AAGCA5049Q1Z8  
131027 Sonapat, Haryana  
India

Our order nr : 8049709  
Delivery nr : 32177965  
Your order nr: 60220045319  
Container nr: MSCU7492357

Lockwood B.V.  
Industrieweg 15  
045 JG Roermond / The Netherlands

Shipment nr.: 0006119801

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m <sup>3</sup> /m <sup>2</sup> /kg	Total quantity per item in m <sup>3</sup> /m <sup>2</sup> /kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB210, bag 20 kg -pallet 500 kg	0,1 500 BAGS	1,00	10000,00	10000,000	10620,000	1200,00 1200,00 1250,00
Promaxon-D, bag 15 kg -pallet 210 kg	280 BAGS	1,00	4200,00	4200,000	4746,000	1150,00 1150,00 1150,00
TOTAL:			14200,00	Kgs	15366,000	Kgs

35469455  
Date: 06-04-2021

For attn of                      Mr./ Mrs.  
Date                                07-04-2021

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client                              Brake Parts India PVT. Ltd.  
Client-orderno                  60220045319  
Lapinus orderno                8049709

**Product:**                      **PROMAXON-D**  
                                      **BAG 15 KG PALLET 210 KG**  
                                      **Synthetic hydrated calcium silicate**

Total order Qty:                4.200 kg  
Batch no. Batch Qty:        2111233 - 840 kg  
Batch no. Batch Qty:        2111242 - 420 kg  
Batch no. Batch Qty:        2109053 - 210 kg  
Batch no. Batch Qty:        2111223 - 420 kg  
Batch no. Batch Qty:        2111040 - 840 kg  
Batch no. Batch Qty:        2110436 - 420 kg  
Batch no. Batch Qty:        2110417 - 420 kg  
Batch no. Batch Qty:        2109072 - 210 kg  
Batch no. Batch Qty:        2110400 - 420 kg

**Product:**                      **Lapinus® RB210**  
                                      **bag 20 kg - pallet 500 kg**

**Customer Code:**            **057005**  
Total order Qty:                10.000 kg  
Batch no. Batch Qty:        4503578950 - 3.500 kg  
Batch no. Batch Qty:        4503578954 - 6.500 kg

Bormstraat 24  
B-2830 Tiselt  
Belgium  
T +32 (0)15 71 21 86  
F +32 (0)15 71 26 90  
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4503590933  
article n° 136919  
Loading date 05/03/2021

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 09 032 1	01-mrt-2021	110,00	53,60	0,76	2,27	210
21 09 032 2	01-mrt-2021	110,00	53,60	0,76	2,27	210
21 09 032 3	01-mrt-2021	110,00	53,60	0,76	2,27	210
21 09 032 4	01-mrt-2021	110,00	53,60	0,76	2,27	210
21 09 032 5	01-mrt-2021	110,00	53,60	0,76	2,27	210
21 09 032 6	01-mrt-2021	110,00	53,60	0,76	2,27	210
21 09 053 1	01-mrt-2021	110,48	52,40	0,06	1,84	210
21 09 053 2	01-mrt-2021	110,48	52,40	0,06	1,84	210
21 09 053 3	01-mrt-2021	110,48	52,40	0,06	1,84	210
21 09 053 4	01-mrt-2021	110,48	52,40	0,06	1,84	210
21 09 053 5	01-mrt-2021	110,48	52,40	0,06	1,84	210
21 09 053 6	01-mrt-2021	110,48	52,40	0,06	1,84	210
21 09 063 1	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09 063 2	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09 063 3	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09 063 4	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09 063 5	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09 063 6	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09 063 7	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09 063 8	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09 069 1	02-mrt-2021	113,64	45,60	0,00	2,41	210
21 09 069 2	02-mrt-2021	113,64	45,60	0,00	2,41	210
21 09 069 3	02-mrt-2021	113,64	45,60	0,00	2,41	210
21 09 069 4	02-mrt-2021	113,64	45,60	0,00	2,41	210
21 09 069 5	02-mrt-2021	113,64	45,60	0,00	2,41	210
21 09 069 6	02-mrt-2021	113,64	45,60	0,00	2,41	210

To : **ROCKWOOL BV - Lapinus Fibres**

**For Customer:** Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4503590933  
article n° 136919  
Loading date 05/03/2021

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 09 072 1	02-mrt-2021	111,20	51,60	0,00	1,01	210
21 09 072 2	02-mrt-2021	111,20	51,60	0,00	1,01	210
21 09 072 3	02-mrt-2021	111,20	51,60	0,00	1,01	210
21 09 072 4	02-mrt-2021	111,20	51,60	0,00	1,01	210
21 09 072 5	02-mrt-2021	111,20	51,60	0,00	1,01	210
21 09 072 6	02-mrt-2021	111,20	51,60	0,00	1,01	210
21 09 080 1	02-mrt-2021	111,96	50,00	0,13	2,21	210
21 09 080 2	02-mrt-2021	111,96	50,00	0,13	2,21	210
21 09 080 3	02-mrt-2021	111,96	50,00	0,13	2,21	210
21 09 080 4	02-mrt-2021	111,96	50,00	0,13	2,21	210
21 09 080 5	02-mrt-2021	111,96	50,00	0,13	2,21	210
21 09 080 6	02-mrt-2021	111,96	50,00	0,13	2,21	210
21 09 090 1	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09 090 2	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09 090 3	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09 090 4	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09 090 5	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09 090 6	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09 090 7	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09 090 8	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09 099 1	02-mrt-2021	114,88	55,00	0,36	1,38	210
21 09 099 2	02-mrt-2021	114,88	55,00	0,36	1,38	210
						<b>10.080</b>

Bormstraat 24  
B-2830 Tiselt  
Belgium  
T +32 (0)15 71 21 86  
F +32 (0)15 71 26 90  
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

**For Customer:** Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4503609336  
article n° 136919  
Loading date 29/03/2021

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 10 412 1	14-mrt-2021	113,28	54,40	0,00	1,73	210
21 10 412 2	14-mrt-2021	113,28	54,40	0,00	1,73	210
21 10 412 3	14-mrt-2021	113,28	54,40	0,00	1,73	210
21 10 412 4	14-mrt-2021	113,28	54,40	0,00	1,73	210
21 10 412 5	14-mrt-2021	113,28	54,40	0,00	1,73	210
21 10 412 6	14-mrt-2021	113,28	54,40	0,00	1,73	210
21 10 417 5	14-mrt-2021	107,32	54,50	0,16	1,22	210
21 10 417 6	14-mrt-2021	107,32	54,50	0,16	1,22	210
21 10 436 1	14-mrt-2021	110,60	55,80	0,50	1,18	210
21 10 436 2	14-mrt-2021	110,60	55,80	0,50	1,18	210
21 10 436 3	14-mrt-2021	110,60	55,80	0,50	1,18	210
21 10 436 4	14-mrt-2021	110,60	55,80	0,50	1,18	210
21 10 436 5	14-mrt-2021	110,60	55,80	0,50	1,18	210
21 10 436 6	14-mrt-2021	110,60	55,80	0,50	1,18	210
21 10 448 5	14-mrt-2021	104,48	45,50	0,20	1,51	210
21 10 448 6	14-mrt-2021	104,48	45,50	0,20	1,51	210
21 10 481 1	15-mrt-2021	114,72	50,80	0,21	1,08	210
21 10 481 2	15-mrt-2021	114,72	50,80	0,21	1,08	210
21 10 481 3	15-mrt-2021	114,72	50,80	0,21	1,08	210
21 10 481 4	15-mrt-2021	114,72	50,80	0,21	1,08	210
21 10 481 5	15-mrt-2021	114,72	50,80	0,21	1,08	210
21 10 481 6	15-mrt-2021	114,72	50,80	0,21	1,08	210
21 11 009 1	15-mrt-2021	109,04	52,00	0,00	1,96	210
21 11 009 2	15-mrt-2021	109,04	52,00	0,00	1,96	210
21 11 009 3	15-mrt-2021	109,04	52,00	0,00	1,96	210
21 11 009 4	15-mrt-2021	109,04	52,00	0,00	1,96	210



Bormstraat 24  
B-2830 Tiselt  
Belgium  
T +32 (0)15 71 21 86  
F +32 (0)15 71 26 90  
www.promat.com/industry



To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4503609336  
article n° 136919  
Loading date 29/03/2021

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 11 009 5	15-mrt-2021	109,04	52,00	0,00	1,96	210
21 11 009 6	15-mrt-2021	109,04	52,00	0,00	1,96	210
21 11 019 1	15-mrt-2021	104,44	50,20	0,14	2,08	210
21 11 019 2	15-mrt-2021	104,44	50,20	0,14	2,08	210
21 11 019 3	15-mrt-2021	104,44	50,20	0,14	2,08	210
21 11 019 4	15-mrt-2021	104,44	50,20	0,14	2,08	210
21 11 019 5	15-mrt-2021	104,44	50,20	0,14	2,08	210
21 11 019 6	15-mrt-2021	104,44	50,20	0,14	2,08	210
21 11 040 1	15-mrt-2021	113,60	50,50	0,13	1,98	210
21 11 040 2	15-mrt-2021	113,60	50,50	0,13	1,98	210
21 11 040 3	15-mrt-2021	113,60	50,50	0,13	1,98	210
21 11 040 4	15-mrt-2021	113,60	50,50	0,13	1,98	210
21 11 040 5	15-mrt-2021	113,60	50,50	0,13	1,98	210
21 11 040 6	15-mrt-2021	113,60	50,50	0,13	1,98	210
21 11 040 7	15-mrt-2021	113,60	50,50	0,13	1,98	210
21 11 040 8	15-mrt-2021	113,60	50,50	0,13	1,98	210
21 10 400 1	13-mrt-2021	115,28	52,20	0,23	2,48	210
21 10 400 2	13-mrt-2021	115,28	52,20	0,23	2,48	210
21 10 400 3	13-mrt-2021	115,28	52,20	0,23	2,48	210
21 10 400 4	13-mrt-2021	115,28	52,20	0,23	2,48	210
21 10 400 5	13-mrt-2021	115,28	52,20	0,23	2,48	210
21 10 400 6	13-mrt-2021	115,28	52,20	0,23	2,48	210
						<b>10.080</b>



326

Bormstraat 24  
B-2830 Tiselt  
Belgium  
T +32 (0)15 71 21 86  
F +32 (0)15 71 26 90  
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4503618924  
article n° 136919  
Loading date 29/03/2021

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 11 114 5	16-mrt-2021	112,68	44,80	0,05	2,08	210
21 11 114 6	16-mrt-2021	112,68	44,80	0,05	2,08	210
21 11 178 1	17-mrt-2021	110,72	49,90	0,19	1,81	210
21 11 178 2	17-mrt-2021	110,72	49,90	0,19	1,81	210
21 11 178 3	17-mrt-2021	110,72	49,90	0,19	1,81	210
21 11 178 4	17-mrt-2021	110,72	49,90	0,19	1,81	210
21 11 178 5	17-mrt-2021	110,72	49,90	0,19	1,81	210
21 11 178 6	17-mrt-2021	110,72	49,90	0,19	1,81	210
21 11 185 1	17-mrt-2021	111,12	53,20	0,06	2,24	210
21 11 185 2	17-mrt-2021	111,12	53,20	0,06	2,24	210
21 11 185 3	17-mrt-2021	111,12	53,20	0,06	2,24	210
21 11 185 4	17-mrt-2021	111,12	53,20	0,06	2,24	210
21 11 185 5	17-mrt-2021	111,12	53,20	0,06	2,24	210
21 11 185 6	17-mrt-2021	111,12	53,20	0,06	2,24	210
21 11 195 1	17-mrt-2021	109,76	53,10	0,07	1,88	210
21 11 195 2	17-mrt-2021	109,76	53,10	0,07	1,88	210
21 11 195 3	17-mrt-2021	109,76	53,10	0,07	1,88	210
21 11 195 4	17-mrt-2021	109,76	53,10	0,07	1,88	210
21 11 195 5	17-mrt-2021	109,76	53,10	0,07	1,88	210
21 11 195 6	17-mrt-2021	109,76	53,10	0,07	1,88	210
21 11 218 5	18-mrt-2021	111,04	47,50	0,00	1,95	210
21 11 218 6	18-mrt-2021	111,04	47,50	0,00	1,95	210
21 11 218 7	18-mrt-2021	111,04	47,50	0,00	1,95	210
21 11 218 8	18-mrt-2021	111,04	47,50	0,00	1,95	210
21 11 223 1	18-mrt-2021	109,20	52,00	0,28	1,98	210
21 11 223 2	18-mrt-2021	109,20	52,00	0,28	1,98	210

To : **ROCKWOOL BV - Lapinus Fibres**

**For Customer:** Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4503618924  
article n° 136919  
Loading date 29/03/2021

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 11 223 5	18-mrt-2021	109,20	52,00	0,28	1,98	210
21 11 223 6	18-mrt-2021	109,20	52,00	0,28	1,98	210
21 11 233 1	18-mrt-2021	114,00	51,00	0,10	2,27	210
21 11 233 2	18-mrt-2021	114,00	51,00	0,10	2,27	210
21 11 233 3	18-mrt-2021	114,00	51,00	0,10	2,27	210
21 11 233 4	18-mrt-2021	114,00	51,00	0,10	2,27	210
21 11 233 5	18-mrt-2021	114,00	51,00	0,10	2,27	210
21 11 233 6	18-mrt-2021	114,00	51,00	0,10	2,27	210
21 11 233 7	18-mrt-2021	114,00	51,00	0,10	2,27	210
21 11 233 8	18-mrt-2021	114,00	51,00	0,10	2,27	210
21 11 242 1	18-mrt-2021	104,80	44,50	0,05	2,01	210
21 11 242 2	18-mrt-2021	104,80	44,50	0,05	2,01	210
21 11 262 1	18-mrt-2021	112,80	46,50	0,07	2,34	210
21 11 262 2	18-mrt-2021	112,80	46,50	0,07	2,34	210
21 11 284 1	19-mrt-2021	110,20	49,00	0,21	1,79	210
21 11 284 2	19-mrt-2021	110,20	49,00	0,21	1,79	210
21 11 284 3	19-mrt-2021	110,20	49,00	0,21	1,79	210
21 11 284 4	19-mrt-2021	110,20	49,00	0,21	1,79	210
21 11 284 5	19-mrt-2021	110,20	49,00	0,21	1,79	210
21 11 284 6	19-mrt-2021	110,20	49,00	0,21	1,79	210
21 11 293 1	19-mrt-2021	111,08	49,60	0,00	0,74	210
21 11 293 2	19-mrt-2021	111,08	49,60	0,00	0,74	210
						<b>10.080</b>

Test report Date : 26-2-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 10-2-2021

Product : Lapinus® RB210  
bag 20 kg - pallet 500 kg

2. Testresults

Batch no.	Fibre length	Results ( )		Limits ( )	
		Min.	Max.	Min.	Max.
4503578950		145,00	145,00	125	175

Batch no.	Shotcontent	Results ( )		Limits ( )	
		Min.	Max.	Max.	
4503578950	Shot > 125 µm	0,05	0,12	0,2	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 3-3-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 18-2-2021

Product : Lapinus® RB210  
bag 20 kg - pallet 500 kg

2. Testresults

Batch no.	Fibre length	Results ( )		Limits ( )	
		Min.	Max.	Min.	Max.
4503578954		144,00	144,00	125	175

Batch no.	Shotcontent	Results ( )		Limits ( )	
		Min.	Max.		Max.
4503578954	Shot > 125 µm	0,04	0,15		0,2

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.