

## View/Print Label

1. **Ensure there are no other shipping or tracking labels attached to your parcel.** Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. **Fold the printed label at the solid line below.** Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. **Collection and Drop-off:**
  - o If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
  - o To Schedule a Collection or find a UPS location, visit [UPS.com](https://www.ups.com)

UPS Access Point™  
HUBO MINKENBERG


42 HOOFDSTRAAT  
HERKENBOSCH 6075AG

UPS Access Point™  
DE KEMPENIER

KEMPWEG,56  
ROERMOND 6045EJ

UPS Access Point™  
HOMERR SERVICEPOINT SHOW  
MOBILE  
ORANJELAAN 73A  
ROERMOND 6042BC

FOLD HERE

<p><b>SHIP TO:</b> MR. VIKRAM RATHORE 91 9783809946 ALLIED JB FRICTION PVT LTD MAJRAKATH, NEEMRANA, DISTT ALWAR SP-2, 83&amp;84 NEW INDUSTRIAL COMPLEX <b>RAJASTHAN 301705</b> <b>INDIA</b></p>	<p><b>IND 024 6-00</b></p> 	<p><b>UPS SAVER</b> 1P TRACKING #: 1Z 187 0WR 04 2266 6088</p>		<p><b>EDI-DOC</b></p> <p>BILLING: P/P DESC: Documents</p> <p>Invoice No.: LF8307612</p> <p>XOL 21-06.14 NV45 25.0A 07/2021™</p> 
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------	--------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Allied JB Friction Pvt. Ltd  
IEC No: 0511056346  
GST no: 08AAJCA4545L1ZC  
Majrakath, Neemrana, distt Alwar  
SP-2 83 84 New Industrial Complex  
301705 RAJASTHAN  
India

Date	Our Reference	Subject
Roermond, 23/07/21	8307612	Shipping docs

Dear Mr. Sarvesh Kumar,

Please find enclosed the shipping documents of your PO AJFPO-21-000657:

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.  
Lapinus  
**Customer Service Department**

Corina Hendriks

Rockwool B.V.  
Industrieweg 15  
6045 JG Roermond / The Netherlands

Our order nr : 8307612  
Delivery nr : 32480358  
Your order nr: AJFPO-21-000657  
Container nr: MEDU3672613

For: Allied JB Friction Pvt. Ltd  
IEC No: 0511056346  
SP-2 83 84 New Industrial  
Complex  
301705 Rajasthan  
India



Shipment nr.: 0006336407

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m <sup>3</sup> /m <sup>2</sup> /kg	Total quantity per item in m <sup>3</sup> /m <sup>2</sup> /kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25 kg	-pallet 625 kg	1,00	1875,00	1875,000	1931,250	1210,00 1000,00 1300,00
0,1	75 BAGS					
Lapinus® RB240, bag 16 kg	-pallet 400 kg	1,00	2800,00	2800,000	2931,600	1210,00 1000,00 1300,00
	175 BAGS					
Lapinus® RB220ELS, bag 16 kg	-pallet 400 kg	1,00	4000,00	4000,000	4188,000	1210,00 1000,00 1300,00
	250 BAGS					
TOTAL:				8675,000 Kgs	9050,850 Kgs	

BS532650

Date: 22-07-2021

PACKED ON 20 PALLETS

**INVOICE**
**Invoice address: 92429**

Allied JB Friction Pvt. Ltd  
IEC No: 0511056346  
GST no: 08AAJCA4545L1ZC  
Majrakath, Neemrana, distt Alwar  
SP-2 83 84 New Industrial Complex  
301705 RAJASTHAN  
INDIA


**Ordered by: 92429**

Allied JB Friction Pvt. Ltd  
IEC No: 0511056346  
GST no: 08AAJCA4545L1ZC  
Majrakath, Neemrana, distt Alwar  
SP-2 83 84 New Industrial Complex  
301705 RAJASTHAN  
INDIA

Invoice no. / date: 163742813 / 22.07.2021 Page 1 / 2  
Order no. / date: 8307612 / 15.06.2021  
Your reference: AJFPO-21-000657  
Contactperson: Corina Hendriks

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	1.875,00 KG	1.875,00 KG	1.990,00 1.000 KG	3.731,25
	Stat. No.: 68061000 Delivery No/Date: 32480358 / 20.07.2021 Container Number: MEDU3672613/BS532650 Country of origin: NL				
20	Lapinus® RB240 bag 16 kg - pallet 400 kg 28444	2.800,00 KG	2.800,00 KG	2.550,00 1.000 KG	7.140,00
	Stat. No.: 68061000 Delivery No/Date: 32480358 / 20.07.2021 Container Number: MEDU3672613/BS532650 Country of origin: NL				

Delivery date: 20.07.2021 -  
Terms of delivery: FCA Roermond  
Payment term: Advanced payment before del.  
  
Gross/Nett weight: 9.050,850 / 8.675 KG  
Transp. volume: 39,625 M3

**Delivery address: 92429**  
Allied JB Friction Pvt. Ltd  
IEC No: 0511056346  
SP-2 83 84 New Industrial Complex  
Rajasthan 301705  
India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands  
T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592  
Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

**INVOICE**
**Invoice address: 92429**

Allied JB Friction Pvt. Ltd

IEC No: 0511056346

GST no: 08AAJCA4545L1ZC

Majrakath, Neemrana, distt Alwar

SP-2 83 84 New Industrial Complex

301705 RAJASTHAN

INDIA

Invoice no. / date: 163742813 / 22.07.2021

Page 2 / 2



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
30	Lapinus® RB220ELS bag 16 kg - pallet 400 kg 26909	4.000,00 KG	4.000,00 KG	3.610,00 1.000 KG	14.440,00

Stat. No.: 68061000

Delivery No/Date: 32480358 / 20.07.2021

Container Number: MEDU3672613/BS532650

Country of origin: NL

Amount excl. VAT

Output Tax

0,00 %

25.311,25

0,00

**Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC**

EUR

25.311,25

For attn of Mr./Mrs.  
Date 23-07-2021

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Allied JB Friction Pvt. Ltd  
Client-orderno AJFPO-21-000657  
Lapinus orderno 8307612

**Product:** Lapinus® RB220ELS  
bag 16 kg - pallet 400 kg  
bag 16 kg - pallet 400 kg~Note Q fibre  
Total order Qty: 4.000 kg  
Batch no. Batch Qty: 43307289 - 1.200 kg  
Batch no. Batch Qty: 41565023 - 2.800 kg

**Product:** Lapinus® RB240  
bag 16 kg - pallet 400 kg  
bag 16 kg - pallet 400 kg~Note Q fibre  
Total order Qty: 2.800 kg  
Batch no. Batch Qty: 43746004 - 2.800 kg

**Product:** Lapinus® RB250  
bag 25 kg - pallet 625 kg  
bag 25 kg - pallet 625 kg~Note Q fibre  
Total order Qty: 1.875 kg  
Batch no. Batch Qty: 43565698 - 1.250 kg  
Batch no. Batch Qty: 43565699 - 625 kg

Kind regards

Customer Services

Lapinus  
ROCKWOOL B.V.  
Industrieweg 15  
6045 JG Roermond  
PO Box 1160  
6040 KD Roermond  
The Netherlands

cs@lapinus.com  
www.lapinus.com

This document is automatically generated and therefore contains no signature.  
LF007/F03 / June 1994

Test report Date : 27-5-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 23-5-2021

Product : Lapinus® RB220ELS

bag 16 kg - pallet 400 kg

bag 16 kg - pallet 400 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ( )		Limits ( )	
		Min.	Max.	Min.	Max.
41565023		180,00	250,00	180	280

Batch no.	Shotcontent	Results ( )		Limits ( )	
		Min.	Max.	Max.	
41565023	Shot > 63 µm	0,06	0,30	0.5	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 24-6-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 23-6-2021

Product : Lapinus® RB220ELS

bag 16 kg - pallet 400 kg

bag 16 kg - pallet 400 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
43307289		200,00	275,00	180	280

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.	Max.	
43307289	Shot > 63 µm	0,10	0,38	0.5	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.



Test report Date : 19-7-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 17-7-2021

Product : Lapinus® RB240

bag 16 kg - pallet 400 kg

bag 16 kg - pallet 400 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
43746004		275,00	325,00	250	350

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.	Max.	
43746004	Shot > 125 µm	0,04	0,16	0.2	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 12-7-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 11-7-2021

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
43565698		113,00	125,00	100	150

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.	Max.	
43565698	Shot > 125 µm	0,47	0,77	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 14-7-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 13-7-2021

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
43565699		113,00	125,00	100	150

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.	Max.	
43565699	Shot > 125 µm	0,35	0,74	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.