

View/Print Label





1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. Collection and Drop-off:
 - If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
 - To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Point™
HUBO MINKENBERG
42 HOOFDSTRAAT
HERKENBOSCH

UPS Access Point™
DE KEMPENIER
KEMPWEG,56
ROERMOND

UPS Access Point™
GROENLIJF
JULIANALAAN, 36A
ROERMOND

FOLD HERE

CORINA HENDRIKS 0475353917 ROCKWOOL B.V. LAPINUS DELSTOFFENWEG 2 6045 JH ROERMOND NETHERLANDS		0.0 KG ENV 1 OF 1
SHIP TO: MR. R. NARAYANAN 91 4426250566 RANE BRAKE LINING LTD AMBATTUR INDUSTRIAL ESTATE PLOT NO. 30 CHENNAI 600050 INDIA		SHIP#: 1870 WRDT GS4 SHIP WT: 0.0 KG DATE: 06 MAR 2020
		IND 012 9-00 
UPS SAVER TRACKING #: 1Z 187 OWR 04 3554 9038 1P		
		
BILLING: P/P DESC: documents EDI-DOC		
Invoice No.: LP 7262437 XOL 20.02.03 NV45 83.0A 12/2019 		

Rane Brake Lining Ltd.
Attn. Mr. R. Narayanan
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 Chennai
India
+91 4426250566

Date
Roermond, 06/03/2020

Our Reference
7262437

Subject
Shipping docs

Dear Mr. R. Narayanan,

Please find enclosed the shipping documents of your PO 4800146285;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.

Lapinus

Customer Service Department

Corina Hendriks

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr.: 7262437
Delivery nr.: 31298036

For: Rane Brake Lining Ltd.
Plot No. 30,
Ambattur Industrial Estate.
600050 Chennai
India

Your order nr.: 4800146285
Container nr.: MEDU5821341/bs356158

Shipment nr.: 0005504697



DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ³ / m ² / kg	Total quantity per item in m ³ / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25 kg 0,1	kg -pallet 625 kg 100 BAGS	1,00	2500,00	2500,000	2575,000	1210,00 1000,00 1300,00
Lapinus® RBC300, bag 25 kg 1,0	kg -pallet 625 kg 100 BAGS	1,00	2500,00	2500,000	2575,000	1210,00 1000,00 1300,00
Promaxon-D, bag 15 kg 15,0	pallet 210 kg 140 BAGS	1,00	2100,00	2100,000	2373,000	1150,00 1150,00 1150,00
TOTAL:				7100,000 Kgs	7523,000 Kgs	

BS356158

Date: 04-03-2020

PACKED ON 18 PALLETS

INVOICE

Invoice address: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Ordered by: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA



ROCKWOOL B.V.
P.O. Box 1160
6040 KD Roermond
The Netherlands

Invoice no. / date: 163613090 / 04.03.2020 Page 1 / 2
Order no. / date: 7262437 / 25.02.2020
Your reference: 4800146285
Contactperson: Corina Hendriks

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres All Lapinus (r) products = Note Q fibres				
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	2.500,00 KG	2.500,00 KG	2.020,20 1.000 KG	5.050,50
	Stat. No.: 68061000 Delivery No/Date: 31298036 / 06.03.2020 Container Number: MEDU5821341/bs356158 Country of origin: NL				
20	Lapinus® RBC300 bag 25 kg - pallet 625 kg 58071	2.500,00 KG	2.500,00 KG	850,00 1.000 KG	2.125,00
	Stat. No.: 68061000 Delivery No/Date: 31298036 / 06.03.2020 Container Number: MEDU5821341/bs356158 Country of origin: NL				

Delivery date: 06.03.2020 -
Terms of delivery: FCA Roermond
Payment term: 60 days net
Gross/Nett weight: 7.523 / 7.100 KG
Transp. volume: 38,100 M3

Delivery address: 15456
Rane Brake Lining Ltd.
Plot No. 30
IEC Number 0488032644
Ambattur Industrial Estate
Chennai 600050
India

Lapinus, ROCKWOOL B.V., Postbus 1160, 6040 KD Roermond, Industrieweg 15, 6045 JG Roermond, The Netherlands
T +31 (0) 475 35 35 35, E cs@lapinus.com,
KvK Nederland 13014428 VAT NL0016.96.592.B01 ING BANK N.V. NL87 INGB 0674 2921 11 BIC/SWIFT INGBNL2A

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE
Invoice address: 15456

Rane Brake Lining Ltd.

Plot No. 30,

IEC Number 0488032644

Ambattur Industrial Estate

600050 CHENNAI

INDIA


ROCKWOOL B.V.

P.O. Box 1150

6040 KD Roermond

The Netherlands

Invoice no. / date:

163613090 / 04.03.2020

Page 2 / 2

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
30	Promaxon-D				
	bag 15 kg.pallet 210 kg				
	Synthetic hydrated calcium silicate				
	136919	2.100,00	2.100,00	3.636,00	7.635,60
		KG	KG	1.000 KG	
	Stat. No.: 28399000				
	Delivery No/Date: 31298036 / 06.03.2020				
	Container Number: MEDU5821341/bs356158				
	Country of origin: BE				
	Amount excl. VAT				14.811,10
	Output Tax		0,00		0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR 14.811,10



Part of the ROCKWOOL Group

For attn of

Date 06-03-2020

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Rane Brake Lining Ltd.

Client-orderno 4800146285

Lapinus orderno 7262437

Product:
PROMAXON-D
BAG 15 KG PALLET 210 KG
Synthetic hydrated calcium silicate

Total order Qty: 2.100 kg

Batch no. Batch Qty: 2007117 - 840 kg

Batch no. Batch Qty: 2005219 - 840 kg

Batch no. Batch Qty: 2006073 - 420 kg

Product:
Lapinus® RB250
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 2.500 kg

Batch no. Batch Qty: 34532061 - 2.500 kg

Product:
Lapinus® RBC300
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 2.500 kg

Batch no. Batch Qty: 34593324 - 2.500 kg

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994

Promat**280**

Bormstraat 24
B-2830 Tisseelt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503245019

article n° 136919

Loading date 02/03/2020

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
20 05 219 5	31-jan-2020	102,48	49,90	0,00	2,15	210
20 05 219 6	31-jan-2020	102,48	49,90	0,00	2,15	210
20 05 219 7	31-jan-2020	102,48	49,90	0,00	2,15	210
20 05 219 8	31-jan-2020	102,48	49,90	0,00	2,15	210
20 06 063 1	04-feb-2020	103,20	60,30	0,43	2,39	210
20 06 063 2	04-feb-2020	103,20	60,30	0,43	2,39	210
20 06 063 3	04-feb-2020	103,20	60,30	0,43	2,39	210
20 06 063 4	04-feb-2020	103,20	60,30	0,43	2,39	210
20 06 063 5	04-feb-2020	103,20	60,30	0,43	2,39	210
20 06 063 6	04-feb-2020	103,20	60,30	0,43	2,39	210
20 06 073 1	04-feb-2020	102,00	52,,4	0,52	1,74	210
20 06 073 2	04-feb-2020	102,00	52,,4	0,52	1,74	210
20 06 073 3	04-feb-2020	102,00	52,,4	0,52	1,74	210
20 06 073 4	04-feb-2020	102,00	52,,4	0,52	1,74	210
20 06 073 5	04-feb-2020	102,00	52,,4	0,52	1,74	210
20 06 073 6	04-feb-2020	102,00	52,,4	0,52	1,74	210
20 06 078 1	04-feb-2020	100,80	56,40	0,80	1,97	210
20 06 078 2	04-feb-2020	100,80	56,40	0,80	1,97	210
20 06 078 3	04-feb-2020	100,80	56,40	0,80	1,97	210
20 06 078 4	04-feb-2020	100,80	56,40	0,80	1,97	210
20 06 078 5	04-feb-2020	100,80	56,40	0,80	1,97	210
20 06 078 6	04-feb-2020	100,80	56,40	0,80	1,97	210
20 06 084 1	04-feb-2020	95,20	56,60	0,36	1,83	210
20 06 084 2	04-feb-2020	95,20	56,60	0,36	1,83	210
20 06 084 3	04-feb-2020	95,20	56,60	0,36	1,83	210
20 06 084 4	04-feb-2020	95,20	56,60	0,36	1,83	210

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503245019

article.n° 136919

Loading date 02/03/2020

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
-----------	-----------------	------------------	--------------------------	-------------------------	------------	-------------

20 06 084 5	04-feb-2020	95,20	56,60	0,36	1,83	210
20 06 084 6	04-feb-2020	95,20	56,60	0,36	1,83	210
20 06 084 7	04-feb-2020	95,20	56,60	0,36	1,83	210
20 06 084 8	04-feb-2020	95,20	56,60	0,36	1,83	210
20 06 090 1	04-feb-2020	106,00	57,50	0,29	2,10	210
20 06 090 2	04-feb-2020	106,00	57,50	0,29	2,10	210
20 06 090 3	04-feb-2020	106,00	57,50	0,29	2,10	210
20 06 090 4	04-feb-2020	106,00	57,50	0,29	2,10	210
20 06 090 5	04-feb-2020	106,00	57,50	0,29	2,10	210
20 06 090 6	04-feb-2020	106,00	57,50	0,29	2,10	210
20 06 097 1	05-feb-2020	98,80	53,50	0,78	2,29	210
20 06 097 2	05-feb-2020	98,80	53,50	0,78	2,29	210
20 06 097 3	05-feb-2020	98,80	53,50	0,78	2,29	210
20 06 097 4	05-feb-2020	98,80	53,50	0,78	2,29	210
20 06 097 5	05-feb-2020	98,80	53,50	0,78	2,29	210
20 06 097 6	05-feb-2020	98,80	53,50	0,78	2,29	210
20 06 097 7	05-feb-2020	98,80	53,50	0,78	2,29	210
20 06 097 8	05-feb-2020	98,80	53,50	0,78	2,29	210
20 07 117 5	12-feb-2020	94,80	60,20	0,33	1,90	210
20 07 117 6	12-feb-2020	94,80	60,20	0,33	1,90	210
20 07 117 7	12-feb-2020	94,80	60,20	0,33	1,90	210
20 07 117 8	12-feb-2020	94,80	60,20	0,33	1,90	210

Test report Date : 17-2-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 15-2-2020

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
34532061		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
34532061	Shot > 125 µm	0,54	0,76		1.0

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 13-2-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 12-2-2020

Product : Lapinus® RBC300

bag 25 kg - pallet 625 kg

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
34593324		110,00	123,00	105	200

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
34593324	Shot > 125 µm	20,51	22,61		30.0

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.