

# View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. Collection and Drop-off:
  - o If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
  - o To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Point™  
HUBO MINKENBERG  
  
42 HOOFDSTRAAT  
HERKENBOSCH 6075AG

UPS Access Point™  
DE KEMPENIER  
  
KEMPWEG,56  
ROERMOND 6045EJ

UPS Access Point™  
HOMERR SERVICEPOINT SHOW  
MOBILE  
ORANJELAAN 73A  
ROERMOND 6042BC

FOLD HERE

SHIP TO:  
MR. PRABHU / MS. DHIVYA  
91 4426250566  
RANE BRAKE LINING LTD  
AMBATTUR INDUSTRIAL ESTATE  
PLOT NO. 30  
CHENNAI 600050  
INDIA

IND 012 9-00

UPS SAVER

TRACKING #: 1Z 187 0WR 04 3701 2247

BILLING: P/P  
DESC: documents

EDI-DOC

Invoice No.: LF 8944961

TM

ENV

1 OF 1

CORINA HENDRIKS  
0475353917  
ROCKWOOL B.V. LAPINUS  
DELSTOFFENWEG 2  
6045JH ROERMOND  
NETHERLANDS

SHP#: 1870 WRF7 N9T  
DATE: 02 JUN 2022

XOL 22.05.57

NV45 23.0A 05/2022\*

Rane Brake Lining Ltd.  
Attn. Mr. Prabhu / Ms. Dhivya  
Plot No. 30,  
IEC Number 0488032644  
Ambattur Industrial Estate  
600050 Chennai  
India  
+91 4426250566

Date	Our Reference	Subject
Roermond, 02/06/2022	8944961	Shipping docs

Dear Mr. Prabhu / Ms. Dhivya,

Please find enclosed the shipping documents of your PO 4800170848;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.  
Lapinus  
**Customer Service Department**

Corina Hendriks

Rockwool B.V.  
Industrieweg 15  
6045 JG Roermond / The Netherlands

Our order nr : 8944961  
Delivery nr : 33202059  
Your order nr: 4800170848  
Container nr: .

For: Rane Brake Lining Ltd.  
Plot No. 30,  
Ambattur Industrial Estate  
600050 Chennai  
India



Shipment nr.: 0006870498

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m <sup>3</sup> /m <sup>2</sup> /kg	Total quantity per item in m <sup>3</sup> /m <sup>2</sup> /kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25 kg -pallet 625 kg	150 BAGS	1,00	3750,00	3750,000	3862,500	1210,00 1000,00 1300,00
Promaxon-D, bag 15 kg -pallet 210 kg	28 BAGS	1,00	420,00	420,000	474,600	1150,00 1150,00 1150,00
TOTAL:				4170,000 Kgs	4337,100 Kgs	

Date: 01-06-2022

PACKED ON 8 PALLETS

**INVOICE**

**Invoice address: 15456**  
Rane Brake Lining Ltd.  
Plot No. 30,  
IEC Number 0488032644  
Ambattur Industrial Estate  
600050 CHENNAI  
INDIA

**Payer: 15456**  
Rane Brake Lining Ltd.  
Plot No. 30,  
IEC Number 0488032644  
Ambattur Industrial Estate  
600050 Chennai  
INDIA

**Ordered by: 15456**  
Rane Brake Lining Ltd.  
Plot No. 30,  
IEC Number 0488032644  
Ambattur Industrial Estate  
600050 CHENNAI  
INDIA

Invoice no. / date: 163830852 / 01.06.2022 Page 1 / 2  
Order no. / date: 8944961 / 21.04.2022  
Your reference: 4800170848  
Contactperson: Corina Hendriks



Item	Material	Number	Quantity	Price	Amount
	<b>Material description</b>	<b>Unit</b>	<b>Unit</b>	<b>Unit</b>	
	Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres All Lapinus (r) products = Note Q fibres				
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	3.750,00 KG	3.750,00 KG	2.376,20 1.000 KG	8.910,75
	Stat. No.: 68061000 Delivery No/Date: 33202059 / 16.05.2022 Container Number: 43BNH6 Country of origin: NL				
20	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919	420,00 KG	420,00 KG	4.430,00 1.000 KG	1.860,60
	Stat. No.: 28399000 Delivery No/Date: 33202059 / 16.05.2022 Container Number: 43BNH6 Country of origin: BE				

Delivery date: 16.05.2022 -  
Terms of delivery: FCA Roermond  
Payment term: 60 days net  
  
Gross/Nett weight: 4.337,100 / 4.170 KG  
Transp. volume: 15,870 M3

**Delivery address: 15456**  
Rane Brake Lining Ltd.  
Plot No. 30  
IEC Number 0488032644  
Ambattur Industrial Estate  
Chennai 600050  
India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands  
T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592  
Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

## INVOICE

**Invoice address: 15456**

Rane Brake Lining Ltd.

Plot No. 30,

IEC Number 0488032644

Ambattur Industrial Estate

600050 CHENNAI

INDIA

Invoice no. / date:

163830852 / 01.06.2022

Page 2 / 2



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Amount excl. VAT				10.771,35
	Output Tax		0,00 %		0,00

**Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC**

EUR 10.771,35

For attn of

Date 02-06-2022

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Rane Brake Lining Ltd.

Client-orderno 4800170848

Lapinus orderno 8944961

**Product:** **PROMAXON-D**  
**BAG 15 KG PALLET 210 KG**  
**Synthetic hydrated calcium silicate**

Total order Qty: 420 kg

Batch no. Batch Qty: 2219246 - 210 kg

Batch no. Batch Qty: 2216060 - 210 kg

**Product:** **Lapinus® RB250**  
**bag 25 kg - pallet 625 kg**  
**bag 25 kg - pallet 625 kg~Note Q fibre**

Total order Qty: 3.750 kg

Batch no. Batch Qty: 52004385 - 3.750 kg

Kind regards

Customer Services

Lapinus  
ROCKWOOL B.V.  
Industrieweg 15  
6045 JG Roermond  
PO Box 1160  
6040 KD Roermond  
The Netherlands

cs@lapinus.com  
www.lapinus.com

This document is automatically generated and therefore contains no signature.  
LF007/F03 / June 1994

Promat

379

Bormstraat 24  
B-2830 Tiselt  
Belgium  
T +32 (0)15 71 21 86  
F +32 (0)15 71 26 90  
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4504040709

article n° 136919

Loading date 03/05/2022

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 15 432 1	18-apr-2022	111,56	50,6	0,00	1,38	210
22 15 432 2	18-apr-2022	111,56	50,6	0,00	1,38	210
22 15 432 3	18-apr-2022	111,56	50,6	0,00	1,38	210
22 15 432 4	18-apr-2022	111,56	50,6	0,00	1,38	210
22 15 432 5	18-apr-2022	111,56	50,6	0,00	1,38	210
22 15 432 6	18-apr-2022	111,56	50,6	0,00	1,38	210
22 15 438 1	18-apr-2022	112,32	47,6	0,00	1,21	210
22 15 438 2	18-apr-2022	112,32	47,6	0,00	1,21	210
22 15 438 3	18-apr-2022	112,32	47,6	0,00	1,21	210
22 15 438 4	18-apr-2022	112,32	47,6	0,00	1,21	210
22 15 438 5	18-apr-2022	112,32	47,6	0,00	1,21	210
22 15 438 6	18-apr-2022	112,32	47,6	0,00	1,21	210
22 16 001 1	18-apr-2022	104,44	55,5	0,00	0,96	210
22 16 001 2	18-apr-2022	104,44	55,5	0,00	0,96	210
22 16 001 3	18-apr-2022	104,44	55,5	0,00	0,96	210
22 16 001 4	18-apr-2022	104,44	55,5	0,00	0,96	210
22 16 001 5	18-apr-2022	104,44	55,5	0,00	0,96	210
22 16 001 6	18-apr-2022	104,44	55,5	0,00	0,96	210
22 16 024 1	18-apr-2022	107,04	52,7	0,00	1,05	210
22 16 024 2	18-apr-2022	107,04	52,7	0,00	1,05	210
22 16 024 3	18-apr-2022	107,04	52,7	0,00	1,05	210
22 16 024 4	18-apr-2022	107,04	52,7	0,00	1,05	210
22 16 024 5	18-apr-2022	107,04	52,7	0,00	1,05	210
22 16 024 6	18-apr-2022	107,04	52,7	0,00	1,05	210
22 16 033 1	19-apr-2022	111,48	49,8	0,00	1,67	210



Bormstraat 24  
B-2830 Tisseelt  
Belgium  
T +32 (0)15 71 21 86  
F +32 (0)15 71 26 90  
www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4504040709

article n° 136919

Loading date 03/05/2022

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 16 033 2	19-apr-2022	111,48	49,8	0,00	1,67	210
22 16 033 3	19-apr-2022	111,48	49,8	0,00	1,67	210
22 16 033 4	19-apr-2022	111,48	49,8	0,00	1,67	210
22 16 046 5	20-apr-2022	113,88	48,3	0,00	1,14	210
22 16 046 6	20-apr-2022	113,88	48,3	0,00	1,14	210
22 16 060 1	19-apr-2022	112,48	46,4	0,00	1,10	210
22 16 060 2	19-apr-2022	112,48	46,4	0,00	1,10	210
22 16 060 3	19-apr-2022	112,48	46,4	0,00	1,10	210
22 16 060 4	19-apr-2022	112,48	46,4	0,00	1,10	210
22 16 060 5	19-apr-2022	112,48	46,4	0,00	1,10	210
22 16 060 6	19-apr-2022	112,48	46,4	0,00	1,10	210
22 16 073 1	19-apr-2022	105,84	48,1	0,00	0,95	210
22 16 073 2	19-apr-2022	105,84	48,1	0,00	0,95	210
22 16 073 3	19-apr-2022	105,84	48,1	0,00	0,95	210
22 16 073 4	19-apr-2022	105,84	48,1	0,00	0,95	210
22 16 073 5	19-apr-2022	105,84	48,1	0,00	0,95	210
22 16 073 6	19-apr-2022	105,84	48,1	0,00	0,95	210
22 16 084 1	19-apr-2022	99,72	44,6	0,00	2,28	210
22 16 084 2	19-apr-2022	99,72	44,6	0,00	2,28	210
22 16 084 3	19-apr-2022	99,72	44,6	0,00	2,28	210
22 16 084 4	19-apr-2022	99,72	44,6	0,00	2,28	210
22 16 084 5	19-apr-2022	99,72	44,6	0,00	2,28	210
22 16 084 6	19-apr-2022	99,72	44,6	0,00	2,28	210
						<b>10.080</b>



Promat

382

Bormstraat 24  
B-2830 Tiselt  
Belgium  
T +32 (0)15 71 21 86  
F +32 (0)15 71 26 90  
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland


PO 4504059726

article n° 136919

Loading date 30/05/2022

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 19 255 1	16-mei-2022	104,40	51,9	0,11	1,58	210
22 19 255 2	16-mei-2022	104,40	51,9	0,11	1,58	210
22 19 219 1	13-mei-2022	114,84	50,2	0,00	2,37	210
22 19 219 2	13-mei-2022	114,84	50,2	0,00	2,37	210
22 19 219 3	13-mei-2022	114,84	50,2	0,00	2,37	210
22 19 219 4	13-mei-2022	114,84	50,2	0,00	2,37	210
22 19 219 5	13-mei-2022	114,84	50,2	0,00	2,37	210
22 19 219 6	13-mei-2022	114,84	50,2	0,00	2,37	210
22 19 214 1	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 214 2	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 214 3	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 214 4	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 214 5	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 214 6	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 214 7	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 214 8	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 246 1	16-mei-2022	99,60	51,1	0,06	1,60	210
22 19 246 2	16-mei-2022	99,60	51,1	0,06	1,60	210
22 19 246 3	16-mei-2022	99,60	51,1	0,06	1,60	210
22 19 246 4	16-mei-2022	99,60	51,1	0,06	1,60	210
22 19 246 5	16-mei-2022	99,60	51,1	0,06	1,60	210
22 19 246 6	16-mei-2022	99,60	51,1	0,06	1,60	210
22 19 246 7	16-mei-2022	99,60	51,1	0,06	1,60	210
22 19 246 8	16-mei-2022	99,60	51,1	0,06	1,60	210



Bornstraat 24  
B-2130 Tessel  
Belgium  
T +32 (0)15 71 21 86  
F +32 (0)15 71 26 90  
[www.promat.com/industry](http://www.promat.com/industry)

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4504059726

article n° 136919

Loading date 30/05/2022

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 19 221 1	16-mei-2022	102,04	48,9	0,10	2.10	210
22 19 221 2	16-mei-2022	102,04	48,9	0,10	2.10	210
22 19 221 3	16-mei-2022	102,04	48,9	0,10	2.10	210
22 19 221 4	16-mei-2022	102,04	48,9	0,10	2.10	210
22 19 221 5	16-mei-2022	102,04	48,9	0,10	2.10	210
22 19 221 6	16-mei-2022	102,04	48,9	0,10	2.10	210
22 19 188 1	13-mei-2022	108,80	47,1	0,00	2,25	210
22 19 188 2	13-mei-2022	108,80	47,1	0,00	2,25	210
22 19 188 3	13-mei-2022	108,80	47,1	0,00	2,25	210
22 19 188 4	13-mei-2022	108,80	47,1	0,00	2,25	210
22 19 188 5	13-mei-2022	108,80	47,1	0,00	2,25	210
22 19 188 6	13-mei-2022	108,80	47,1	0,00	2,25	210
22 19 206 1	13-mei-2022	112,40	52,4	0,00	1,52	210
22 19 206 2	13-mei-2022	112,40	52,4	0,00	1,52	210
22 19 206 3	13-mei-2022	112,40	52,4	0,00	1,52	210
22 19 206 4	13-mei-2022	112,40	52,4	0,00	1,52	210
22 19 206 5	13-mei-2022	112,40	52,4	0,00	1,52	210
22 19 206 6	13-mei-2022	112,40	52,4	0,00	1,52	210
22 19 193 1	13-mei-2022	110,00	50,3	0,00	1,54	210
22 19 193 2	13-mei-2022	110,00	50,3	0,00	1,54	210
22 19 193 3	13-mei-2022	110,00	50,3	0,00	1,54	210
22 19 193 4	13-mei-2022	110,00	50,3	0,00	1,54	210
22 19 193 5	13-mei-2022	110,00	50,3	0,00	1,54	210
22 19 193 6	13-mei-2022	110,00	50,3	0,00	1,54	210
						<b>10,080</b>

Test report Date : 3-5-2022

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 2-5-2022

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
52004385		113,00	125,00	100	150

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.		Max.
52004385	Shot > 125 µm	0,36	0,68		1.0

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.