View/Print Label

- 1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
- 2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
- 3. Collection and Drop-off:
 - o If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
 - o To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Point™ HUBO MINKENBERG

42 HOOFDSTRAAT HERKENBOSCH 6075AG UPS Access Point™
DE KEMPENIER

KEMPWEG,56 ROERMOND 6045EJ UPS Access Point™
HOMERR SERVICEPOINT SHOW
MOBILE
ORANJELAAN 73A
ROERMOND 6042BC

FOLD HERE





Rane Brake Lining Ltd.
Attn. Mr. Prabhu / Ms. Dhivya
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 Chennai
India
+91 4426250566

Date

Our Reference

Subject

Roermond,06/09/2022

9145996

Shipping docs

Dear Mr. Prabhu / Ms. Dhivya,

Please find enclosed the shipping documents of your PO 41800175175;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.

Lapinus

Customer Service Department

Corina Hendriks

6045 JG Roermond / The Netherlands Industrieweg 15 Rockwool B.V.

Our ordernr : 9145996

Delivery nr : 33485654

Your ordernr: 4800175175

Container nr :

Shipment nr.: 0007081329

For: Rane Brake Lining Ltd.

Ambattur Industrial Estate 600050 Chennai Plot No. 30, India



DETAILED PACKING LIST

| | 1300,00 | 1150,00 | | | | | |
|---|--|---------|--|--|--|--|--|
| Dimensions in m per package | | 1150,00 | | | | | |
| Dimen | 1210,00 | 1150,00 | | | | | |
| Total gross weight per item kgs | 643,750 | 711,900 | | | | | |
| Total net weight per item kgs | 625,000 | 630,000 | | | | | |
| Total quantity per item in m ¹ /m ² /kg | 625,00 | 630,00 | | | | | |
| Contents per package in m¹/m²/kg | kg 1,00 | 1,00 | | | | | |
| Type and number of packages | kg -pallet 625 25 BAGS pallet 210 kg | 42 BAGS | | | | | |
| Product and dimensions | ius® RB250, txon-D, bag | 15,0 | | | | | |

Date: 05-09-2022

PACKED ON 4 PALLETS



Part of the ROCKWOOL Group

INVOICE

Invoice address: 15456
Rane Brake Lining Ltd.
Plot No. 30.

Plot No. 30,

IEC Number 0488032644 Ambattur Industrial Estate 600050 CHENNAI

INDIA

ltem

Payer: 15456 Rane Brake Lining Ltd. Plot No. 30,

IEC Number 0488032644 Ambattur Industrial Estate

600050 Chennai

INDIA

Ordered by: 15456 Rane Brake Lining Ltd. Plot No. 30,

IEC Number 0488032644 Ambattur Industrial Estate 600050 CHENNA!

INDIA

Quantity

Page 1 / 2

Lapinus

P.O. Box 1160 6040 KD Roermond The Natherlands

Price

Amount

Invoice no. / date:

Order no. / date:

163847356 / 05.09.2022

9145996 / 16.08.2022

Your reference: Contactperson:

Material

4800175175 Corina Hendriks

| item | Material | Mullipei | Country | 1 1100 | Amount |
|------|--|----------|---------|----------|----------|
| | Material description | Unit | Unit | Unit | |
| | Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres All Lapinus (r) products = Note Q fibres | | | | |
| 10 | Lapinus® RB250 | | | | |
| 10 | bag 25 kg - pallet 625 kg | | | | |
| | 29508 | 625,00 | 625,00 | 2.566,29 | 1.603,93 |
| | 29300 | KG | KG | 1.000 KG | , |
| | Stat. No.: 68061000 | | | | |
| | Delivery No/Date: 33485654 / 05.09.2022 | | | | |
| | Country of origin: NL | | | | |
| | Sound y or origina 112 | | | | |
| 20 | Promaxon-D | | | | |
| | bag 15 kg pallet 210 kg | | | | |
| | Synthetic hydrated calcium silicate | | | | |
| | 136919 | 630,00 | 630,00 | 4.430,00 | 2.790,90 |
| | | KG | KG | 1.000 KG | |
| | Stat. No.: 28399000 | | | | |
| | | | | | |

Number

Delivery No/Date: 33485654 / 05.09.2022

Country of origin: BE

Amount excl. VAT 4.394,83
Output Tax 0,00 % 0,00

Delivery date: Terms of delivery:

Payment term:

05.09.2022 -FCA Roermond 60 days net

Gross/Nett weight:

1.355,650 / 1.255 KG

Transp. volume:

8,805 M3

Delivery address: 15456 Rane Brake Lining Ltd.

Plot No. 30

IEC Number 0488032644 Ambattur Industrial Estate

Chennai 600050

India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592 Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.



Part of the ROCKWOOL Group

INVOICE

Invoice address: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Invoice no. / date:

163847356 / 05.09.2022

Page 2 / 2



 Item
 Material
 Number
 Quantity
 Price
 Amount

 Material description
 Unit
 Unit
 Unit

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC





For attn of

Date

06-09-2022

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client

Rane Brake Lining Ltd.

Client-orderno

4800175175

Lapinus orderno

9145996

Product:

Promaxon-D

bag 15 kg pallet 210 kg

Synthetic hydrated calcium silicate

Total order Qty:

630 kg

Batch no. Batch Qty:

2231073 - 210 kg

Batch no. Batch Qty:

2231090 - 420 kg

Product:

Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty:

625 kg

Batch no. Batch Qty:

55566676 - 625 kg

Kind regards

Customer Services

Lapinus ROCKWOOL B.V. Industrieweg 15 6045 JG Roermond PO Box 1160 6040 KD Roermond The Netherlands

cs@lapinus.com www.lapinus.com

This document is automatically generated and therefore contains no signature. LF007/F03 / June 1994



Promat

Bormstraat 24 B-2830 Tisselt Belgium T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B

Energieweg 3 6045 JE Roermond

Nederland

PO 4504152757 article n° 136919 Loading date 16/08/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

| ВАТО | CH NR. | | PRODUCTION DATE | BULK DENSITY g/l | PARTICLE SIZE d(50) (µm) | COARSE PART (%) > 254 µ | MOISTURE % | WEIGHT (kg) |
|-------|--------|---|--------------------|------------------------|-----------------------------------|----------------------------------|---------------|----------------|
| 22 26 | 011 | 1 | 28-jun-2022 | 99,20 | 50,80 | 0,00 | 1,88 | 210 |
| 22 26 | 011 | 2 | 28-jun-2022 | 99,20 | 50,80 | 0,00 | 1,88 | 210 |
| 22 31 | 050 | 1 | 02-aug-2022 | 111,40 | 51,90 | 0,00 | 1,32 | 210 |
| 22 31 | 050 | 2 | 02-aug-2022 | 111,40 | 51,90 | 0,00 | 1,32 | 210 |
| 22 31 | 050 | 3 | 02-aug-2022 | 111,40 | 51,90 | 0,00 | 1,32 | 210 |
| 22 31 | 050 | 4 | 02-aug-2022 | 111,40 | 51,90 | 0,00 | 1,32 | 210 |
| 22 31 | 073 | 1 | 02-aug-2022 | 105,12 | 53,30 | 0,18 | 1,11 | 210 |
| 22 31 | 073 | 2 | 02-aug-2022 | 105,12 | 53,30 | 0,18 | 1,11 | 210 |
| 22 31 | 073 | 3 | 02-aug-2022 | 105,12 | 53,30 | 0,18 | 1,11 | 210 |
| 22 31 | 073 | 4 | 02-aug-2022 | 105,12 | 53,30 | 0,18 | 1,11 | 210 |
| 22 31 | 073 | 5 | 02-aug-2022 | 105,12 | 53,30 | 0,18 | 1,11 | 210 |
| 22 31 | 073 | 6 | 02-aug-2022 | 105,12 | 53,30 | 0,18 | 1,11 | 210 |
| 22 31 | 073 | 7 | 02-aug-2022 | 105,12 | 53,30 | 0,18 | 1,11 | 210 |
| 22 31 | 073 | 8 | 02-aug-2022 | 105,12 | 53,30 | 0,18 | 1,11 | 210 |
| 22 31 | 081 | 1 | 02-aug-2022 | 105,32 | 57,30 | 0,21 | 0,95 | 210 |
| 22 31 | 081 | 2 | 02-aug-2022 | 105,32 | 57,30 | 0,21 | 0,95 | 210 |
| 22 31 | 081 | 3 | 02-aug-2022 | 105,32 | 57,30 | 0,21 | 0,95 | 210 |
| 22 31 | 081 | 4 | 02-aug-2022 | 105,32 | 57,30 | 0,21 | 0,95 | 210 |
| 22 31 | 090 | 1 | 02-aug-2022 | 100,48 | 56,00 | 0,24 | 0,85 | 210 |
| 22 31 | 090 | 2 | 02-aug-2022 | 100,48 | 56,00 | 0,24 | 0,85 | 210 |
| 22 31 | 090 | 3 | 02-aug-2022 | 100,48 | 56,00 | 0,24 | 0,85 | 210 |
| 22 31 | 090 | 4 | 02-aug-2022 | 100,48 | 56,00 | 0,24 | 0,85 | 210 |
| 22 31 | 090 | 5 | 02-aug-2022 | 100,48 | 56,00 | 0,24 | 0,85 | 210 |
| 22 31 | 090 | 6 | 02-aug-2022 | 100,48 | 56,00 | 0,24 | 0,85 | 210 |





Bormstraat 24 B-2830 Tisselt Belgium

T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B Energieweg 3

6045 JE Roermond

Nederland

PO 4504152757 article n° 136919 Loading date 16/08/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

| BATCH NR. | | | PRODUCTION DATE | BULK DENSITY g/I | PARTICLE SIZE d(50) (µm) | COARSE PART (%) > 254 µ | MOISTURE % | WEIGHT (kg) |
|-----------|-----|---|--------------------|------------------------|-----------------------------------|----------------------------------|---------------|----------------|
| 22 31 | 092 | 1 | 03-aug-2022 | 103,08 | 54,40 | 0,12 | 0,92 | 210 |
| 22 31 | 092 | 2 | 03-aug-2022 | 103,08 | 54,40 | 0,12 | 0,92 | 210 |
| 22 31 | 092 | 3 | 03-aug-2022 | 103,08 | 54,40 | 0,12 | 0,92 | 210 |
| 22 31 | 092 | 4 | 03-aug-2022 | 103,08 | 54,40 | 0,12 | 0,92 | 210 |
| 22 31 | 092 | 5 | 03-aug-2022 | 103,08 | 54,40 | 0,12 | 0,92 | 210 |
| 22 31 | 092 | 6 | 03-aug-2022 | 103,08 | 54,40 | 0,12 | 0,92 | 210 |
| 22 31 | 105 | 1 | 03-aug-2022 | 103,52 | 53,70 | 0,00 | 0,70 | 210 |
| 22 31 | 105 | 2 | 03-aug-2022 | 103,52 | 53,70 | 0,00 | 0,70 | 210 |
| 22 31 | 105 | 3 | 03-aug-2022 | 103,52 | 53,70 | 0,00 | 0,70 | 210 |
| 22 31 | 105 | 4 | 03-aug-2022 | 103,52 | 53,70 | 0,00 | 0,70 | 210 |
| 22 31 | 105 | 5 | 03-aug-2022 | 103,52 | 53,70 | 0,00 | 0,70 | 210 |
| 22 31 | 105 | 6 | 03-aug-2022 | 103,52 | 53,70 | 0,00 | 0,70 | 210 |
| 22 31 | 105 | 7 | 03-aug-2022 | 103,52 | 53,70 | 0,00 | 0,70 | 210 |
| 22 31 | 105 | 8 | 03-aug-2022 | 103,52 | 53,70 | 0,00 | 0,70 | 210 |
| 22 31 | 099 | 1 | 03-aug-2022 | 99,56 | 51,80 | 0,00 | 1,24 | 210 |
| 22 31 | 099 | 2 | 03-aug-2022 | 99,56 | 51,80 | 0,00 | 1,24 | 210 |
| 22 31 | 099 | 3 | 03-aug-2022 | 99,56 | 51,80 | 0,00 | 1,24 | 210 |
| 22 31 | 099 | 4 | 03-aug-2022 | 99,56 | 51,80 | 0,00 | 1,24 | 210 |
| 22 31 | 099 | 5 | 03-aug-2022 | 99,56 | 51,80 | 0,00 | 1,24 | 210 |
| 22 31 | 099 | 6 | 03-aug-2022 | 99,56 | 51,80 | 0,00 | 1,24 | 210 |
| 22 31 | 112 | 1 | 03-aug-2022 | 95,64 | 46,50 | 0,10 | 0,70 | 210 |
| 22 31 | 112 | 2 | 03-aug-2022 | 95,64 | 46,50 | 0,10 | 0,70 | 210 |
| 22 31 | 119 | 1 | 03-aug-2022 | 94,96 | 46,30 | 0,19 | 0,64 | 210 |
| 22 31 | 119 | 2 | 03-aug-2022 | 94,96 | 46,30 | 0,19 | 0,64 | 210 |



Test report Date : 11-8-2022

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1,

Prod. Date: 9-8-2022

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

| Batch no. | Fibre length | Results (micron) | | Limits (micron) | |
|-----------|--------------|--------------------|--------|-------------------|------|
| | | Min. | Max. | Min. | Max. |
| 55566676 | | 113,00 | 125,00 | 100 | 150 |

| Batch no. | Shotcontent | Results Min. | (%wt) Max. | Limits (%wt) Max. |
|-----------|---------------|-----------------|---------------|------------------------|
| 55566676 | Shot > 125 µm | 0,51 | 0,83 | 1.0 |

- 3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
- Our material is REACH registered and does not contain SVHC substances under REACH > 0.1%.
- 5 Country of origin: The Netherlands

| Site | Telephone number | Contact | Fax number |
|----------|------------------|------------------|----------------|
| | | | |
| Roermond | +31 475 353354 | Customer Service | +31 475 353677 |

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994