View/Print Label

print the label. dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to 1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the

pouch, affix the folded label using clear plastic shipping tape over the entire label. 2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a

- 3. Collection and Drop-off:
- To Schedule a Collection or find a UPS location, visit UPS.com · If you have a scheduled collection, have your shipment(s) ready for the driver as usual.

BALLOONIE UPS Access PointTM

KOEKWOND 80451G

9 NAAJANAIJU

KOEKWOND 9045BC **ORANJELAAN 73A** HOMERR SERVICEPOINT SHOW UPS Access PointTM

HOBO WINKENBERG UPS Access Point™

HERKENBOSCH 6075AG 42 HOOFDSTRAAT

LOLD HERE





Rane Brake Lining Ltd.
Attn. Mr. R. Narayanan
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 Chennai
India
+91 4426250566

Date

Our Reference

Subject

Roermond, 17/03/2021

7994102

Shipping docs

Dear Mr. R. Narayanan,

Please find enclosed the shipping documents of your PO 4800156080;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.

Laping

Customer Service Department

Corlna Hendriks

6045 JG Roermond / The Netherlands Industrieweg 15 Rockwool B.V.

Our ordernr : 7994102

Delivery nr : 32124485

Your ordernr: 4800156080

Container nr: MSDU1726683

Shipment nr.: 0006082461

For: Rane Brake Lining Ltd.

Ambattur Industrial Estate 600050 Chennai Plot No. 30, India



DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ¹ / m ² / kg	Total quantity per item in m ¹ / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimen: per p	Dimensions in m per package	
Lapinus [®] RB250, bag 25 25,0		1,00	1875,00	1875,000	1931,250	1210,00	1000,000	1300,00
Lapinus® KBC300, bag 25.0	625 Kilogram	Kg 1,00	625,00	625,000	643,750	1210,00	1000,00	1300,00
Fromaxon-D, bag is kg 15,0	l680 Kilogram	1,00	1680,00	1680,000	1898,400	1150,00	1150,00	1150,00
BS469411			TOTAL:	4180,000 Kgs	4473,400 Kgs			

Date: 15-03-2021

212 BAGS PACKED ON 12 PALLETS



Part of the ROCKWOOL Group

INVOICE

INDIA

Ordered by: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI

Lapinus

Oolby

Page 1 / 2

Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI

Invoice address: 15456

INDIA

Invoice no. / date:

163714999 / 15.03.2021

Order no. / date:

7994102 / 15.02.2021

Your reference:

4800156080

Contactperson: Corina Hendriks

 Item
 Material
 Number
 Quantity
 Price
 Amount

 Material description
 Unit
 Unit
 Unit

Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres All Lapinus (r) products = Note Q fibres

10 Lapinus® RB250

bag 25 kg - pallet 625 kg

29508 1.875,00 1.875,00 2.020,20 3.787,88

KG KG 1.000 KG

Stat. No.: 68061000

Delivery No/Date: 32124485 / 11.03.2021 Container Number: MSDU1726683/BS469411

Country of origin: NL

20 Lapinus® RBC300

bag 25 kg - pallet 625 kg

58071 625,00 625,00 850,00 531,25

KG KG 1.000 KG

Stat. No.: 68061000

Delivery No/Date: 32124485 / 11.03.2021 Container Number: MSDU1726683/BS469411

Country of origin: NL

Delivery date: 11.03.2021 Terms of delivery: FCA Roermond
Payment term: 60 days net

Gross/Nett weight: 4.473,400 / 4.180 KG

Transp. volume: 25,980 M3

Delivery address: 15456
Rane Brake Lining Ltd.

Plot No. 30

IEC Number 0488032644 Ambattur Industrial Estate

Chennai 600050

India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592 Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.



Part of the ROCKWOOL Group

INVOICE

Invoice address: 15456 Rane Brake Lining Ltd. Plot No. 30,

IEC Number 0488032644 Ambattur Industrial Estate 600050 CHENNAI

INDIA

Invoice no. / date:

163714999 / 15.03.2021

Page 2 / 2



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
30	Promaxon-D				
	bag 15 kg pallet 210 kg				
	Synthetic hydrated calcium silicate				
	136919	1.680,00	1.680,00	3.636,00	6.108,48
		KG	KG	1.000 KG	
	Stat. No.: 28399000				
	Delivery No/Date: 32124485 / 11.03.2021				
	Container Number: MSDU1726683/BS469411				
	Country of origin: BE				
	Amount excl. VAT				10.427,61
	Output Tax		0,00		0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR 10.427,61





For attn of

Date 16-03-2021

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Rane Brake Lining Ltd.

Client-orderno 4800156080

Lapinus orderno 7994102

Product: PROMAXON-D

BAG 15 KG PALLET 210 KG

Synthetic hydrated calcium silicate

Total order Qty: 1.680 kg

Batch no. Batch Qty: 2109234 - 420 kg
Batch no. Batch Qty: 2109218 - 420 kg
Batch no. Batch Qty: 2109226 - 630 kg
Batch no. Batch Qty: 2109069 - 210 kg

Product: Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 1.875 kg

Batch no. Batch Qty: 39092893 - 1.875 kg

Product: Lapinus® RBC300

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 625 kg

Batch no. Batch Qty: 39812343 - 625 kg

Kind regards

Customer Services

Lapinus ROCKWOOL B.V. Industrieweg 15 6045 JG Roermond PO Box 1160 6040 KD Roermond The Netherlands

cs@lapinus.com www.lapinus.com



Part of the ROCKWOOL Group

This document is automatically generated and therefore contains no signature. LF007/F03 / June 1994 $\,$



321

Bormstraat 24 B-2830 Tisselt Belgium

Belgium T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B Energieweg 3

6045 JE Roermond

Nederland

PO 4503590933 article n° 136919 Loading date 05/03/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

ВАТ	CH NF	₹.	PRODUCTION DATE	BULK DENSITY g/I	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 μ	MOISTURE %	WEIGHT (kg)
21 09	032	1	01-mrt-2021	110,00	53,60	0,76	2,27	210
21 09	032	2	01-mrt-2021	110,00	53,60	0,76	2,27	210
21 09	032	3	01-mrt-2021	110,00	53,60	0,76	2,27	210
21 09	032	4	01-mrt-2021	110,00	53,60	0,76	2,27	210
21 09	032	5	01-mrt-2021	110,00	53,60	0,76	2,27	210
21 09	032	6	01-mrt-2021	110,00	53,60	0,76	2,27	210
21 09	053	1	01-mrt-2021	110,48	52,40	0,06	1,84	210
21 09	053	2	01-mrt-2021	110,48	52,40	0,06	1,84	210
21 09	053	3	01-mrt-2021	110,48	52,40	0,06	1,84	210
21 09	053	4	01-mrt-2021	110,48	52,40	0,06	1,84	210
21 09	053	5	01-mrt-2021	110,48	52,40	0,06	1,84	210
21 09	053	6	01-mrt-2021	110,48	52,40	0,06	1,84	210
21 09	063	1	02-mrt-2021	98,48	51,60	0,19	<u>1,</u> 44	210
21 09	063	2	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09	063	3	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09	063	4	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09	063	5	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09	063	6	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09	063	7	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09	063	8	02-mrt-2021	98,48	51,60	0,19	1,44	210
21 09	069	1	02-mrt-2021	113,64	45,60	0,00	2,41	210
21 09	069	2	02-mrt-2021	113,64	45,60	0,00	2,41	210
21 09	069	3	02-mrt-2021	113,64	45,60	0,00	2,41	210
21 09	069	4	02-mrt-2021	113,64	45,60	0,00	2,41	210
21 09	069	5	02-mrt-2021	113,64	45,60	0,00	2,41	210
21 09	069	6	02-mrt-2021	113,64	45,60	0,00	2,41	210



Bormstraat 24 B-2830 Tisselt

Belgium T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B Energieweg 3 6045 JE Roermond

Nederland

PO 4503590933 article n° 136919 Loading date 05/03/2021



ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

BAT	CH NF	₹.	PRODUCTION DATE	BULK DENSITY g/I	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 09	072	1	02-mrt-2021	111,20	51,60	0,00	1,01	210
21 09	072	2	02-mrt-2021	111,20	51,60	0,00	1,01	210
21 09	072	3	02-mrt-2021	111,20	51,60	0,00	1,01	210
21 09	072	4	02-mrt-2021	111,20	51,60	0,00	1,01	210
21 09	072	5	02-mrt-2021	111,20	51,60	0,00	1,01	210
21 09	072	6	02-mrt-2021	111,20	51,60	0,00	1,01	210
21 09	080	1	02-mrt-2021	111,96	50,00	0,13	2,21	210
21 09	080	2	02-mrt-2021	111,96	50,00	0,13	2,21	210
21 09	080	3	02-mrt-2021	111,96	50,00	0,13	2,21	210
21 09	080	4	02-mrt-2021	111,96	50,00	0,13	2,21	210
21 09	080	5	02-mrt-2021	111,96	50,00	0,13	2,21	210
21 09	080	6	02-mrt-2021	111,96	50,00	0,13	2,21	210
21 09	090	1	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09	090	2	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09	090	3	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09	090	4	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09	090	5	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09	090	6	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09	090	7	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09	090	8	02-mrt-2021	110,64	54,10	0,31	1,61	210
21 09	099	1	02-mrt-2021	114,88	55,00	0,36	1,38	210
21 09	099	2	02-mrt-2021	114,88	55,00	0,36	1,38	210

10.080

Bormstraat 24 B-2830 Tisselt Belgium

Belgium T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B

Energieweg 3 6045 JE Roermond

Nederland

PO 4503593510 article n° 136919 Loading date 10/03/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

BAT	CH NF	₹.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 09	140	3	03-mrt-2021	105,52	53,60	0,57	2,61	210
21 09	140	4	03-mrt-2021	105,52	53,60	0,57	2,61	210
21 09	140	5	03-mrt-2021	105,52	53,60	0,57	2,61	210
21 09	140	6	03-mrt-2021	105,52	53,60	0,57	2,61	210
21 09	163	1	03-mrt-2021	114,08	47,10	0,31	1,31	210
21 09	163	2	03-mrt-2021	114,08	47,10	0,31	1,31	210
21 09	163	3	03-mrt-2021	114,08	47,10	0,31	1,31	210
21 09	163	4	03-mrt-2021	114,08	47,10	0,31	1,31	210
21 09	163	5	03-mrt-2021	114,08_	47,10	0,31	1,31	210
21 09	163	6	03-mrt-2021	114,08	47,10	0,31	1,31	210
21 09	168	1	03-mrt-2021	112,84	52,90	0,22	1,66	210
21 09	168	2	03-mrt-2021	112,84	52,90	0,22	1,66	210
21 09	168	3	03-mrt-2021	112,84	52,90	0,22	1,66	210
21 09	168	4	03-mrt-2021	112,84	52,90	0,22	1,66	210
21 09	168	5	03-mrt-2021	112,84	52,90	0,22	1,66	210
21 09	168	6	03-mrt-2021	112,84	52,90	0,22	1,66	210
21 09	168	7	03-mrt-2021	112,84	52,90	0,22	1,66	210
21 09	168	8	03-mrt-2021	112,84	52,90	0,22	1,66	210
21 09	178	1	04-mrt-2021	95,96	52,70	0,11	1,36	210
21 09	178	2	04-mrt-2021	95,96	52,70	0,11	1,36	210
21 09	178	3	04-mrt-2021	95,96	52,70	0,11	1,36	210
21 09	178	4	04-mrt-2021	95,96	52,70	0,11	1,36	210
21 09	218	1	04-mrt-2021	108,64	54,60	0,52	2,42	210
21 09	218	2	04-mrt-2021	108,64	54,60	0,52	2,42	210
21 09	218	3	04-mrt-2021	108,64	54,60	0,52	2,42	210
21 09	218	4	04-mrt-2021	108,64	54,60	0,52	2,42	210



Bormstraat 24 B-2830 Tisselt Belgium

T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B

Energieweg 3 6045 JE Roermond

Nederland

PO 4503593510 article n° 136919 Loading date 10/03/2021



ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

ВАТ	CH N	₹.	PRODUCTION DATE	BULK DENSITY g/I	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 09	218	5	04-mrt-2021	108,64	54,60	0,52	2,42	210
21 09	218	6	04-mrt-2021	108,64	54,60	0,52	2,42	210
21 09	222	1	04-mrt-2021	108,48	54,20	0,54	2,83	210
21 09	222	2	04-mrt-2021	108,48	54,20	0,54	2,83	210
21 09	222	3	04-mrt-2021	108,48	54,20	0,54	2,83	210
21 09	222	4	04-mrt-2021	108,48	54,20	0,54	2,83	210
21 09	222	5	04-mrt-2021	108,48	54,20	0,54	2,83	210
21 09	222	6	04-mrt-2021	108,48	54,20	0,54	2,83	210
21 09	226	1	04-mrt-2021	113,56	53,30	0,54	2,73	210
21 09	226	2	04-mrt-2021	113,56	53,30	0,54	2,73	210
21 09	226	3	04-mrt-2021	113,56	53,30	0,54	2,73	210
21 09	226	4	04-mrt-2021	113,56	53,30	0,54	2,73	210
21 09	226	5	04-mrt-2021	113,56	53,30	0,54	2,73	210
21 09	226	6	04-mrt-2021	113,56	53,30	0,54	2,73	210
21 09	226	7	04-mrt-2021	113,56	53,30	0,54	2,73	210
21 09	226	8	04-mrt-2021	113,56	53,30	0,54	2,73	210
21 09	234	1	04-mrt-2021	110,04	52,90	0,00	2,61	210
21 09	234	2	04-mrt-2021	110,04	52,90	0,00	2,61	210
21 09	234	3	04-mrt-2021	110,04	52,90	0,00	2,61	210
21 09	234	4	04-mrt-2021	110,04	52,90	0,00	2,61	210
21 09	234	5	04-mrt-2021	110,04	52,90	0,00	2,61	210
21 09	234	6	04-mrt-2021	110,04	52,90	0,00	2,61	210
								10.080



Test report Date : 22-2-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date: 21-2-2021

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results	(micron)	Limits (micron)
		Min.	Max.	Min.	Max.
39092893		113,00	125,00	100	150

Batch no.	Shotcontent	Results Min.	(%wt) Max.	Limits (%wt) Max.
39092893	Shot > 125 μm	0,58	0,76	1.0

- 3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
- 4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994





Test report Date : 15-3-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date: 13-3-2021

Product : Lapinus® RBC300

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results	(micron)	Limits (micron)
		Min.	Max.	Min.	Max.
39812343		110,00	110,00	105	200

Batch no.	Shotcontent	Results	(%wt)	Limits (%wt)
		Min.	Max.	Max.
39812343	Shot > 125 μm	18,66	21,65	30.0

- 3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
- 4. Our material is REACH registered and does not contain SVHC substances under REACH > 0.1%.

Site	Telephone number	Contact	Fax number
			04 475 050077
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994