

## View/Print Label





1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. Collection and Drop-off:
  - If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
  - To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Point™  
 HUBO MINKENBERG  
 42 HOOFDSTRAAT  
 HERKENBOSCH

UPS Access Point™  
 DE KEMPENIER  
 KEMPWEG,56  
 ROERMOND

UPS Access Point™  
 GROENLJF  
 JULIANALAAN, 36A  
 ROERMOND

FOLD HERE

CORINA HENDRIKS 0475353917 ROCKWOOL B.V. LAPINUS DELSTOFFENWEG 2 6045JH ROERMOND NETHERLANDS		0.0 KG	ENV	1 OF 1
SHIP TO: MR. R. NARAYANAN 91 4426250566 RANE BRAKE LINING LTD AMBATTUR INDUSTRIAL ESTATE PLOT NO. 30 CHENNAI 600050 INDIA		SHIP#: 1870 WRBZ QYH SHIP WT: 0.0 KG DATE: 07 FEB 2020		
		IND 012 9-00 		
UPS SAVER		1P		
TRACKING #: 1Z 187 0WR 04 2736 4065				
				
BILLING: P/P DESC: DOCUMENTS		EDI-DOC		
Invoice No.: LP 7169203		XOL 20.01.33 NV45 83.0A 12/2019 		

Rane Brake Lining Ltd.  
Attn. Mr. R. Narayanan  
Plot No. 30,  
IEC Number 0488032644  
Ambattur Industrial Estate  
600050 Chennai  
India  
+91 4426250566

Date  
Roermond, 07/02/2020

Our Reference  
7169203

Subject  
Shipping docs

Dear Mr. R. Narayanan,

Please find enclosed the shipping documents of your PO 4800144852;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.

Lapinus

**Customer Service Department**

Corina Hendriks

**INVOICE**
**Invoice address: 15456**

Rane Brake Lining Ltd.  
Plot No. 30,  
IEC Number 0488032644  
Ambattur Industrial Estate  
600050 CHENNAI  
INDIA

**Ordered by: 15456**

Rane Brake Lining Ltd.  
Plot No. 30,  
IEC Number 0488032644  
Ambattur Industrial Estate  
600050 CHENNAI  
INDIA

Invoice no. / date: 163607626 / 06.02.2020  
Order no. / date: 7169203 / 13.01.2020  
Your reference: 4800144852  
Contactperson: Corina Hendriks

Page 1 / 2



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres All Lapinus (r) products = Note Q fibres				
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	3.125,00 KG	3.125,00 KG	2.020,20 1.000 KG	6.313,13
	Stat. No.: 68061000 Delivery No/Date: 31198358 / 04.02.2020 Container Number: MEDU2395495/BS356121 Country of origin: NL				
20	Lapinus® RBC300 bag 25 kg - pallet 625 kg 58071	3.125,00 KG	3.125,00 KG	850,00 1.000 KG	2.656,25
	Stat. No.: 68061000 Delivery No/Date: 31198358 / 04.02.2020 Container Number: MEDU2395495/BS356121 Country of origin: NL				

Delivery date: 04.02.2020 -  
Terms of delivery: FCA Roermond  
Payment term: 60 days net  
  
Gross/Nett weight: 8.335,900 / 7.930 KG  
Transp. volume: 37,230 M3

**Delivery address: 15456**

Rane Brake Lining Ltd.  
Plot No. 30  
IEC Number 0488032644  
Ambattur Industrial Estate  
Chennai 600050  
India

Lapinus, ROCKWOOL B.V, Postbus 1160, 6040 KD Roermond, Industrieweg 15, 6045 JG Roermond, The Netherlands  
T +31 (0) 475 35 35 35, E cs@lapinus.com,  
KvK Nederland 13014428 VAT NL0016.96.592.B01 ING BANK N.V. NL87 INGB 0674 2921 11 BIC/SWIFT INGBNL2A

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

**INVOICE**

**Invoice address: 15456**  
 Rane Brake Lining Ltd.  
 Plot No. 30,  
 IEC Number 0488032644  
 Ambattur Industrial Estate  
 600050 CHENNAI  
 INDIA



**ROCKWOOL B.V.**  
 P.O. Box 1160  
 6040 KD Roermond  
 The Netherlands

Invoice no. / date: 163607626 / 06.02.2020 Page 2 / 2

Item	Material Material description	Number Unit	Quantity Unit	Price Unit	Amount
30	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919	1.680,00 KG	1.680,00 KG	3.636,00 1.000 KG	6.108,48
Stat. No.: 28399000 Delivery No/Date: 31198358 / 04.02.2020 Container Number: MEDU2395495/BS356121 Country of origin: BE					
Amount excl. VAT					15.077,86
Output Tax			0,00		0,00

**Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC**

EUR 15.077,86

Rockwool B.V.  
Industrieweg 15  
6045 JG Roermond / The Netherlands

Our order nr : 7169203  
Delivery nr : 31198358  
Your order nr : 4800144852  
Container nr : MEDU2395495

For: Rane Brake Lining Ltd.  
Plot No. 30,  
Ambattur Industrial Estate  
600050 Chennai  
India



Shipment nr.: 0005436664

## DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m <sup>3</sup> / m <sup>2</sup> / kg	Total quantity per item in m <sup>3</sup> / m <sup>2</sup> / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25,0	kg -pallet 625 kg	1,00	3125,00	3125,000	3218,750	1210,00 1000,00 1300,00
Lapinus® RBC300, bag 25,0	kg -pallet 625 kg	1,00	3125,00	3125,000	3218,750	1210,00 1000,00 1300,00
Promaxon-D, bag 15 kg	pallet 210 kg	1,00	1680,00	1680,000	1898,400	1150,00 1150,00 1150,00
TOTAL:				7930,000 Kgs	8335,900 Kgs	

BS356121

Date: 06-02-2020

PACKED ON 18 PALLETS



Part of the ROCKWOOL Group

For attn of

Date 07-02-2020

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Rane Brake Lining Ltd.

Client-orderno 4800144852

Lapinus orderno 7169203

**Product: Promaxon-D**  
**bag 15 kg pallet 210 kg**  
**Synthetic hydrated calcium silicate**

Total order Qty: 1.680 kg

Batch no. Batch Qty: 2004182 - 420 kg

Batch no. Batch Qty: 2004180 - 420 kg

Batch no. Batch Qty: 2004176 - 420 kg

Batch no. Batch Qty: 2003215 - 420 kg

**Product: Lapinus® RB250**  
**bag 25 kg - pallet 625 kg**

Total order Qty: 3.125 kg

Batch no. Batch Qty: 34084832 - 3.125 kg

**Product: Lapinus® RBC300**  
**bag 25 kg - pallet 625 kg**

Total order Qty: 3.125 kg

Batch no. Batch Qty: 34456276 - 3.125 kg

Kind regards

Customer Services

Lapinus  
ROCKWOOL B.V.  
Industrieweg 15  
6045 JG Roermond  
PO Box 1160  
6040 KD Roermond  
The Netherlands

cs@lapinus.com  
www.lapinus.com



Part of the ROCKWOOL Group

This document is automatically generated and therefore contains no signature.  
LF007/F03 / June 1994

**Promat****277**

Bormstraat 24  
B-2830 Tiselt  
Belgium  
T +32 (0)15 71 21 86  
F +32 (0)15 71 26 90  
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4503208252

article n° 136919

Loading date 28/01/2020

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
20 03 101 1	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 2	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 3	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 4	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 5	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 6	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 191 1	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 2	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 3	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 4	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 5	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 6	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 208 1	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 2	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 3	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 4	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 5	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 6	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 215 1	23-jan-2020	108,00	55,10	0,00	2,02	210
20 03 215 2	23-jan-2020	108,00	55,10	0,00	2,02	210
20 04 159 1	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 2	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 3	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 4	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 5	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 6	22-jan-2020	103,60	51,70	0,05	2,18	210



To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4503208252

article n° 136919

Loading date 28/01/2020

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
20 04 176 1	23-jan-2020	101,20	54,00	0,00	2,82	210
20 04 176 2	23-jan-2020	101,20	54,00	0,00	2,82	210
20 04 176 3	23-jan-2020	101,20	54,00	0,00	2,82	210
20 04 176 4	23-jan-2020	101,20	54,00	0,00	2,82	210
20 04 180 1	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 2	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 3	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 4	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 5	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 6	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 182 1	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 2	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 3	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 4	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 5	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 6	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 198 1	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 2	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 3	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 4	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 5	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 6	23-jan-2020	104,56	54,40	0,07	2,50	210

Test report Date : 27-1-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 26-1-2020

Product : Lapinus® RB250  
bag 25 kg - pallet 625 kg

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
34084832		113,00	125,00	100	150

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.	Max.	
34084832	Shot > 125 µm	0,48	0,79	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 22-1-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 21-1-2020

Product : Lapinus® RBC300  
bag 25 kg - pallet 625 kg

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
34456276		110,00	110,00	105	200

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.	Max.	
34456276	Shot > 125 µm	17,55	19,16	30.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.