## View/Print Label

- 1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
- 2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
- 3. Collection and Drop-off:
  - o If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
  - o To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Point™ HUBO MINKENBERG

42 HOOFDSTRAAT HERKENBOSCH 6075AG UPS Access Point™
HOMERR SERVICEPOINT SHOW
MOBILE
ORANJELAAN 73A
ROERMOND 6042BC

UPS Access Point™ BALLOONIE

JULIANALAAN 6 ROERMOND 6042JG

### FOLD HERE





Danblock Brakes India PVT Ltd Village – Joshi Chohan PO – Bahalgarh Sonepat 131021 Haryana India

Date Reference Subject

Roermond 28/04/23 9534656 Shipping documents

Dear Mr. Kumar Tashvit,

Please find enclosed the original shipping documents of order 5200036712:

- Invoice (1 original)
- Detailed packing list (1 original)
- Certificate of analysis (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.

Lapinus

**Customer Service Department** 

Jenny Schreurs



## Part of the ROCKWOOL Group

## INVOICE

Invoice address: 37697 Danblock Brakes India PVT LTD Village - Joshi Chohan IEC Number 0507056027 PO - Bahalgarh Sonepat 131021 HARYANA

INDIA

Item

Payer: 37697 Danblock Brakes India PVT LTD Village - Joshi Chohan IEC Number 0507056027 PO - Bahalgarh Sonepat 131021 Haryana INDIA

Ordered by: 37697 Danblock Brakes India PVT LTD Village - Joshi Chohan IEC Number 0507056027 PO - Bahalgarh Sonepat 131021 HARYANA INDIA

Invoice no. / date:

163918291 / 26.04.2023

Page 1 / 1

Order no. / date:

9534656 / 03.04.2023

Your reference: Contactperson: 5200036712 Jenny Schreurs

erlands Quantity Price Amount Number Unit Unit Unit

Material description Country of origin: Belgium

Country of acquisition: The Netherlands
Description of goods: Synthetic Hydrated Calcium Silicate

10 Promaxon-D

Material

bag 15 kg pallet 210 kg

Synthetic hydrated calcium silicate

4.200.00 5.080.00 21,336,00 4 200 00 136919

1.000 KG KG KG

Stat. No.: 28399000

Delivery No/Date: 33980618 / 26.04.2023 Container Number: BSIU2854135/BS575907

Country of origin: BE

21.336,00 Amount excl. VAT Output Tax 0.00 % 0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

**EUR** 21.336,00

Delivery date: Terms of delivery:

Payment term:

26.04.2023 -FCA Roermond 60 days net

Gross/Nett weight: Transp. volume:

4.746 / 4.200 KG 46,200 M3

Delivery address: 37697 Danblock Brakes India PVT LTD Village - Joshi Chohan IEC Number 0507056027 PO - Bahalgarh Sonepat Haryana 131021

India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592 Bank: ING BANK N.V. | IBAN: NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Prices, delivery date and freight cost may be subject to change, actual freight cost will be invoiced.

6045 JG Roermond / The Netherlands Industrieweg 15 Rockwool B.V.

Our ordernr : 9534656

**Delivery nr** : 33980618

Your ordernr: 5200036712

For: Danblock Brakes India PVT LTD Village - Joshi Chohan PO - Bahalgarh Sonepat

131021 Haryana India

▲ Lapinus<sup>®</sup>

# DETAILED PACKING LIST

Shipment nr.: 0007426431	3431 Container nr :	BSIU2854135			7		
Product and dimensions	Type and number of packages	Contents per package in m¹/m²/kg	Total quantity per item in m¹ / m² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package	
Promaxon-D, bag 15 kg 15,0	pallet 210 kg 280 Bags	1,00	4200,00	4200,000	4746,000	1150,00 1150,00 1	1150,00
BS575907			TOTAL:	4200,000 <b>Kgs</b>	4746,000 <b>Kgs</b>		

Date: 26-04-2023

Packed on 20 pallets





For attn of

Mr./ Mrs.

Date

28-04-2023

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client

Danblock Brakes India PVT LTD

Client-orderno

5200036712

Lapinus orderno

9534656

Product:

Promaxon-D

bag 15 kg pallet 210 kg

Synthetic hydrated calcium silicate

Total order Qty:

4.200 kg

Batch no. Batch Qty:

2308101 - 840 kg

Batch no. Batch Qty:

2308118 - 210 kg

Batch no. Batch Qty:

2308119 - 840 kg

Batch no. Batch Qty:

2308127 - 1.050 kg

Batch no. Batch Qty:

2308037 - 420 kg

Batch no. Batch Qty:

2308062 - 420 kg

Batch no. Batch Qty:

2308075 - 420 kg

Kind regards

**Customer Services** 

Lapinus ROCKWOOL B.V. Industrieweg 15 6045 JG Roermond PO Box 1160 6040 KD Roermond The Netherlands

cs@lapinus.com www.lapinus.com





Bormstraat 24 B-2830 Tisselt Belgium

T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B Energieweg 3 6045 JE Roermond

Nederland

PO 4504353390 article n° 136919 Loading date 09/03/2023

# ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

BAT	CH NF	₹.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 μ	MOISTURE %	WEIGHT (kg)
23 07	088	1	15-Feb-23	102,80	55,40	0,00	2,22	210
23 07	088	2	15-Feb-23	102,80	55,40	0,00	2,22	210
23 07	088	3	15-Feb-23	102,80	55,40	0,00	2,22	210
23 07	088	4	15-Feb-23	102,80	55,40	0,00	2,22	210
23 07	088	5	15-Feb-23	102,80	55,40	0,00	2,22	210
23 07	088	6	15-Feb-23	102,80	55,40	0,00	2,22	210
23 07	096	1	15-Feb-23	105,60	55,40	0,34	1,34	210
23 07	096	2	15-Feb-23	105,60	55,40	0,34	1,34	210
23 07	380	1	21-Feb-23	105,60	53,50	·0,91	2,03	210
23 07	380	2	21-Feb-23	105,60	53,50	0,91	2,03	210
23 07	380	3	21-Feb-23	105,60	53,50	0,91	2,03	210
23 07	380	4	21-Feb-23	105,60	53,50	0,91	2,03	210
23 07	380	5	21-Feb-23	105,60	53,50	0,91	2,03	210
23 07	380	6	21-Feb-23	105,60	53,50	0,91	2,03	210
23 07	380	7	21-Feb-23	105,60	53,50	0,91	2,03	210
23 07	380	8	21-Feb-23	105,60	53,50	0,91	2,03	210
23 08	003	1	20-Feb-23	103,76	54,50	0,89	2,78	210
23 08	003	2	20-Feb-23	103,76	54,50	0,89	2,78	210
23 08	003	3	20-Feb-23	103,76	54,50	0,89	2,78	210
23 08	003	4	20-Feb-23	103,76	54,50	0,89	2,78	210
23 08	007	1	20-Feb-23	106,08	54,10	0,29	1,87	210
23 08	007	2	.20-Feb-23	106,08	54,10	0,29	1,87	210
23 08	007	3	20-Feb-23	106,08	54,10	0,29	1,87	210
23 08	007	4	20-Feb-23	106,08	54,10	0,29	1,87	210





Bormstraat 24 B-2830 Tisselt Belgium T +32 (0)15 71 21

T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

Nederland

For Customer: Rockwool BV

Gate B Energieweg 3 6045 JE Roermond

PO 4504353390 article n° 136919 Loading date 09/03/2023

# ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

ВАТ	CH NF	₹.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
23 08	007	5	20-Feb-23	106,08	54,10	0,29	1,87	210
23 08	007	6	20-Feb-23	106,08	54,10	0,29	1,87	210
23 08	035	1	21-Feb-23	104,68	50,30	0,05	2,28	210
23 08	035	2	21-Feb-23	104,68	50,30	0,05	2,28	210
23 08	035	3	21-Feb-23	104,68	50,30	0,05	2,28	210
23 08	035	4	21-Feb-23	104,68	50,30	0,05	2,28	210
23 08	035	5	21-Feb-23	104.68	50,30	0,05	2,28	210
23 08	035	6	21-Feb-23	104,68	50,30	0,05	2,28	210
23 08	035	7	21-Feb-23	104,68	50,30	0,05	2,28	210
23 08	035	8	21-Feb-23	104,68	50,30	0,05	2,28	210
23 08	037	3	21-Feb-23	110,24	52,30	0,05	1,95	210
23 08	037	4	21-Feb-23	110,24	52,30	0,05	1,95	210
23 08	037	5	21-Feb-23	110,24	52,30	0,05	1,95	210
23 08	037	6	21-Feb-23	110,24	52,30	0,05	1,95	210
23 08	053	1	21-Feb-23	103,12	53,10	0,32	1,45	210
23 08	053	2	21-Feb-23	103,12	53,10	0,32	1,45	210
23 08	053	3	21-Feb-23	103,12	53,10	0,32	1,45	210
23 08	053	4	21-Feb-23	103,12	53,10	0,32	1,45	210
23 08	053	5	21-Feb-23	103,12	53,10	0,32	1,45	210
23 08	053	6	21-Feb-23	103,12	53,10	0,32	1,45	210
23 08	075	3	21-Feb-23	108,80	53,80	0,33	2,29	210
23 08	075	4	21-Feb-23	108,80	53,80	0,33	2,29	210
23 08	075	5	21-Feb-23	108,80	53,80	0,33	2,29	210
23 08	075	6	21-Feb-23	108,80	53,80	0,33	2,29	210

10080



Bormstraat 24 B-2830 Tisselt Belgium

T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B

Energieweg 3 6045 JE Roermond

Nederland

PO 4504370843 article n° 136919 Loading date 05/04/2023

# ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

ВАТ	CH NF	₹.	PRODUCTION DATE	BULK DENSITY g/I	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
23 08	037	1	21-Feb-23	110,24	52,30	0,05	1,95	210
23 08	037	2	21-Feb-23	110,24	52,30	0,05	1,95	210
23 08	062	1	21-Feb-23	107,72	55,50	0,53	2,07	210
23 08	062	2	21-Feb-23	107,72	55,50	0,53	2,07	210
23 08	062	3	21-Feb-23	107,72	55,50	0,53	2,07	210
23 08	062	4	21-Feb-23	107,72	55,50	0,53	2,07	210
23 08	062	5	21-Feb-23	107,72	55,50	0,53	2,07	210
23 08	062	6	21-Feb-23	107,72	55,50	0,53	2,07	210
23 08	062	7	21-Feb-23	107,72	55,50	0,53	2,07	210
23 08	062	8	21-Feb-23	107,72	55,50	0,53	2,07	210
23 08	070	1	22-Feb-23	112,08	52,30	0,00	1,47	210
23 08	070	2	22-Feb-23	112,08	52,30	0,00	1,47	210
23 08	070	3	22-Feb-23	112,08	52,30	0,00	1,47	210
23 08	070	4	22-Feb-23	112,08	52,30	0,00	1,47	210
23 08	070	5	22-Feb-23	112,08	52,30	0,00	1,47	210
23 08	070	6	22-Feb-23	112,08	52,30	0,00	1,47	210
23 08	075	1	21-Feb-23	108,80	53,80	0,33	2,29	210
23 08	075	2	21-Feb-23	108,80	53,80	0,33	2,29	210
23 08	101	1	22-Feb-23	108,96	50,90	0,00	2,30	210
23 08	101	2	22-Feb-23	108,96	50,90	0,00	2,30	210
23 08	101	3	22-Feb-23	108,96	50,90	0,00	2,30	210
23 08	101	4	22-Feb-23	108,96	50,90	0,00	2,30	210
23 08	101	5	22-Feb-23	108,96	50,90	0,00	2,30	210
23 08	101	6	22-Feb-23	108,96	50,90	0,00	2,30	210



Bormstraat 24 B-2830 Tisselt Belgium T +32 (0)15 71 21

T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B

Energieweg 3 6045 JE Roermond

Nederland

PO 4504370843 article n° 136919 Loading date 05/04/2023

# ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

				BULK	PARTICLE	COARSE		MEIOLIF
BAT	CH NF	₹.	PRODUCTION	DENSITY	SIZE	PART (%) > 254 μ	MOISTURE %	WEIGHT (kg)
D,	011141	••	DATE	g/l	d(50)			
					(hm)	> 254 µ		
23 08	118	3	22-Feb-23	105,80	51,40	0,39	1,52	210
23 08	118	4	22-Feb-23	105,80	51,40	0,39	1,52	210
23 08	118	5	22-Feb-23	105,80	51,40	0,39	1,52	210
23 08	118	6	22-Feb-23	105,80	51,40	0,39	1,52	210
23 08	119	1	22-Feb-23	102,20	50,50	0.53	1,42	210
23 08	119	2	22-Feb-23	102,20	50,50	0,53	1,42	210
23 08	119	3	22-Feb-23	102,20	50,50	0,53	1,42	210
23 08	119	4	22-Feb-23	102,20	50,50	0,53	1,42	210
23 08	119	5	22-Feb-23	102,20	50,50	0,53	1,42	210
23 08	119	6	22-Feb-23	102,20	50,50	0,53	1,42	210
23 08	127	1	22-Feb-23	105,44	53,70	0.38	1,68	210
23 08	127	2	22-Feb-23	105,44	53,70	0.38	1,68	210
23 08	127	3	22-Feb-23	105,44	53,70	0.38	1,68	210
23 08	127	4	22-Feb-23	105,44	53,70	0.38	1,68	210
23 08	127	5	22-Feb-23	105,44	53,70	0.38	1,68	210
23 08	127	6	22-Feb-23	105,44	53,70	0,38	1,68	210
23 08	127	7	22-Feb-23	105,44	53,70	0,38	1,68	210
23 08	127	8	22-Feb-23	105,44	53,70	0,38	1,68	210
23 09	196	5	2-Mar-23	102,00	52,90	00,0	1,42	210
23 09	196	6	2-Mar-23	102,00	52,90	0,00	1,42	210
23 09	398	1	7-Mar-23	99,32	46,20	0,00	1,78	210
23 09	398	2	7-Mar-23	99,32	46,20	0,00	1,78	210
23 09	398	3	7-Mar-23	99,32	46,20	00,0	1,78	210
23 09	398	4	7-Mar-23	99,32	46,20	0,00	1,78	210

10080