

View/Print Label





1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. Collection and Drop-off:
 - If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
 - To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Point™
HUBO MINKENBERG
42 HOOFDSTRAAT
HERKENBOSCH

UPS Access Point™
DE KEMPENIER
KEMPWEG,56
ROERMOND

UPS Access Point™
GROENLJF
JULIANALAAN, 36A
ROERMOND

FOLD HERE

CORINA HENDRIKS 047533917 ROCKWOOL B.V. LAPINUS DELFTOPEERWEG 2 6043JH ROERMOND NETHERLANDS	0.0 KG ENV 1 OF 1
SHIP TO: MR. VIKRAM RATHORE 91 9783809946 ALLIED JB FRICTION PVT LTD MAJRAKATH, NEEMRANA, DISTT ALWAR SP-2, 83884 NEW INDUSTRIAL COMPLEX RAJASTHAN 301705 INDIA	SHIP#: 1870 WRTF PRG SHIP WT: 0.0 KG DATE: 10 FEB 2020
	IND 024 6-00 
UPS SAVER	1P
TRACKING #: 1Z 187 0WR 04 9426 6214	
	
BILLING: P/P DESC: documents	EDI-DOC
Invoice No.: LF 71/6333	XOL 20.01.33 INV45 83.0A 12/2019 

Allied JB Friction Pvt. Ltd
IEC No: 0511056346
SP -2, 83 & 84, New Industrial Complex,
Majrakath, Neemrana, distt Alwar
301705 Rajasthan
India
Mr. Vikram Rathore
+91 9783809946

Date	Our Reference	Subject
Roermond, 10/02/20	7176333	Shipping docs

Dear Mr. Vikram Rathore,

Please find enclosed the shipping documents of your PO 19003323:

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.
Lapinus

Customer Service Department

Corina Hendriks

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 7176333

Delivery nr : 31220492

Your order nr : 19003323

Container nr : MEDU1235635

For: Allied JB Friction Pvt. Ltd

IEC No: 0511056346

SP-2 83 84 New Industrial

Complex

301705 Rajasthan

India



Shipment nr.: 0005451656

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ³ / m ² / kg	Total quantity per item in m ³ / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25,0	kg -pallet 625 kg 25 BAGS	1,00	625,00	625,000	643,750	1210,00 1000,00 1300,00
Lapinus® RB240, bag 16	kg -pallet 400 kg 175 BAGS	1,00	2800,00	2800,000	2931,600	1210,00 1000,00 1300,00
Lapinus® RB220ELS, bag	16 kg -pallet 400 kg 300 BAGS	1,00	4800,00	4800,000	5025,600	1210,00 1000,00 1300,00
TOTAL:				8225,000 Kgs	8600,950 Kgs	

BS356123

Date: 07-02-2020

PACKED ON 20 PALLETS

INVOICE
Invoice address: 92429

Allied JB Friction Pvt. Ltd
IEC No: 0511056346
GST no: 08AAJCA4545L1ZC
Majrakath, Neemrana, distt Alwar
SP-2 83 84 New Industrial Complex
301705 RAJASTHAN
INDIA

Ordered by: 92429

Allied JB Friction Pvt. Ltd
IEC No: 0511056346
GST no: 08AAJCA4545L1ZC
Majrakath, Neemrana, distt Alwar
SP-2 83 84 New Industrial Complex
301705 RAJASTHAN
INDIA



ROCKWOOL B.V.
P.O. Box 1160
6040 KD Roermond
The Netherlands

Invoice no. / date: 163607925 / 07.02.2020 Page 1 / 2
Order no. / date: 7176333 / 15.01.2020
Your reference: 19003323
Contactperson: Corina Hendriks

Item	Material Material description	Number Unit	Quantity Unit	Price Unit	Amount
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	625,00 KG	625,00 KG	1.990,00 1.000 KG	1.243,75
	Stat. No.: 68061000 Delivery No/Date: 31220492 / 05.02.2020 Container Number: MEDU1235635 Country of origin: NL				
20	Lapinus® RB240 bag 16 kg - pallet 400 kg 28444	2.800,00 KG	2.800,00 KG	2.550,00 1.000 KG	7.140,00
	Stat. No.: 68061000 Delivery No/Date: 31220492 / 05.02.2020 Container Number: MEDU1235635 Country of origin: NL				

Delivery date: 05.02.2020 -
Terms of delivery: FCA Roermond
Payment term: Advanced payment before del.

Gross/Nett weight: 8.600,950 / 8.225 KG
Transp. volume: 39,875 M3

Delivery address: 92429
Allied JB Friction Pvt. Ltd
IEC No: 0511056346
SP-2 83 84 New Industrial Complex
Rajasthan 301705
India

Lapinus, ROCKWOOL B.V, Postbus 1160, 6040 KD Roermond, Industrieweg 15, 6045 JG Roermond, The Netherlands
T +31 (0) 475 35 35 35, E cs@lapinus.com,
KvK Nederland 13014428 VAT NL0016.96.592.B01 ING BANK N.V. NL87 INGB 0674 2921 11 BIC/SWIFT INGBNL2A

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE
Invoice address: 92429

Allied JB Friction Pvt. Ltd

IEC No: 0511056346


GST no: 08AAJCA4545L1ZC

Majrakath, Neemrana, distt Alwar

SP-2 83 84 New Industrial Complex

301705 RAJASTHAN

INDIA


ROCKWOOL B.V.

P.O. Box 1160

6040 KD Roermond

The Netherlands

Invoice no. / date:

163607925 / 07.02.2020

Page 2 / 2

Item	Material Material description	Number Unit	Quantity Unit	Price Unit	Amount
30	Lapinus® RB220ELS bag 16 kg - pallet 400 kg 26909	4.800,00 KG	4.800,00 KG	3.610,00 1.000 KG	17.328,00
	Stat. No.: 68061000				
	Delivery No/Date: 31220492 / 05.02.2020				
	Container Number: MEDU1235635				
	Country of origin: NL				
	Amount excl. VAT				25.711,75
	Output Tax		0,00		0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR 25.711,75



Part of the ROCKWOOL Group

For attn of Mr./Mrs.
Date 10-02-2020

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Allied JB Friction Pvt. Ltd
Client-orderno 19003323
Lapinus orderno 7176333

Product: Lapinus® RB220ELS
bag 16 kg - pallet 400 kg

Total order Qty: 4.800 kg
Batch no. Batch Qty: 34025212 - 2.800 kg
Batch no. Batch Qty: 33345083 - 1.200 kg
Batch no. Batch Qty: 33630547 - 800 kg

Product: Lapinus® RB240
bag 16 kg - pallet 400 kg

Total order Qty: 2.800 kg
Batch no. Batch Qty: 34058541 - 2.800 kg

Product: Lapinus® RB250
bag 25 kg - pallet 625 kg

Total order Qty: 625 kg
Batch no. Batch Qty: 34084832 - 625 kg

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994

Test report Date : 12-12-2019

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 11-12-2019

Product : Lapinus® RB220ELS
bag 16 kg - pallet 400 kg

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
34025212		200,00	250,00	180	280

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
34025212	Shot > 63 µm	0,05	0,28	0.5	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 30-9-2019

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 27-9-2019

Product : Lapinus® RB220ELS
bag 16 kg - pallet 400 kg

2. Testresults

Batch no.	Fibre length	Results ()		Limits ()	
		Min.	Max.	Min.	Max.
33345083		180,00	250,00	180	280

Batch no.	Shotcontent	Results ()		Limits ()	
		Min.	Max.	Max.	
33345083	Shot > 63 µm	0,02	0,18	0.5	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03. / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 5-11-2019

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 3-11-2019

Product : Lapinus® RB220ELS
bag 16 kg - pallet 400 kg

2. Testresults

Batch no.	Fibre length	Results ()		Limits ()	
		Min.	Max.	Min.	Max.
33630547		180,00	250,00	180	280

Batch no.	Shotcontent	Results ()		Limits ()	
		Min.	Max.	Max.	
33630547	Shot > 63 µm	0,06	0,18	0.5	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 7-1-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 6-1-2020

Product : Lapinus® RB240
bag 16 kg - pallet 400 kg

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
34058541		250,00	325,00	250	350

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
34058541	Shot > 125 µm	0,08	0,16		0.2

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 27-1-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 26-1-2020

Product : Lapinus® RB250
bag 25 kg - pallet 625 kg

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
34084832		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
34084832	Shot > 125 µm	0,48	0,79	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.