




View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. Collection and Drop-off:
 - o If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
 - o To Schedule a Collection or find a UPS location, visit UPS.com

| | | |
|-------------------|-----------------|--------------------|
| UPS Access Point™ | HUBO MINKENBERG | HERKENBOSCH 6075AG |
| UPS Access Point™ | DE KEMPENIER | KEMPWEG,56 |
| UPS Access Point™ | ROERMOND 6045EJ | ROERMOND 6042BC |

FOLD HERE

| | | | |
|--------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------|--------|
| CORINA HENDRIKS 0475353917 ROCKWOOL B.V. LAPINUS DELSTOFFENWEG 2 6045IH ROERMOND NETHERLANDS | | ENV SHP#: 1870 WRSY HJK DATE: 15 APR 2022 | 1 OF 1 |
| SHIP TO: MR. R. SRIDHAR 91 4442205458 SUNDARAM BRAKE LININGS LTD PADI CHENNAI 600050 INDIA | | | |
|  | | IND 012 9-00  | |
| UPS SAVER | | 1P | |
| TRACKING #: 1Z 187 0WR 04 9111 4268 | | | |
|  | | | |
| BILLING: P/P DESC: documents | | EDI-DOC | |
| Invoice No.: LF 8866545 | |  TM | |
| XOL 22.04.15 NV45 16.04.04/2022* | | | |

Sundaram Brake Linings Ltd.,
TSK Puram
Padi, Chennai – 600050
India

Contact person: Mr. R Sridhar (AGM, Purchase)
Phone no: +91 9840208818
Email: rs@tvssbl.com

| | | |
|-----------|---------------|--------------------|
| Date | Our Reference | Subject |
| Roermond, | 8866545 | Shipping docs PO * |

Dear Mr. R. Sridhar,

Please find enclosed the shipping documents;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.
Lapinus

Customer Service Department

Corina Hendriks

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 8866545

Delivery nr : 33104786

Your order nr : *

Container nr : ZCSU7655490

For: Sundaram Brakes Linings

Limited

IEC Number 0488016908

TSK Puram Plant 2

626106 Tamil Nadu

India



DETAILED PACKING LIST

Shipment nr.: 0006797391

| Product and dimensions | Type and number of packages | Contents per package in m ³ / m ² / kg | Total quantity per item in m ³ / m ² / kg | Total net weight per item kgs | Total gross weight per item kgs | Dimensions in m per package |
|--------------------------|-----------------------------|--------------------------------------------------------------|-----------------------------------------------------------------|-------------------------------|---------------------------------|-----------------------------|
| Lapinus® RB250, bag 25,0 | kg -pallet 625 kg | 1,00 | 11250,00 | 11250,000 | 11587,500 | 1210,00 1000,00 1300,00 |
| Lapinus® RB220, bag 16,0 | kg -pallet 400 kg | 1,00 | 8400,00 | 8400,000 | 8794,800 | 1210,00 1000,00 1300,00 |
| Promaxon-D, bag 15,0 | pallet 210 kg | 1,00 | 210,00 | 210,000 | 237,300 | 1150,00 1150,00 1150,00 |
| TOTAL: | | | | 19860,000 Kgs | 20619,600 Kgs | |

BS533094

Date: 15-04-2022

989 BAGS PACKED ON 40 PALLETS

INVOICE
Invoice address: 106878

Sundaram Brakes Linings Limited
IEC Number 0488016908
GST:33AADCS4888E1Z8 PAN AADC
Kanjamanaickenpatti, Mustakurichi P.
Virudhunagar District
TSK Puram Plant 2
626106 TAMIL NADU
INDIA

Payer: 106878

Sundaram Brakes Linings Limited
IEC Number 0488016908
GST:33AADCS4888E1Z8 PAN AADCS4888
Kanjamanaickenpatti, Mustakurichi P.O.
Virudhunagar District
TSK Puram Plant 2
626106 Tamil Nadu
INDIA

Ordered by: 106878

Sundaram Brakes Linings Limited
IEC Number 0488016908
GST:33AADCS4888E1Z8 PAN AADCS4888E
Kanjamanaickenpatti, Mustakurichi P.O.
Virudhunagar District
TSK Puram Plant 2
626106 TAMIL NADU
INDIA

Invoice no. / date: 163821626 / 15.04.2022

Order no. / date: 8866545 / 15.03.2022

Your reference: *

Contactperson: Corina Hendriks

Page 1 / 2



ROCKWOOL B.V.
P.O. Box 1160
6040 KD Roermond
The Netherlands

| Item | Material | Number | Quantity | Price | Amount |
|------|------------------------------------------------------|-----------------|-----------------|----------------------|-----------|
| | Material description | Unit | Unit | Unit | |
| 10 | Lapinus® RB250 bag 25 kg - pallet 625 kg 29508 | 11.250,00 KG | 11.250,00 KG | 2.241,00 1.000 KG | 25.211,25 |

Stat. No.: 68061000

Delivery No/Date: 33104786 / 05.04.2022

Container Number: ZCSU7655490/BS533094

Country of origin: NL

| | | | | | |
|----|------------------------------------------------------|----------------|----------------|----------------------|-----------|
| 20 | Lapinus® RB220 bag 16 kg - pallet 400 kg 20154 | 8.400,00 KG | 8.400,00 KG | 2.558,00 1.000 KG | 21.487,20 |
|----|------------------------------------------------------|----------------|----------------|----------------------|-----------|

Stat. No.: 68061000

Delivery No/Date: 33104786 / 05.04.2022

Container Number: ZCSU7655490/BS533094

Country of origin: NL

Delivery date: 05.04.2022 -
Terms of delivery: FCA FCA Roermond
Payment term: 60 days net

Gross/Nett weight: 20.619,600 / 19.860 KG
Transp. volume: 78,060 M3

Delivery address: 106878

Sundaram Brakes Linings Limited
IEC Number 0488016908
TSK Puram Plant 2
Tamil Nadu 626106
India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands
T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NLO01696592
Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE
Invoice address: 106878

Sundaram Brakes Linings Limited
 IEC Number 0488016908
 GST:33AADCS4888E1Z8 PAN AADCS4888E
 Kanjamanaickenpatti, Mustakurichi P.O.
 Virudhunagar District
 TSK Puram Plant 2
 626106 TAMIL NADU
 INDIA

163821626 / 15.04.2022

Page 2 / 2



| Item | Material | Number | Quantity | Price | Amount |
|------|----------------------------------------------------------------------------------------|--------------|--------------|----------------------|--------|
| | Material description | Unit | Unit | Unit | |
| 30 | Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919 | 210,00 KG | 210,00 KG | 4.499,00 1.000 KG | 944,79 |

Stat. No.: 28399000

Delivery No/Date: 33104786 / 05.04.2022

Container Number: ZCSU7655490/BS533094

Country of origin: BE

Amount excl. VAT

Output Tax

0,00 %

47.643,24

0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR

47.643,24

For attn of to whom it may concern

Date 15-04-2022

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Sundaram Brakes Linings Limite

Client-orderno *

Lapinus orderno 8866545

Product: Promaxon-D
bag 15 kg pallet 210 kg
Synthetic hydrated calcium silicate

Total order Qty: 210 kg

Batch no. Batch Qty: 2209151 - 210 kg

Product: Lapinus® RB220
bag 16 kg - pallet 400 kg
bag 16 kg - pallet 400 kg~Note Q fibre

Total order Qty: 8.400 kg

Batch no. Batch Qty: 50426066 - 6.400 kg

Batch no. Batch Qty: 50791900 - 2.000 kg

Product: Lapinus® RB250
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 11.250 kg

Batch no. Batch Qty: 50792184 - 11.250 kg

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

373

PO 4503989076
article n° 136919
Loading date 10/03/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

| BATCH NR. | PRODUCTION DATE | BULK DENSITY g/l | PARTICLE SIZE d(50) (µm) | COARSE PART (%) > 254 µ | MOISTURE % | WEIGHT (kg) |
|-------------|-----------------|------------------|--------------------------|-------------------------|------------|-------------|
| 22 09 137 3 | 04-mrt-2022 | 105,20 | 55,4 | 0,00 | 1,79 | 210 |
| 22 09 137 4 | 04-mrt-2022 | 105,20 | 55,4 | 0,00 | 1,79 | 210 |
| 22 09 151 1 | 04-mrt-2022 | 104,40 | 56,8 | 0,14 | 1,64 | 210 |
| 22 09 151 2 | 04-mrt-2022 | 104,40 | 56,8 | 0,14 | 1,64 | 210 |
| 22 09 151 3 | 04-mrt-2022 | 104,40 | 56,8 | 0,14 | 1,64 | 210 |
| 22 09 151 4 | 04-mrt-2022 | 104,40 | 56,8 | 0,14 | 1,64 | 210 |
| 22 09 151 5 | 04-mrt-2022 | 104,40 | 56,8 | 0,14 | 1,64 | 210 |
| 22 09 151 6 | 04-mrt-2022 | 104,40 | 56,8 | 0,14 | 1,64 | 210 |
| 22 09 151 7 | 04-mrt-2022 | 104,40 | 56,8 | 0,14 | 1,64 | 210 |
| 22 09 151 8 | 04-mrt-2022 | 104,40 | 56,8 | 0,14 | 1,64 | 210 |
| 22 09 162 1 | 04-mrt-2022 | 108,00 | 55,5 | 0,42 | 1,24 | 210 |
| 22 09 162 2 | 04-mrt-2022 | 108,00 | 55,5 | 0,42 | 1,24 | 210 |
| 22 09 162 3 | 04-mrt-2022 | 108,00 | 55,5 | 0,42 | 1,24 | 210 |
| 22 09 162 4 | 04-mrt-2022 | 108,00 | 55,5 | 0,42 | 1,24 | 210 |
| 22 09 162 5 | 04-mrt-2022 | 108,00 | 55,5 | 0,42 | 1,24 | 210 |
| 22 09 162 6 | 04-mrt-2022 | 108,00 | 55,5 | 0,42 | 1,24 | 210 |
| 22 09 166 1 | 04-mrt-2022 | 104,68 | 55,5 | 0,00 | 1,44 | 210 |
| 22 09 166 2 | 04-mrt-2022 | 104,68 | 55,5 | 0,00 | 1,44 | 210 |
| 22 09 166 3 | 04-mrt-2022 | 104,68 | 55,5 | 0,00 | 1,44 | 210 |
| 22 09 166 4 | 04-mrt-2022 | 104,68 | 55,5 | 0,00 | 1,44 | 210 |
| 22 09 166 5 | 04-mrt-2022 | 104,68 | 55,5 | 0,00 | 1,44 | 210 |
| 22 09 166 6 | 04-mrt-2022 | 104,68 | 55,5 | 0,00 | 1,44 | 210 |
| 22 09 195 1 | 04-mrt-2022 | 105,24 | 55,4 | 0,00 | 2,46 | 210 |
| 22 09 195 2 | 04-mrt-2022 | 105,24 | 55,4 | 0,00 | 2,46 | 210 |
| 22 09 195 3 | 04-mrt-2022 | 105,24 | 55,4 | 0,00 | 2,46 | 210 |

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503989076
article n° 136919
Loading date 10/03/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

| BATCH NR. | PRODUCTION DATE | BULK DENSITY g/l | PARTICLE SIZE d(50) (µm) | COARSE PART (%) > 254 µ | MOISTURE % | WEIGHT (kg) |
|-------------|-----------------|------------------|--------------------------|-------------------------|------------|---------------|
| 22 09 195 4 | 04-mrt-2022 | 105,24 | 55,4 | 0,00 | 2,46 | 210 |
| 22 09 195 5 | 04-mrt-2022 | 105,24 | 55,4 | 0,00 | 2,46 | 210 |
| 22 09 195 6 | 04-mrt-2022 | 105,24 | 55,4 | 0,00 | 2,46 | 210 |
| 22 09 202 1 | 04-mrt-2022 | 104,68 | 57,7 | 0,00 | 2,25 | 210 |
| 22 09 202 2 | 04-mrt-2022 | 104,68 | 57,7 | 0,00 | 2,25 | 210 |
| 22 09 202 3 | 04-mrt-2022 | 104,68 | 57,7 | 0,00 | 2,25 | 210 |
| 22 09 202 4 | 04-mrt-2022 | 104,68 | 57,7 | 0,00 | 2,25 | 210 |
| 22 09 202 5 | 07-mrt-2022 | 104,68 | 57,7 | 0,00 | 2,25 | 210 |
| 22 09 202 6 | 07-mrt-2022 | 104,68 | 57,7 | 0,00 | 2,25 | 210 |
| 22 09 212 1 | 04-mrt-2022 | 107,20 | 58,1 | 0,15 | 1,75 | 210 |
| 22 09 212 2 | 04-mrt-2022 | 107,20 | 58,1 | 0,15 | 1,75 | 210 |
| 22 09 212 3 | 04-mrt-2022 | 107,20 | 58,1 | 0,15 | 1,75 | 210 |
| 22 09 212 4 | 04-mrt-2022 | 107,20 | 58,1 | 0,15 | 1,75 | 210 |
| 22 09 212 5 | 04-mrt-2022 | 107,20 | 58,1 | 0,15 | 1,75 | 210 |
| 22 09 212 6 | 04-mrt-2022 | 107,20 | 58,1 | 0,15 | 1,75 | 210 |
| 22 09 225 1 | 04-mrt-2022 | 105,40 | 53,4 | 0,03 | 1,98 | 210 |
| 22 09 225 2 | 04-mrt-2022 | 105,40 | 53,4 | 0,03 | 1,98 | 210 |
| 22 09 225 3 | 04-mrt-2022 | 105,40 | 53,4 | 0,03 | 1,98 | 210 |
| 22 09 225 4 | 04-mrt-2022 | 105,40 | 53,4 | 0,03 | 1,98 | 210 |
| 22 09 225 5 | 04-mrt-2022 | 105,40 | 53,4 | 0,03 | 1,98 | 210 |
| 22 09 225 6 | 04-mrt-2022 | 105,40 | 53,4 | 0,03 | 1,98 | 210 |
| 22 09 225 7 | 04-mrt-2022 | 105,40 | 53,4 | 0,03 | 1,98 | 210 |
| 22 09 225 8 | 04-mrt-2022 | 105,40 | 53,4 | 0,03 | 1,98 | 210 |
| | | | | | | 10.080 |

Test report Date : 21-3-2022

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 18-3-2022

Product : Lapinus® RB220

bag 16 kg - pallet 400 kg

bag 16 kg - pallet 400 kg~Note Q fibre

2. Testresults

| Batch no. | Fibre length | Results (micron) | | Limits (micron) | |
|-----------|--------------|--------------------|--------|-------------------|------|
| | | Min. | Max. | Min. | Max. |
| 50426066 | | 200,00 | 280,00 | 180 | 280 |

| Batch no. | Shotcontent | Results (%wt) | | Limits (%wt) | |
|-----------|---------------|-----------------|------|----------------|------|
| | | Min. | Max. | | Max. |
| 50426066 | Shot > 125 µm | 0,06 | 0,16 | | 0.2 |

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

| | | | |
|----------|------------------|------------------|----------------|
| Site | Telephone number | Contact | Fax number |
| Roermond | +31 475 353354 | Customer Service | +31 475 353677 |

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 4-4-2022

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 3-4-2022

Product : Lapinus® RB220

bag 16 kg - pallet 400 kg

bag 16 kg - pallet 400 kg~Note Q fibre

2. Testresults

| Batch no. | Fibre length | Results (micron) | | Limits (micron) | |
|-----------|--------------|--------------------|--------|-------------------|------|
| | | Min. | Max. | Min. | Max. |
| 50791900 | | 180,00 | 250,00 | 180 | 280 |

| Batch no. | Shotcontent | Results (%wt) | | Limits (%wt) | |
|-----------|---------------|-----------------|------|----------------|--|
| | | Min. | Max. | Max. | |
| 50791900 | Shot > 125 µm | 0,04 | 0,16 | 0.2 | |

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

| | | | |
|----------|------------------|------------------|----------------|
| Site | Telephone number | Contact | Fax number |
| Roermond | +31 475 353354 | Customer Service | +31 475 353677 |

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 23-3-2022

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 22-3-2022

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

| Batch no. | Fibre length | Results (micron) | | Limits (micron) | |
|-----------|--------------|--------------------|--------|-------------------|------|
| | | Min. | Max. | Min. | Max. |
| 50792184 | | 113,00 | 125,00 | 100 | 150 |

| Batch no. | Shotcontent | Results (%wt) | | Limits (%wt) | |
|-----------|---------------|-----------------|------|----------------|------|
| | | Min. | Max. | | Max. |
| 50792184 | Shot > 125 µm | 0,06 | 0,76 | | 1.0 |

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

| | | | |
|----------|------------------|------------------|----------------|
| Site | Telephone number | Contact | Fax number |
| Roermond | +31 475 353354 | Customer Service | +31 475 353677 |

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.