

Sundaram Brake Linings Ltd.,
TSK Puram
Padi, Chennai – 600050
India

Contact person: Mr. R Sridhar (AGM, Purchase)
Phone no: +91 9840208818
Email: rs@tvssbl.com

Date	Our Reference	Subject
Roermond,	9110178	Shipping docs PO *

Dear Mr. R. Sridhar,

Please find enclosed the shipping documents;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.
Lapinus

Customer Service Department

Corina Hendriks



INVOICE
Invoice address: 106878

Sundaram Brakes Linings Limited
IEC Number 0488016908
GST:33AADCS4888E1Z8 PAN AADC
Kanjamaickenpatti, Mustakurichi P.
Virudhunagar District
TSK Puram Plant 2
626106 TAMIL NADU
INDIA

Payer: 106878

Sundaram Brakes Linings Limited
IEC Number 0488016908
GST:33AADCS4888E1Z8 PAN AADC
Kanjamaickenpatti, Mustakurichi P.O.
Virudhunagar District
TSK Puram Plant 2
626106 Tamil Nadu
INDIA

Ordered by: 106878

Sundaram Brakes Linings Limited
IEC Number 0488016908
GST:33AADCS4888E1Z8 PAN AADC
Kanjamaickenpatti, Mustakurichi P.O.
Virudhunagar District
TSK Puram Plant 2
626106 TAMIL NADU
INDIA



ROCKWOOL B.V.
P.O. Box 1160
6040 KD Roermond
The Netherlands

Invoice no. / date: 163843352 / 09.08.2022 Page 1 / 2
Order no. / date: 9110178 / 22.07.2022
Your reference: *
Contactperson: Corina Hendriks

Item	Material Material description	Number Unit	Quantity Unit	Price Unit	Amount
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	11.250,00 KG	11.250,00 KG	2.419,20 1.000 KG	27.216,00
	Stat. No.: 68061000 Delivery No/Date: 33422714 / 09.08.2022 Container Number: GCXU5077353/BS531488 Country of origin: NL				
20	Lapinus® RB220 bag 16 kg - pallet 400 kg 20154	7.200,00 KG	7.200,00 KG	2.762,64 1.000 KG	19.891,01
	Stat. No.: 68061000 Delivery No/Date: 33422714 / 09.08.2022 Container Number: GCXU5077353/BS531488 Country of origin: NL				

Delivery date: 09.08.2022 -
Terms of delivery: FCA FCA Roermond
Payment term: 60 days net

Gross/Nett weight: 20.075,100 / 19.290 KG
Transp. volume: 78,990 M3

Delivery address: 106878

Sundaram Brakes Linings Limited
IEC Number 0488016908
TSK Puram Plant 2
Tamil Nadu 626106
India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands
T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592
Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE

Invoice address: 106878

Sundaram Brakes Linings Limited
IEC Number 0488016908
GST:33AADCS4888E1Z8 PAN AADCS4888E
Kanjamanaickenpatti, Mustakurichi P.O.
Virudhunagar District
TSK Puram Plant 2
626106 TAMILNADU
INDIA

163843352 / 09.08.2022

Page 2 / 2



ROCKWOOL B.V.
P.O. Box 1160
6040 XD Roermond
The Netherlands

Item	Material Material description	Number Unit	Quantity Unit	Price Unit	Amount
30	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919	840,00 KG	840,00 KG	5.825,00 1.000 KG	4.893,00

Stat. No.: 28399000

Delivery No/Date: 33422714 / 09.08.2022

Container Number: GCXU5077353/BS531488

Country of origin: BE

Amount excl. VAT

52.000,01

Output Tax

0,00 %

0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR

52.000,01

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 9110178
Delivery nr : 33422714
Your order nr : *
Container nr: GCXU5077353

For: Sundaram Brakes Linings
Limited
IEC Number 0488016908
TSK Puram Plant 2
626106 Tamil Nadu
India



Shipment nr.: 0007035127

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ³ / m ² / kg	Total quantity per item in m ³ / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25 kg 0,1	kg -pallet 625 450 BAGS	1,00	11250,00	11250,000	11587,500	1210,00 1000,00 1300,00
Lapinus® RB220, bag 16 kg	kg -pallet 400 450 BAGS	1,00	7200,00	7200,000	7538,400	1210,00 1000,00 1300,00
Promaxon-D, bag 15 kg 15,0	pallet 210 kg 56 BAGS	1,00	840,00	840,000	949,200	1150,00 1150,00 1150,00
TOTAL:				19290,000 Kgs	20075,100 Kgs	

BS531488

Date: 09-08-2022

PACKED ON 40 PALLETS

For attn of to whom it may concern

Date 11-08-2022

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Sundaram Brakes Linings Limite

Client-orderno *

Lapinus ordeno 9110178

Product: **Promaxon-D**
bag 15 kg pallet 210 kg
Synthetic hydrated calcium silicate

Total order Qty: 840 kg

Batch no. Batch Qty: 2224110 - 420 kg

Batch no. Batch Qty: 2224123 - 210 kg

Batch no. Batch Qty: 2224240 - 210 kg

Product: **Lapinus® RB220**
bag 16 kg - pallet 400 kg
bag 16 kg - pallet 400 kg~Note Q fibre

Total order Qty: 7.200 kg

Batch no. Batch Qty: 54688804 - 6.800 kg

Batch no. Batch Qty: 54481606 - 400 kg

Product: **Lapinus® RB250**
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 11.250 kg

Batch no. Batch Qty: 53319569 - 11.250 kg

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com



Part of the ROCKWOOL Group

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994



387
Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504136117
article n° 136919
Loading date 08/07/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 24 230 1	21-jun-2022	100.00	47.10	0.25	2.14	210
22 24 230 2	21-jun-2022	100.00	47.10	0.25	2.14	210
22 24 230 3	21-jun-2022	100.00	47.10	0.25	2.14	210
22 24 230 4	21-jun-2022	100.00	47.10	0.25	2.14	210
22 24 230 5	21-jun-2022	100.00	47.10	0.25	2.14	210
22 24 230 6	21-jun-2022	100.00	47.10	0.25	2.14	210
22 24 128 1	17-jun-2022	95.64	50.70	0.00	1.60	210
22 24 128 2	17-jun-2022	95.64	50.70	0.00	1.60	210
22 24 128 3	17-jun-2022	95.64	50.70	0.00	1.60	210
22 24 128 4	17-jun-2022	95.64	50.70	0.00	1.60	210
22 24 110 1	17-jun-2022	112.80	50.10	0.74	2.27	210
22 24 110 2	17-jun-2022	112.80	50.10	0.74	2.27	210
22 24 106 3	16-jun-2022	93.16	50.00	0.00	2.31	210
22 24 106 4	16-jun-2022	93.16	50.00	0.00	2.31	210
22 24 106 5	20-jun-2022	93.16	50.00	0.00	2.31	210
22 24 106 6	20-jun-2022	93.16	50.00	0.00	2.31	210
22 24 240 1	21-jun-2022	106.00	54.90	0.00	1.73	210
22 24 240 2	21-jun-2022	106.00	54.90	0.00	1.73	210
22 24 240 3	21-jun-2022	106.00	54.90	0.00	1.73	210
22 24 240 4	21-jun-2022	106.00	54.90	0.00	1.73	210
22 24 240 5	21-jun-2022	106.00	54.90	0.00	1.73	210
22 24 240 6	21-jun-2022	106.00	54.90	0.00	1.73	210
22 24 245 1	21-jun-2022	106.00	53.10	0.00	1.59	210
22 24 245 2	21-jun-2022	106.00	53.10	0.00	1.59	210



Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

387

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504136117
article n° 136919
Loading date 08/07/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 24 127 1	17-jun-2022	94.48	50.70	0.11	2.17	210
22 24 127 2	17-jun-2022	94.48	50.70	0.11	2.17	210
22 24 127 3	17-jun-2022	94.48	50.70	0.11	2.17	210
22 24 127 4	17-jun-2022	94.48	50.70	0.11	2.17	210
22 24 127 5	17-jun-2022	94.48	50.70	0.11	2.17	210
22 24 127 6	17-jun-2022	94.48	50.70	0.11	2.17	210
22 24 108 1	16-jun-2022	97.60	50.90	0.00	2.03	210
22 24 108 2	16-jun-2022	97.60	50.90	0.00	2.03	210
22 24 108 3	16-jun-2022	97.60	50.90	0.00	2.03	210
22 24 108 4	16-jun-2022	97.60	50.90	0.00	2.03	210
22 24 108 5	17-jun-2022	97.60	50.90	0.00	2.03	210
22 24 108 6	17-jun-2022	97.60	50.90	0.00	2.03	210
22 24 120 1	17-jun-2022	103.96	51.80	0.09	1.48	210
22 24 120 2	17-jun-2022	103.96	51.80	0.09	1.48	210
22 24 120 3	17-jun-2022	103.96	51.80	0.09	1.48	210
22 24 120 4	17-jun-2022	103.96	51.80	0.09	1.48	210
22 24 120 5	17-jun-2022	103.96	51.80	0.09	1.48	210
22 24 120 6	17-jun-2022	103.96	51.80	0.09	1.48	210
22 24 123 1	17-jun-2022	100.24	52.20	0.11	1.70	210
22 24 123 2	17-jun-2022	100.24	52.20	0.11	1.70	210
22 24 123 3	17-jun-2022	100.24	52.20	0.11	1.70	210
22 24 123 4	17-jun-2022	100.24	52.20	0.11	1.70	210
22 24 123 5	17-jun-2022	100.24	52.20	0.11	1.70	210
22 24 123 6	17-jun-2022	100.24	52.20	0.11	1.70	210



287
Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504136117
article n° 136919
Loading date 08/07/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
-----------	--------------------	------------------------	-----------------------------------	----------------------------------	---------------	----------------

Test report Date : 15-7-2022

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 9-7-2022

Product : Lapinus® RB220
bag 16 kg - pallet 400 kg
bag 16 kg - pallet 400 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
54481606		200,00	280,00	180	280

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
54481606	Shot > 125 µm	0,08	0,14		0.2

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.
- 5 Country of origin: The Netherlands

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 8-8-2022

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 6-8-2022

Product : Lapinus® RB220

bag 16 kg - pallet 400 kg

bag 16 kg - pallet 400 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
54688804		200,00	280,00	180	280

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
54688804	Shot > 125 µm	0,04	0,14	0.2	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.
- 5 Country of origin: The Netherlands

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 7-6-2022

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 6-6-2022

Product : Lapinus® RB250
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
53319569		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
53319569	Shot > 125 µm	0,42	0,90		1.0

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.
- 5 Country of origin: The Netherlands

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.