





View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. Collection and Drop-off:
 - If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
 - To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Point™	HUBO MINKENBERG	UPS Access Point™	DE KEMPENIER	UPS Access Point™	KEMPWEG,56	UPS Access Point™	ROERMOND 6045EJ
42 HOOFDSTRAAT	HERKENBOSCH 6075AG	ROERMOND 6042BC	ORANJELAAN 73A	MOBILE	HOMER SERVICEPOINT SHOW	ROERMOND 6042BC	ROERMOND 6042BC

FOLD HERE

CORINA HENDRIKS 0475353917 ROCKWOOL B.V. LAPINUS DELFTOEFENWEG 2 6045JH ROERMOND NETHERLANDS		ENV SHIP#: 1870 WRT9 S9K DATE: 22 NOV 2021	1 OF 1
SHIP TO: MR. AVIJEEET SAHA 91 12642381163 ROULUNDS BRAKING INDIA PVT LTD LIVASPUR DISTT. NEAR BAHALGARH CHOWK, HARYANA 131021 INDIA			
		IND 015 7-00 	
UPS SAVER		1P	
TRACKING #: 1Z 187 0WR 04 9222 7840			
			
BILLING: P/P DESC: documents		EDI-DOC	
Invoice No.: LF 8586311			
XOL 21.11.24		NV45-48.0A.11/2021*	

Roulunds Braking India PVT LTD
IEC nr. 0502015373
Near Bahalgarh Chowk, Livaspur Distt.
Sonapat, Haryana – 131 021
India

Date	Reference	Subject
Roermond 22/11/21	8586311	shipping documents

Dear Mr Avijeet Saha,

Please find enclosed the original shipping documents of your ref: 5200032026, 520003199;

- Invoice (1 original)
- Detailed packing list (1 original stamped and signed)
- Certificate of analysis (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.

Lapinus

Customer Service Department

Corina Hendriks



Part of the ROCKWOOL Group

INVOICE

Invoice address: 15487

Roulunds Braking India Pvt Ltd
GST no. 06AACCRO259F1ZO
IEC Number 0502015373
Near Bahalgarh Chowk
Livaspur Distt. Sonapat
131021 HARYANA
INDIA

Ordered by: 15487

Roulunds Braking India Pvt Ltd
GST no. 06AACCRO259F1ZO
IEC Number 0502015373
Near Bahalgarh Chowk
Livaspur Distt. Sonapat
131021 HARYANA
INDIA



ROCKWOOL B.V.
P.O. Box 1160
6040 KD Roermond
The Netherlands

Invoice no. / date: 163767747 / 19.11.2021
Order no. / date: 8586311 / 22.10.2021
Your reference: 5200032026, 5200031999
Contactperson: Corina Hendriks

Page 1 / 2

Item	Material	Number Unit	Quantity Unit	Price Unit	Amount
	Material description Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres				
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	21.250,00 KG	21.250,00 KG	1.956,00 1.000 KG	41.565,00
	Stat. No.: 68061000 Delivery No/Date: 32752528 / 11.11.2021 Container Number: TCNU6123878/BS533532 Country of origin: NL				
20	Lapinus® RB215ELS bag 20 kg - pallet 500 kg 26908	3.000,00 KG	3.000,00 KG	3.554,00 1.000 KG	10.662,00
	Stat. No.: 68061000 Delivery No/Date: 32752528 / 11.11.2021 Container Number: TCNU6123878/BS533532 Country of origin: NL				
	Amount excl. VAT		0,00 %		52.227,00
	Output Tax				0,00

Delivery date: 11.11.2021 -
Terms of delivery: FCA Roermond
Payment term: 60 days net
Gross/Nett weight: 24.998,500 / 24.250 KG
Transp. volume: 75,750 M3

Delivery address: 15487

Roulunds Braking India Pvt Ltd
GST no. 06AACCRO259F1ZO
IEC Number 0502015373
Livaspur Distt. Sonapat
Haryana 131021
India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands
T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592
Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements. The execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE

Invoice address: 15487

Roulunds Braking India Pvt Ltd
GST no. 06AACCRO259F1ZO
IEC Number 0502015373
Near Bahalgarh Chowk
Livaspur Distt. Sonapat
131021 HARYANA
INDIA

Invoice no. / date:

163767747 / 19.11.2021

Page 2 / 2



ROCKWOOL B.V.
P.O. Box 1160
6040 KD Roermond
The Netherlands

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC					

EUR

52.227,00

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 8586311

Delivery nr : 32752528

Your order nr : 5200032026, 5200031999

Container nr: TCNU6123878

For: Roulunds Braking India Pvt Ltd
GST no. 06AACCR0259F1ZO
Livaspur Distt. Sonapat
131021 Haryana
India



Shipment nr.: 0006536324

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m³ / m² / kg	Total quantity per item in m³ / m² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25 kg -pallet 625 kg	0,1 21250 Kilogram 20 kg -pallet 500 kg 3000 Kilogram	1,00 1,00	21250,00 3000,00	21250,000 3000,000	21887,500 3111,000	1210,00 1000,00 1300,00 1210,00 1000,00 1300,00
Lapinus® RB215ELS, bag 20 kg -pallet 500 kg						
Lapinus® RB215ELS, bag 20 kg -pallet 500 kg						
TOTAL:			24250,000 Kgs	24998,500 Kgs		

BS533532

Date: 19-11-2021

1000 BAGS PACKED ON 40 PALLETS

For attn of P.K. Jain
Date 22-11-2021

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Roulunds Braking India Pvt Ltd
Client-orderno 5200032026,520003199
Lapinus orderno 8586311

Product: Lapinus® RB215ELS
bag 20 kg - pallet 500 kg
bag 20 kg - pallet 500 kg~Note Q fibre
Total order Qty: 3.000 kg
Batch no. Batch Qty: 46580773 - 3.000 kg

Product: Lapinus® RB250
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre
Total order Qty: 21.250 kg
Batch no. Batch Qty: 46542723 - 2.500 kg
Batch no. Batch Qty: 47229973 - 625 kg
Batch no. Batch Qty: 46828941 - 18.125 kg

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994

Test report Date : 21-9-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 18-9-2021

Product : Lapinus® RB215ELS

bag 20 kg - pallet 500 kg

bag 20 kg - pallet 500 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ()		Limits ()	
		Min.	Max.	Min.	Max.
46580773		125,00	138,00	125	175

Batch no.	Shotcontent	Results ()		Limits ()	
		Min.	Max.	Max.	
46580773	Shot > 63 µm	0,05	0,28	0.5	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 4-10-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 2-10-2021

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
46828941		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
46828941	Shot > 125 µm	0,51	0,76		1.0

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 4-10-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 2-10-2021

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
46542723		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
46542723	Shot > 125 µm	0,57	0,78		1.0

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 28-10-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 27-10-2021

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
47229973		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
47229973	Shot > 125 µm	0,47	0,72	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.