

View/Print Label

1. **Ensure there are no other shipping or tracking labels attached to your parcel.** Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. **Fold the printed label at the solid line below.** Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. **Collection and Drop-off:**
 - If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
 - To Schedule a Collection or find a UPS location, visit [UPS.com](#)

UPS Access Point™
HUBO MINKENBERG

42 HOOFDSTRAAT
HERKENBOSCH 6075AG

UPS Access Point™
DE KEMPENIER

KEMPWEG,56
ROERMOND 6045EJ

UPS Access Point™
HOMERR SERVICEPOINT SHOW
MOBILE
ORANJELAAN 73A
ROERMOND 6042BC

FOLD HERE

<div><div>CORINA HENDRIKS 047533917 ROCKWOOL B.V. LAPINUS DELFT OFFENWEG 2 6045JH ROERMOND NETHERLANDS</div><div>SHIP TO: MR. PRABHU / MS. DHIVYA 91 4426250566 RANE BRAKE LINING LTD AMBATTUR INDUSTRIAL ESTATE PLOT NO. 30 CHENNAI 600050 INDIA</div></div>	<div>IND 012 9-00</div> <div></div>	<div>UPS SAVER</div> <div>TRACKING #: 1Z 187 0WR 04 9489 3715</div>	<div></div>	<div>BILLING: P/P DESC: documents</div> <div>EDI-DOC</div> <div>Invoice No.: LF 8631497</div> <div>XOL 21-11-24 NV45 50.0A 12/2021™</div> <div></div>
---	-------------------------------------	---	-------------	---

Rane Brake Lining Ltd.
Attn. Mr. Prabhu / Ms. Dhivya
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 Chennai
India
+91 4426250566

Date	Our Reference	Subject
Roermond,08/12/2021	8631497	Shipping docs

Dear Mr. R. Narayanan,

Please find enclosed the shipping documents of your PO 4800165214;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.
Lapinus
Customer Service Department

Corina Hendriks

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 8631497

Delivery nr : 32815969

Your order nr: 4800165214

Container nr : CAIU4517631

For: Rane Brake Lining Ltd.
Plot No. 30,
Ambattur Industrial Estate
600050 Chennai
India



Shipment nr.: 0006582127

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ³ /m ² /kg	Total quantity per item in m ³ /m ² /kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25 kg	-pallet 625 kg					
25,0	0,1	200 BAGS	5000,00	5000,000	5150,000	1210,00 1000,00 1300,00
Lapinus® RBC300, bag 25 kg	-pallet 625 kg					
25,0	1,0	500 BAGS	12500,00	12500,000	12875,000	1210,00 1000,00 1300,00
Promaxon-D, bag 15 kg	pallet 210 kg					
15,0	168 BAGS	1,00	2520,00	2520,000	2847,600	1150,00 1150,00 1150,00
TOTAL:				20020,000 Kgs	20872,600 Kgs	

BS533463

Date: 07-12-2021

PACKED ON 40 PALLETS

INVOICE
Invoice address: 15456

Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Ordered by: 15456

Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Invoice no. / date: 163772154 / 07.12.2021
Order no. / date: 8631497 / 15.11.2021
Your reference: 4800165214
Contactperson: Corina Hendriks

Page 1 / 2



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres All Lapinus (r) products = Note Q fibres				
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	5.000,00 KG	5.000,00 KG	2.121,00 1.000 KG	10.605,00
	Stat. No.: 68061000 Delivery No/Date: 32815969 / 07.12.2021 Container Number: CAIU4517631/BS533463 Country of origin: NL				
20	Lapinus® RBC300 bag 25 kg - pallet 625 kg 58071	12.500,00 KG	12.500,00 KG	850,00 1.000 KG	10.625,00
	Stat. No.: 68061000 Delivery No/Date: 32815969 / 07.12.2021 Container Number: CAIU4517631/BS533463 Country of origin: NL				

Delivery date: 07.12.2021 -
Terms of delivery: FCA Roermond
Payment term: 60 days net

Gross/Nett weight: 20.872,600 / 20.020 KG
Transp. volume: 80,220 M3

Delivery address: 15456
Rane Brake Lining Ltd.
Plot No. 30
IEC Number 0488032644
Ambattur Industrial Estate
Chennai 600050
India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands
T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.801 | EORI NL001696592
Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE
Invoice address: 15456

Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Invoice no. / date:

163772154 / 07.12.2021

Page 2 / 2



ROCKWOOL B.V.
P.O. Box 1160
6040 KD Roermond
The Netherlands

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
30	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919	2.520,00 KG	2.520,00 KG	3.636,00 1.000 KG	9.162,72

Stat. No.: 28399000

Delivery No/Date: 32815969 / 07.12.2021

Container Number: CAIU4517631/BS533463

Country of origin: BE

Amount excl. VAT

30.392,72

Output Tax

0,00 %

0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR

30.392,72

For attn of

Date 08-12-2021

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Rane Brake Lining Ltd.

Client-orderno 4800165214

Lapinus orderno 8631497

Product: **PROMAXON-D**
BAG 15 KG PALLET 210 KG
Synthetic hydrated calcium silicate

Total order Qty: 2.520 kg
Batch no. Batch Qty: 2144382 - 420 kg
Batch no. Batch Qty: 2145023 - 630 kg
Batch no. Batch Qty: 2144167 - 420 kg
Batch no. Batch Qty: 2144129 - 210 kg
Batch no. Batch Qty: 2144379 - 840 kg

Product: **Lapinus® RB250**
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 5.000 kg
Batch no. Batch Qty: 48164072 - 5.000 kg

Product: **Lapinus® RBC300**
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 12.500 kg
Batch no. Batch Qty: 48308779 - 1.250 kg
Batch no. Batch Qty: 47573948 - 11.250 kg



Part of the ROCKWOOL Group

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994



Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503889145
article n° 136919
Loading date 2/12/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 44 204 1	04-nov-2021	100,44	56,20	0,06	1,22	210
21 44 204 2	04-nov-2021	100,44	56,20	0,06	1,22	210
21 44 204 3	04-nov-2021	100,44	56,20	0,06	1,22	210
21 44 204 4	04-nov-2021	100,44	56,20	0,06	1,22	210
21 44 372 1	08-nov-2021	99,16	51,20	0,02	1,21	210
21 44 372 2	08-nov-2021	99,16	51,20	0,02	1,21	210
21 44 372 3	08-nov-2021	99,16	51,20	0,02	1,21	210
21 44 372 4	08-nov-2021	99,16	51,20	0,02	1,21	210
21 44 372 5	08-nov-2021	99,16	51,20	0,02	1,21	210
21 44 372 6	08-nov-2021	99,16	51,20	0,02	1,21	210
21 44 379 1	08-nov-2021	96,84	52,70	0,00	1,23	210
21 44 379 2	08-nov-2021	96,84	52,70	0,00	1,23	210
21 44 379 3	08-nov-2021	96,84	52,70	0,00	1,23	210
21 44 379 4	08-nov-2021	96,84	52,70	0,00	1,23	210
21 44 379 5	08-nov-2021	96,84	52,70	0,00	1,23	210
21 44 379 6	08-nov-2021	96,84	52,70	0,00	1,23	210
21 44 382 1	08-nov-2021	99,48	57,70	0,00	0,96	210
21 44 382 2	08-nov-2021	99,48	57,70	0,00	0,96	210
21 44 382 3	08-nov-2021	99,48	57,70	0,00	0,96	210
21 44 382 4	08-nov-2021	99,48	57,70	0,00	0,96	210
21 44 382 5	08-nov-2021	99,48	57,70	0,00	0,96	210
21 44 382 6	08-nov-2021	99,48	57,70	0,00	0,96	210
21 45 006 1	08-nov-2021	105,24	53,30	0,04	0,85	210
21 45 006 2	08-nov-2021	105,24	53,30	0,04	0,85	210
21 45 006 3	08-nov-2021	105,24	53,30	0,04	0,85	210
21 45 006 4	08-nov-2021	105,24	53,30	0,04	0,85	210



Bormsstraat 24
B-2830 Melle
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503889145
article n° 136919
Loading date 2/12/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 45 006 5	08-nov-2021	105,24	53,30	0,04	0,85	210
21 45 006 6	08-nov-2021	105,24	53,30	0,04	0,85	210
21 45 012 1	08-nov-2021	104,96	51,50	0,23	0,84	210
21 45 012 2	08-nov-2021	104,96	51,50	0,23	0,84	210
21 45 012 3	08-nov-2021	104,96	51,50	0,23	0,84	210
21 45 012 4	08-nov-2021	104,96	51,50	0,23	0,84	210
21 45 012 5	08-nov-2021	104,96	51,50	0,23	0,84	210
21 45 012 6	08-nov-2021	104,96	51,50	0,23	0,84	210
21 45 023 1	08-nov-2021	114,72	45,10	0,00	0,90	210
21 45 023 2	08-nov-2021	114,72	45,10	0,00	0,90	210
21 45 023 3	08-nov-2021	114,72	45,10	0,00	0,90	210
21 45 023 4	08-nov-2021	114,72	45,10	0,00	0,90	210
21 45 023 5	08-nov-2021	114,72	45,10	0,00	0,90	210
21 45 023 6	08-nov-2021	114,72	45,10	0,00	0,90	210
21 45 030 1	08-nov-2021	105,12	51,60	0,00	0,77	210
21 45 030 2	08-nov-2021	105,12	51,60	0,00	0,77	210
21 44 167 1	04-nov-2021	105,88	55,10	0,00	1,71	210
21 44 167 2	04-nov-2021	105,88	55,10	0,00	1,71	210
21 44 167 3	04-nov-2021	105,88	55,10	0,00	1,71	210
21 44 167 4	04-nov-2021	105,88	55,10	0,00	1,71	210
21 44 167 5	04-nov-2021	105,88	55,10	0,00	1,71	210
21 44 167 6	04-nov-2021	105,88	55,10	0,00	1,71	210
						10.080

Promat

358

Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503882507
article n° 136919
Loading date 3/12/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 44 117 1	03-nov-2021	107,88	53,50	0,22	2,18	210
21 44 117 2	03-nov-2021	107,88	53,50	0,22	2,18	210
21 44 117 3	03-nov-2021	107,88	53,50	0,22	2,18	210
21 44 117 4	03-nov-2021	107,88	53,50	0,22	2,18	210
21 44 117 5	03-nov-2021	107,88	53,50	0,22	2,18	210
21 44 117 6	03-nov-2021	107,88	53,50	0,22	2,18	210
21 44 129 1	03-nov-2021	111,36	51,90	0,28	1,66	210
21 44 129 2	03-nov-2021	111,36	51,90	0,28	1,66	210
21 44 129 3	03-nov-2021	111,36	51,90	0,28	1,66	210
21 44 129 4	03-nov-2021	111,36	51,90	0,28	1,66	210
21 44 129 5	03-nov-2021	111,36	51,90	0,28	1,66	210
21 44 140 1	03-nov-2021	104,08	54,10	0,18	2,18	210
21 44 140 2	03-nov-2021	104,08	54,10	0,18	2,18	210
21 44 140 3	03-nov-2021	104,08	54,10	0,18	2,18	210
21 44 140 4	03-nov-2021	104,08	54,10	0,18	2,18	210
21 44 140 5	03-nov-2021	104,08	54,10	0,18	2,18	210
21 44 140 6	03-nov-2021	104,08	54,10	0,18	2,18	210
21 44 145 1	04-nov-2021	111,76	51,10	0,01	2,20	210
21 44 145 2	04-nov-2021	111,76	51,10	0,01	2,20	210
21 44 145 3	04-nov-2021	111,76	51,10	0,01	2,20	210
21 44 145 4	04-nov-2021	111,76	51,10	0,01	2,20	210
21 44 145 5	04-nov-2021	111,76	51,10	0,01	2,20	210
21 44 145 6	04-nov-2021	111,76	51,10	0,01	2,20	210
21 44 152 1	04-nov-2021	107,88	48,70	0,00	1,56	210
21 44 152 2	04-nov-2021	107,88	48,70	0,00	1,56	210
21 44 152 3	04-nov-2021	107,88	48,70	0,00	1,56	210



Bomstraat 24
B-2830 Besselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503882507
article n° 136919
Loading date 3/12/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 44 152 4	04-nov-2021	107,88	48,70	0,00	1,56	210
21 44 152 5	04-nov-2021	107,88	48,70	0,00	1,56	210
21 44 157 1	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 157 2	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 157 3	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 157 4	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 157 5	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 157 6	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 157 7	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 157 8	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 172 1	04-nov-2021	110,04	54,30	0,00	1,42	210
21 44 172 2	04-nov-2021	110,04	54,30	0,00	1,42	210
21 44 172 3	04-nov-2021	110,04	54,30	0,00	1,42	210
21 44 172 4	04-nov-2021	110,04	54,30	0,00	1,42	210
21 44 172 5	04-nov-2021	110,04	54,30	0,00	1,42	210
21 44 172 6	04-nov-2021	110,04	54,30	0,00	1,42	210
21 45 004 1	08-nov-2021	99,92	57,70	0,08	0,83	210
21 45 004 2	08-nov-2021	99,92	57,70	0,08	0,83	210
21 45 004 3	08-nov-2021	99,92	57,70	0,08	0,83	210
21 45 004 4	08-nov-2021	99,92	57,70	0,08	0,83	210
21 45 004 5	08-nov-2021	99,92	57,70	0,08	0,83	210
21 45 004 6	08-nov-2021	99,92	57,70	0,08	0,83	210
						10.080

Test report Date : 24-11-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 23-11-2021

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
48164072		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
48164072	Shot > 125 µm	0,38	0,68	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 25-10-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 24-10-2021

Product : Lapinus® RBC300

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
47573948		110,00	123,00	105	200

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
47573948	Shot > 125 µm	17,37	20,73	30.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 23-11-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 22-11-2021

Product : Lapinus® RBC300

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
48308779		110,00	123,00	105	200

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
48308779	Shot > 125 µm	19,84	21,38		30.0

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.