

View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. Collection and Drop-off:
 - If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
 - To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Point™
HUBO MINKENBERG

42 HOOFDSTRAAT
HERKENBOSCH 6075AG

UPS Access Point™
DE KEMPENIER

KEMPWEG,56
ROERMOND 6045EJ

UPS Access Point™
HOMERR SERVICEPOINT SHOW
MOBILE
ORANJELAAN 73A
ROERMOND 6042BC

FOLD HERE

1 OF 1


ENV

SHIP#: 1870 WRBB WV
DATE: 03 AUG 2022

CORINA HENDRIKS
0475353917
ROCKWOOL B.V. LAPINUS
DELFSTOFFENWEG 2
6045JH ROERMOND
NETHERLANDS

SHIP TO:
MR. VINOD TOMAR
91 9896910426
SUPER CIRCLE AUTO LTD.
DEHKORA STATION ROAD, ROHAD
46 K.M. DEHLI ROHTAK ROAD
SAMPLA HARYANA 124501
INDIA


IND 015 7-00



UPS SAVER


TRACKING #: 1Z 187 0WR 04 2388 1861

1P



BILLING: P/P
DESC: Shipping documents
UPS CARBON NEUTRAL SHIPMENT

EDI-DOC



Invoice No.: LF9057767
Purchase No.: LF9057767

X0122.08.04

NV45 32.0A 07/2022*

Super Circle Auto Ltd.
Attn.. Mr. Vinod Tomar
IEC nr. 0592009157
46 K.M. Dehli Rohtak Road
Dehkora Station Road, Rohad
124501 P.O. Sampla-Haryana
India

Date	Reference	Subject
Roermond 03/08/22	9057767	shipping documents

Dear Mr. Vinod Tomar,

Please find enclosed the original shipping documents of your ref *:

- Invoice (1 original)
- Detailed packing list (1 original)
- Certificate of analyses (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.
Lapinus
Customer Service Department

Corina Hendriks



INVOICE

Invoice address: 15522
Super Circle Auto Ltd.
IEC 0592009157 PAN AAACS1398A
gst 06AAACS1398AOZP
Dehkora Station Road, Rohad
46 K.M. Dehli Rohtak Road
124501 P.O. SAMPLA-HARYANA
INDIA

Payer: 15522
Super Circle Auto Ltd.
IEC 0592009157 PAN AAACS1398A
gst 06AAACS1398AOZP
Dehkora Station Road, Rohad
46 K.M. Dehli Rohtak Road
124501 P.O. Sampla-Haryana
INDIA

Ordered by: 15522
Super Circle Auto Ltd.
IEC 0592009157 PAN AAACS1398A
gst 06AAACS1398AOZP
Dehkora Station Road, Rohad
46 K.M. Dehli Rohtak Road
124501 P.O. SAMPLA-HARYANA
INDIA

Invoice no. / date: 163842395 / 02.08.2022 Page 1 / 2
Order no. / date: 9057767 / 22.06.2022
Your reference: *
Contactperson: Corina Hendriks



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres				
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	8.750,00 KG	8.750,00 KG	2.567,00 1.000 KG	22.461,25
	Stat. No.: 68061000 Delivery No/Date: 33411152 / 21.07.2022 Container Number: MSKU5069453/BS539935 Country of origin: NL				
20	Lapinus® LFC301 bag 25 kg - pallet 625 kg 90228	3.750,00 KG	3.750,00 KG	874,00 1.000 KG	3.277,50
	Stat. No.: 68061000 Delivery No/Date: 33411152 / 21.07.2022 Container Number: MSKU5069453/BS539935 Country of origin: NL				
Amount excl. VAT					25.738,75
Output Tax				0,00 %	0,00

Delivery date: 21.07.2022 -
Terms of delivery: FCA Roermond
Payment term: 60 days net
Gross/Nett weight: 12.875 / 12.500 KG
Transp. volume: 37,500 M3

Delivery address: 15522
Super Circle Auto Ltd.
IEC 0592009157 PAN AAACS1398A
46 K.M. Dehli Rohtak Road
P.O. Sampla-Haryana 124501
India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands
T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592
Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE**Invoice address: 15522**

Super Circle Auto Ltd.

IEC 0592009157 PAN AAACS1398A

gst 06AAACS1398AOZP

Dehkora Station Road, Rohad

46 K.M. Dehli Rohtak Road

124501 P.O. SAMPLA-HARYANA

INDIA
Invoice no. / date:

163842395 / 02.08.2022

Page 2 / 2

**ROCKWOOL B.V.**

P.O. Box 1160

6040/KD Roermond

The Netherlands

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR 25.738,75

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 9057767
Delivery nr : 33411152
Your order nr : *
Container nr : MSKU5069453

For: Super Circle Auto Ltd.
IEC 0592009157 PAN AAACS1398A
46 K.M. Dehli Rohtak Road
124501 P.O. Sampla-Haryana
India

ORIGINAL

Shipment nr.: 0007026722



DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ³ / m ² / kg	Total quantity per item in m ³ / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25,0	kg -pallet 625	kg	8750,00	8750,000	9012,500	1210,00 1000,00 1300,00
Lapinus® LFC301, bag 25,0	350 BAGS	1,00	3750,00	3750,000	3862,500	1220,00 1020,00 1360,00
TOTAL:				12500,000 Kgs	12875,000 Kgs	

BS539935
Date: 02-08-2022
PACKED ON 20 PALLETS

For attn of

Date 03-08-2022

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Super Circle Auto Ltd.

Client-orderno *

Lapinus orderno 9057767

Product: Lapinus® RB250
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 8.750 kg

Batch no. Batch Qty: 53319569 - 625 kg

Batch no. Batch Qty: 53319568 - 8.125 kg

Product: Rockbrake® LFC301
bag 25 kg - pallet 625 kg

Total order Qty: 3.750 kg

Batch no. Batch Qty: 53319573 - 3.750 kg

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994

Test report Date : 7-6-2022

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 6-6-2022

Product : Lapinus® RB250
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
53319569		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
53319569	Shot > 125 µm	0,42	0,90		1.0

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.
- 5 Country of origin: The Netherlands

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 7-6-2022

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 5-6-2022

Product : Lapinus® RB250
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
53319568		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
53319568	Shot > 125 µm	0,54	0,83	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.
- 5 Country of origin: The Netherlands

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 2-6-2022

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 2-6-2022

Product : Lapinus® LFC301
bag 25 kg - pallet 625 kg

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
53319573		110,00	123,00	105	200

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
53319573	Shot > 125 µm	17,75	21,66	30.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.
- 5 Country of origin: The Netherlands

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.