

View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. Collection and Drop-off:
 - If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
 - To Schedule a Collection or find a UPS location, visit [UPS.com](https://www.ups.com)

UPS Access Point™
HUBO MINKENBERG
42 HOOFDSTRAAT
HERKENBOSCH 6075AG

UPS Access Point™
DE KEMPENIER
KEMPWEG,56
ROERMOND 6045EJ

UPS Access Point™
BALLOONIE
JULIANALAAN 6
ROERMOND 6042JG

FOLD HERE

<p>CORINA HENDRIKS 0475353917 ROCKWOOL B.V. LAPINUS DELFSTOFFENWEG 2 6045JH ROERMOND NETHERLANDS</p> <p>SHIP TO: MR. R. NARAYANAN 91 4426250566 RANE BRAKE LINING LTD AMBATTUR INDUSTRIAL ESTATE PLOT NO. 30 CHENNAI 600050 INDIA</p>	<p>ENV 1 OF 1</p> <p>SHP#: 1870 WRDL HW DATE: 05 NOV 2020</p> <p>IND 0129-00</p>  	<p>UPS SAVER</p> <p>1P</p> <p>TRACKING #: 1Z 187 0WR 04 3434 6473</p>		<p>EDI-DOC</p> <p>BILLING: P/P DESC: documents</p> <p>Invoice No.: LF 7762342</p> <p>XOL 20.10.23 NV45 34.0A 10/2020*</p> 
---	---	---	--	--

Rane Brake Lining Ltd.
Attn. Mr. R. Narayanan
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 Chennai
India
+91 4426250566

Date	Our Reference	Subject
Roermond, 05/11/2020	7762342	Shipping docs

Dear Mr. R. Narayanan,

Please find enclosed the shipping documents of your PO 4800151819;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.

Lapinus

Customer Service Department

Corina Hendriks



Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 7762342

Delivery nr : 31860741

Your order nr: 4800151819

Container nr: MSCU3551786

For: Rane Brake Lining Ltd.
Plot No. 30,
Ambattur Industrial Estate
600050 Chennai
India



Shipment nr.: 0005898261

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ³ / m ² / kg	Total quantity per item in m ³ / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 250, 0,1	kg -pallet 625 kg 150 BAGS	1,00	3750,00	3750,000	3862,500	1210,00 1000,00 1300,00
Lapinus® RBC300, bag 250, 1,0	kg -pallet 625 kg 100 BAGS	1,00	2500,00	2500,000	2575,000	1210,00 1000,00 1300,00
Promaxon-D, bag 15 kg	pallet 210 kg 140 BAGS	1,00	2100,00	2100,000	2373,000	1150,00 1150,00 1150,00
TOTAL:				8350,000 Kgs	8810,500 Kgs	

BS469022

Date: 04-11-2020

PACKED ON 20 PALLETS



Lapinus®

Part of the ROCKWOOL Group


INVOICE

Invoice address: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Ordered by: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Invoice no. / date: 163662712 / 04.11.2020
Order no. / date: 7762342 / 26.10.2020
Your reference: 4800151819
Contactperson: Sonja van der Haar

Page 1 / 2



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres All Lapinus (r) products = Note Q fibres				
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	3.750,00 KG	3.750,00 KG	2.020,20 1.000 KG	7.575,75
	Stat. No.: 68061000 Delivery No/Date: 31860741 / 04.11.2020 Container Number: MSCU3551786/BS469022 Country of origin: NL				
20	Lapinus® RBC300 bag 25 kg - pallet 625 kg 58071	2.500,00 KG	2.500,00 KG	850,00 1.000 KG	2.125,00
	Stat. No.: 68061000 Delivery No/Date: 31860741 / 04.11.2020 Container Number: MSCU3551786/BS469022 Country of origin: NL				

Delivery date: 04.11.2020 -
Terms of delivery: FCA Roermond
Payment term: 60 days net

Gross/Nett weight: 8.810,500 / 8.350 KG
Transp. volume: 41,850 M3

Delivery address: 15456
Rane Brake Lining Ltd.
Plot No. 30
IEC Number 0488032644
Ambattur Industrial Estate
Chennai 600050
India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands
T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01
Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

For attn of

Date 05-11-2020

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Rane Brake Lining Ltd.

Client-orderno 4800151819

Lapinus orderno 7762342

Product: **PROMAXON-D**
BAG 15 KG PALLET 210 KG
Synthetic hydrated calcium silicate

Total order Qty: 2.100 kg

Batch no. Batch Qty: 2043055 - 420 kg

Batch no. Batch Qty: 2043083 - 420 kg

Batch no. Batch Qty: 2043039 - 420 kg

Batch no. Batch Qty: 2043033 - 420 kg

Batch no. Batch Qty: 2043102 - 420 kg

Product: **Lapinus® RB250**
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg--Note Q fibre

Total order Qty: 3.750 kg

Batch no. Batch Qty: 37394182 - 3.750 kg

Product: **Lapinus® RBC300**
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg--Note Q fibre

Total order Qty: 2.500 kg

Batch no. Batch Qty: 37203382 - 2.500 kg



Part of the ROCKWOOL Group

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994

302

Promat

Bormstraat 24
B-2830 Tisseelt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503470651
article n° 136919
Loading date 30/10/2020

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
20 43 033 1	19-okt-2020	112,80	45,80	0,00	1,75	210
20 43 033 2	19-okt-2020	112,80	45,80	0,00	1,75	210
20 43 039 1	20-okt-2020	97,28	49,60	0,00	2,16	210
20 43 039 2	20-okt-2020	97,28	49,60	0,00	2,16	210
20 43 039 3	20-okt-2020	97,28	49,60	0,00	2,16	210
20 43 039 4	20-okt-2020	97,28	49,60	0,00	2,16	210
20 43 039 5	20-okt-2020	97,28	49,60	0,00	2,16	210
20 43 039 6	20-okt-2020	97,28	49,60	0,00	2,16	210
20 43 046 3	20-okt-2020	103,12	46,50	0,00	2,21	210
20 43 046 4	20-okt-2020	103,12	46,50	0,00	2,21	210
20 43 046 5	20-okt-2020	103,12	46,50	0,00	2,21	210
20 43 046 6	20-okt-2020	103,12	46,50	0,00	2,21	210
20 43 055 1	20-okt-2020	114,80	47,90	0,00	2,23	210
20 43 055 2	20-okt-2020	114,80	47,90	0,00	2,23	210
20 43 055 3	20-okt-2020	114,80	47,90	0,00	2,23	210
20 43 055 4	20-okt-2020	114,80	47,90	0,00	2,23	210
20 43 063 5	20-okt-2020	114,60	46,00	0,00	2,53	210
20 43 063 6	20-okt-2020	114,60	46,00	0,00	2,53	210
20 43 077 1	20-okt-2020	113,60	44,60	0,06	2,67	210
20 43 077 2	20-okt-2020	113,60	44,60	0,06	2,67	210
20 43 077 3	20-okt-2020	113,60	44,60	0,06	2,67	210
20 43 077 4	20-okt-2020	113,60	44,60	0,06	2,67	210
20 43 077 5	20-okt-2020	113,60	44,60	0,06	2,67	210
20 43 077 6	20-okt-2020	113,60	44,60	0,06	2,67	210
20 43 083 1	20-okt-2020	111,36	45,50	0,00	1,95	210
20 43 083 2	20-okt-2020	111,36	45,50	0,00	1,95	210


Promat

Bormsstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503470651
article n° 136919
Loading date 30/10/2020

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
20 43 083 3	20-okt-2020	111,36	45,50	0,00	1,95	210
20 43 083 4	20-okt-2020	111,36	45,50	0,00	1,95	210
20 43 091 1	20-okt-2020	108,40	47,10	0,97	2,62	210
20 43 091 2	20-okt-2020	108,40	47,10	0,97	2,62	210
20 43 091 3	20-okt-2020	108,40	47,10	0,97	2,62	210
20 43 091 4	20-okt-2020	108,40	47,10	0,97	2,62	210
20 43 091 5	20-okt-2020	108,40	47,10	0,97	2,62	210
20 43 091 6	20-okt-2020	108,40	47,10	0,97	2,62	210
20 43 095 1	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 095 2	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 095 3	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 095 4	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 095 5	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 095 6	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 095 7	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 095 8	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 102 1	21-okt-2020	110,04	48,40	0,00	2,09	210
20 43 102 2	21-okt-2020	110,04	48,40	0,00	2,09	210
20 43 102 3	21-okt-2020	110,04	48,40	0,00	2,09	210
20 43 102 4	21-okt-2020	110,04	48,40	0,00	2,09	210
20 43 102 5	21-okt-2020	110,04	48,40	0,00	2,09	210
20 43 102 6	21-okt-2020	110,04	48,40	0,00	2,09	210
						10 080

Test report Date : 13-10-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 10-10-2020

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
37394182		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
37394182	Shot > 125 µm	0,54	0,79		1.0

- Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
- Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 5-10-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 4-10-2020

Product : Lapinus® RBC300

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
37203382		110,00	123,00	105	200

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
37203382	Shot > 125 µm	19,31	20,32		30.0

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.