



India 131021 Haryana PO - Bahalgarh Sonepat Village - Joshi Chohan Danblock Brakes India PVT Ltd

shipping documents 9441989 Subject Reference

Roermond 30/08/19 Date

Dear Sir,

Please find enclosed the original shipping documents of order 5200025700:

Invoice (1 original)

Detailed packing list (1 original)

Certificate of analysis (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.

Custandr Service Department Capinus<sup>7</sup>

## Part of the ROCKWOOL Group



## INVOICE

**AIDNI** ANAYAAH 1201E1 PO - Bahalgarh Sonepat IEC Number 0507056027 Village - Joshi Chohan Danblock Brakes India PVT LTD Ordered by: 37697

ANAYAAH 1201E1 PO - Bahalgarh Sonepat IEC Number 0507056027 Village - Joshi Chohan Danblock Brakes India PVT LTD Invoice address: 37697

ROCKMOOL B.V. 6040 KD Roemond Sunigral

Page 1 / 1.

6102.80.31 / 3441383 9102.80.94 / 29.08.2019

2200025700

Sonja van der Haar

Contactperson: Your reference:

Order no. / date:

Invoice no. / date:

laitetial

ttem

The Netherlands

JinU Price JinU JinU Quantity Number Description of goods: Rockwool mineral Fibres Country of acquisition: The Netherlands Country of origin: The Netherlands Material description

pså 52 kå - bsjet 652 kg Lapinus® LFC301 01

82206

1.000 KG 00,289

KG KG 25.000,00 25.000,00

00'0

Container Number: CCHTCNU4463890 Delivery No/Date: 30845042 / 21.08.2019 Stat. No.: 68061000

Country of origin: NL

xsT fuqfuO TAV .loxe truomA

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

17.050,00 EUR

00'0

17.050,00

00,030.71

**J**nuomA

sibnl Haryana 131021 PO - Bahalgarh Sonepat IEC Number 0507056027 Village - Joshi Chohan Danblock Brakes India PVT LTD Delivery address: 37697

50 days net Payment term: FCA Roermond Terms of delivery: - 6102.80.12 Delivery date:

25.750 / 25.000 KG Gross/Nett weight:

**28 M3** Transp. volume:

T +31 (0) 475 35 35, E cs@lapinus.com, T +31 (0) 476 35 35, E cs@lapinus.com, Lapinus, ROCKWOOL B.V, Postbus 1160, 6040 KD Roermond, Industrieweg 15, 6045 JG Roermond, The Netherlands

ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced. the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and

Rockwool B.V. Industrieweg 15 6045 JG Roermond / The Netherlands

Shipment nr.: 0005192752

Container nr: TCNU4463890

Your ordernr: 5200025700

Our ordernr : 6861446

**Delivery nr** : 30845042

For Danblock Brakes India PVT LTD Village - Joshi Chohan

PO - Bahalgarh Sonepat

India 131021 Haryana



DETAILED PACKING LIST

1360,00

7						
and dimensions	of packages	Contents per package in m <sup>4</sup> /m <sup>2</sup> /kg	Total quantity per item in m¹/m²/kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® LFC301, bag 25 25,0 1,0	kg -pallet 625 1000 BAGS	kg 1,00	25000,00	25000,000	25750,000	1220,00 1020,00
				-		
i						
BS383411 Date: 29-08-2019			TOTAL:	25000,000 <b>Kgs</b>	25750,000 <b>Kgs</b>	
11 11 11 11 11 11 11 11 11 11 11 11 11						

PACKED ON 40 PALLETS

This document is automatically generated and therefore contains no signature. LF007/F03 / June 1994

cs@lapinus.com moo.eunilapinus.com

Lapinus ROCKWOOL B.V. The Netherlands T5 ROCKWOOL B.V. The Mocrmond T5 ROCKWOOL B.V. The Netherlands

Customer Services

Kind regards

Batch no. Batch Qty: 32002355 - 1.250 kg

Batch no. Batch Qty: 32881413 - 23.750 kg

Total order Qty: 25.000 kg

psd 52 kg - psllet 625 kg

Product: Rockbrake® LFC301

Lapinus orderno 6861446

Client-orderno 5200025700

Client Danblock Brakes India PVT LTD

Please find attached Test Report of compliance with the order (EN 10204; 2004 / 2.2)

Date 30-08-2019

For attn of Mrs.



Test report Date : 6-5-2019

TEST REPORT of compliance with the order (EN 10204; 2004 / 2.2)

Prod. Date: 5-5-2019

Product : Rockbrake@ LFC301

pag 25 kg - pallet 625 kg

Testresults .

7 1010	, , , , , , , , , , , , , , , , , , , ,	· -			
			T		
32002325		110,00	00,011	105	500
		.niM	.xsM	.niM	Max.
Batch no.	Fibre length Results (micron)	Results (micron) Limits (micron		Limits (micron)	

-	.xsM 30.0	.xeM 97,12	.niM 31,91	my 321 < John	32002355
	Limits ( %wt)	(1w%)	Results	Shotcontent	Batch no.

- Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
- 4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

+31 475 353677	Customer Service	+31 475 353354	Roermond
Fax number	Contact	Telephone number	ətiS

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994



: 2-8-5019 Test report Date

TEST REPORT of compliance with the order (EN 10204; 2004 / 2.2)

Ţ.

Prod. Date: 4-8-2019

: Rockbrake® LFC301 Product

psg 25 kg - pallet 625 kg

Testresults

L	(4/0/	(411/8) 0411100			traetrostod2	on dated
	200	105	123,00	110,00		32881413
	micron ) Max.	Limits ( Min.	( micron ) Max.	Hesults ( Min.	Fibre length	Batch no.

30.0	21,07	01,81	Shot > 125 µm	32881413
.xeM	.xsM	.niM		
(tw%) stimid	(1w%)	estiue9A	Shotcontent	Batch no.

- batch and in compliance with the product information sheet. Herewith we declare the above mentioned test results being representative for the .ε
- BEACH >0.1%. Our material is REACH registered and does not contain SVHC substances under

**1475 353677 Customer Service** +31 475 353354 Roermond Eax number Contact Telephone number Site

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the restring to be obtained from their use thereof, or any such use will not infinge upon any patent. This information is furnished only as a guide and upon the condition that the result of each and substitute to be obtained from their use thereof, or any such use will not infinge upon any patent. This information is furnished regarding the accuracy of these data, the